



China


150k-30MHz Conducted Emission Test
 NN-H665WF

EUT: Microwave Oven
 Manuf: Panasonic Home Appliances Microwave Oven Co., Ltd.
 Op Cond: Power on (P10)
 Operator: Xiao Xu
 Test Spec: FCC Part 18
 Comment: Phase L
 Sample No. S41105021
 Result File: h66511.dat : New Measurement

Scan Settings (2 Ranges)				Receiver Settings				
Frequencies		Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
Start	Stop							
150kHz	1000kHz	5kHz	10kHz	PK+AV	50msec	Auto	OFF	60dB
1000kHz	30MHz	10kHz	10kHz	PK+AV	50msec	Auto	OFF	60dB

Transducer	No.	Start	Stop	Name
	1	150kHz	30MHz	4200

Final Measurement: Detectors: X QP / + AV
 Meas Time: 1sec
 Subranges: 8
 Acc Margin: 6 dB





China

150k-30MHz Conducted Emission Test
NN-H665WF

EUT: Microwave Oven
 Manuf: Panasonic Home Appliances Microwave Oven Co., Ltd.
 Op Cond: Power on (P10)
 Operator: Xiao Xu
 Test Spec: FCC Part 18
 Comment: Phase L
 Sample No. S41105021
 Result File: h665I1.dat : New Measurement

Scan Settings (2 Ranges)

Frequencies					Receiver Settings			
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150kHz	1000kHz	5kHz	10kHz	PK+AV	50msec	Auto	OFF	60dB
1000kHz	30MHz	10kHz	10kHz	PK+AV	50msec	Auto	OFF	60dB

Transducer	No.	Start	Stop	Name
	1	150kHz	30MHz	4200

Final Measurement: Detectors: X QP / + AV
 Meas Time: 1sec
 Subranges: 8
 Acc Margin: 6 dB

Final Measurement Results

Frequency MHz	QP Level dBµV	QP Limit dBµV	QP Delta dB
0.215	57.22	63.01	5.79
18.3	50.02	60.00	9.98

Frequency MHz	AV Level dBµV	AV Limit dBµV	AV Delta dB
0.215	40.47	53.01	12.54
18.3	39.73	50.00	10.27

* limit exceeded



China

150k-30MHz Conducted Emission Test
NN-H665WF


EUT: Microwave Oven
 Manuf: Panasonic Home Appliances Microwave Oven Co., Ltd.
 Op Cond: Power on (P10)
 Operator: Xiao Xu
 Test Spec: FCC Part 18
 Comment: Phase N
 Sample No. S41105021
 Result File: h665n1.dat : New Measurement

Scan Settings (2 Ranges)

Frequencies				Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150kHz	1000kHz	5kHz	10kHz	PK+AV	50msec	Auto	OFF	60dB
1000kHz	30MHz	10kHz	10kHz	PK+AV	50msec	Auto	OFF	60dB

Transducer	No.	Start	Stop	Name
	1	150kHz	30MHz	4200

Final Measurement: Detectors: X QP / + AV
 Meas Time: 1sec
 Subranges: 8
 Acc Margin: 6 dB





China

150k-30MHz Conducted Emission Test
 NN-H665WF

EUT: Microwave Oven
 Manuf: Panasonic Home Appliances Microwave Oven Co., Ltd.
 Op Cond: Power on (P10)
 Operator: Xiao Xu
 Test Spec: FCC Part 18
 Comment: Phase N
 Sample No. S41105021
 Result File: h665n1.dat : New Measurement

Scan Settings (2 Ranges)

Frequencies				Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150kHz	1000kHz	5kHz	10kHz	PK+AV	50msec	Auto	OFF	60dB
1000kHz	30MHz	10kHz	10kHz	PK+AV	50msec	Auto	OFF	60dB

Transducer	No.	Start	Stop	Name
	1	150kHz	30MHz	4200

Final Measurement: Detectors: X QP / + AV
 Meas Time: 1sec
 Subranges: 8
 Acc Margin: 6 dB

Final Measurement Results

Frequency MHz	QP Level dBµV	QP Limit dBµV	QP Delta dB
0.15	59.38	66.00	6.62
0.235	55.79	62.27	6.48
17.85	46.70	60.00	13.30

Frequency MHz	AV Level dBµV	AV Limit dBµV	AV Delta dB
0.235	39.60	52.27	12.67
18.07	41.97	50.00	8.03

limit exceeded