MET Laboratories, Inc. *Safety Certification - EMI - Telecom Environmental Simulation*
914 WEST PATAPSCO AVENUE • BALTIMORE, MARYLAND 21230-3432 • PHONE (410) 354-3300 • FAX (410) 354-3313
33439 WESTERN AVENUE • UNION CITY, CALIFORNIA 94587 • PHONE (510) 489-6300 • FAX (510) 489-6372
3162 BELICK STREET • SANTA CLARA, CA 95054 • PHONE (408) 748-3585 • FAX (510) 489-6372
13501 MCCALLEN PASS • AUSTIN, TEXAS 78753 • PHONE (512) 287-2500 • FAX (512) 287-2513

October 29, 2015

ARRIS
101 Tournament Drive
Horsham, PA 19044

Dear Mark Hageali,

Enclosed is the EMC Wireless test report for compliance testing of the ARRIS, DCX3635 as tested to the requirements of Title 47 of the CFR, Ch. 1 (10-1-06 ed.), Part 15 Subpart C for Intentional Radiators.

Thank you for using the services of MET Laboratories, Inc. If you have any questions regarding these results or if MET can be of further service to you, please feel free to contact me.

Sincerely yours,
MET LABORATORIES, INC.

Jennifer Warnell
Documentation Department

Reference: (\ARRIS\EMC86201A-FCC247 Rev. 3)

Electromagnetic Compatibility Criteria
Test Report

for the

ARRIS
DCX3635

Tested under
the FCC Certification Rules
contained in
15.247 Subpart C for Intentional Radiators

MET Report: EMC86201A-FCC247 Rev. 3

October 29, 2015

Prepared For:

ARRIS
101 Tournament Drive
Horsham, PA 19044

Prepared By:
MET Laboratories, Inc.
914 W. Patapsco Ave.
Baltimore, MD 21230

Electromagnetic Compatibility Criteria
Test Report

for the

ARRIS
DCX3635

Tested under
the FCC Certification Rules
contained in
15.247 Subpart C for Intentional Radiators

Poona Saber, Project Engineer
Electromagnetic Compatibility Lab

Jennifer Warnell
Documentation Department

Engineering Statement: The measurements shown in this report were made in accordance with the procedures indicated, and the emissions from this equipment were found to be within the limits applicable. I assume full responsibility for the accuracy and completeness of these measurements, and for the qualifications of all persons taking them. It is further stated that upon the basis of the measurements made, the equipment tested is capable of operation in accordance with the requirements of the FCC Rules Part 15.247 under normal use and maintenance.

Asad Bajwa,
Director, Electromagnetic Compatibility Lab

Report Status Sheet

Revision	Report Date	Reason for Revision
∅	September 29, 2015	Initial Issue.
1	October 13, 2015	Corrected FCC ID.
2	October 23, 2015	Engineer corrections.

Table of Contents

List of Tables

List of Plots

List of Figures

List of Photographs

List of Terms and Abbreviations

AC	**A**lternating **C**urrent
ACF	**A**ntenna **C**orrection **F**actor
Cal	**Cal**ibration
d	**M**easurement **D**istance
dB	**D**eci**b**els
dBµA	**D**eci**b**els above one **micro**amp
dBµV	**D**eci**b**els above one **micro**volt
dBµA/m	**D**eci**b**els above one **micro**amp **per m**eter
dBµV/m	**D**eci**b**els above one **micro**volt **per m**eter
DC	**D**irect **C**urrent
E	**E**lectric Field
DSL	**D**igital **S**ubscriber **L**ine
ESD	**E**lectro**s**tatic **D**ischarge
EUT	**E**quipment **U**nder **T**est
f	**F**requency
FCC	**F**ederal **C**ommunications **C**ommission
GRP	**G**round **R**eference **P**lane
H	Magnetic Field
HCP	**H**orizontal **C**oupling **P**lane
Hz	**H**ert**z**
IEC	**I**nternational **E**lectrotechnical **C**ommission
kHz	**k**ilo**h**ert**z**
kPa	**k**ilo**pa**scal
kV	**k**ilo**v**olt
LISN	**L**ine **I**mpedance **S**tabilization **N**etwork
MHz	**M**ega**h**ertz
µH	**microh**enry
µ	**microf**arad
µs	**micros**econds
NEBS	**N**etwork **E**quipment-**B**uilding **S**ystem
PRF	**P**ulse **R**epetition **F**requency
RF	**R**adio **F**requency
RMS	**R**oot-**M**ean-**S**quare
TWT	**T**raveling **W**ave **T**ube
V/m	**V**olts **per m**eter
VCP	**V**ertical **C**oupling **P**lane

I. Executive Summary

A. Purpose of Test

An EMC evaluation was performed to determine compliance of the ARRIS DCX3635, with the requirements of Part 15, §15.247. All references are to the most current version of Title 47 of the Code of Federal Regulations in effect. In accordance with §2.1033, the following data is presented in support of the Certification of the DCX3635. ARRIS should retain a copy of this document which should be kept on file for at least two years after the manufacturing of the DCX3635, has been **permanently** discontinued.

B. Executive Summary

The following tests were conducted on a sample of the equipment for the purpose of demonstrating compliance with Part 15, §15.247, in accordance with ARRIS, purchase order number AR1062669. All tests were conducted using measurement procedure ANSI C63.4-2014.

FCC Reference 47 CFR Part 15.247:2005	Description	Compliance
Title 47 of the CFR, Part 15 §15.203	Antenna Requirement	Compliant
Title 47 of the CFR, Part 15 §15.207(a)	Conducted Emission Limits	Compliant
Title 47 of the CFR, Part 15 §15.247(a)(2)	6dB Occupied Bandwidth	Compliant
Title 47 of the CFR, Part 15 §15.247(b)	Peak Power Output	Compliant
Title 47 of the CFR, Part 15 §15.247(d); §15.209; §15.205	Radiated Spurious Emissions Requirements	Compliant
Title 47 of the CFR, Part 15 §15.247(d)	RF Conducted Spurious Emissions Requirements	Compliant
Title 47 of the CFR, Part 15 §15.247(d)	RF Conducted Band Edge	Compliant
Title 47 of the CFR, Part 15; §15.247(e)	Peak Power Spectral Density	Compliant
Title 47 of the CFR, Part 15 §15.247(i)	Maximum Permissible Exposure (MPE)	Compliant

Table 1. Executive Summary of EMC Part 15.247 ComplianceTesting

II. Equipment Configuration

A. Overview

MET Laboratories, Inc. was contracted by ARRIS to perform testing on the DCX3635, under ARRIS's purchase order number AR1062669.

This document describes the test setups, test methods, required test equipment, and the test limit criteria used to perform compliance testing of the ARRIS, DCX3635.

The results obtained relate only to the item(s) tested.

Model(s) Tested:	DCX3635	
Model(s) Variants:	DCX3635/6K00/0522/0500 DCX3635/6K80/0522/0500 DCX3635/6K00/0522/1000 DCX3635/6K80/0522/1000	
EUT Specifications:	Primary Power: 120 VAC, 60 Hz	
	FCC ID: ACQ-DCX3635M	
	Type of Modulations:	CCK, OFDM, MCS
	Equipment Code:	DTS
	Peak RF Output Power:	26.6 dBm
	EUT Frequency Ranges:	2412-2462 MHz
Analysis:	The results obtained relate only to the item(s) tested.	
Environmental Test Conditions:	Temperature: 15-35º C	
	Relative Humidity: 30-60%	
	Barometric Pressure: 860-1060 mbar	
Evaluated by:	Poona Saber	
Report Date(s):	October 29, 2015	

Table 2. EUT Summary Table

B. References

CFR 47, Part 15, Subpart C	Federal Communication Commission, Code of Federal Regulations, Title 47, Part 15: General Rules and Regulations, Allocation, Assignment, and Use of Radio Frequencies
ANSI C63.4:2014	Methods and Measurements of Radio-Noise Emissions from Low-Voltage Electrical And Electronic Equipment in the Range of 9 kHz to 40 GHz
ISO/IEC 17025:2005	General Requirements for the Competence of Testing and Calibration Laboratories
ANSI C63.10-2013	American National Standard for Testing Unlicensed Wireless Devices
KDB 558074 D01	DTS Meas Guidance v03r03

Table 3. References

C. Test Site

All testing was performed at MET Laboratories, Inc., 914 W. Patapsco Ave., Baltimore, MD 21230. All equipment used in making physical determinations is accurate and bears recent traceability to the National Institute of Standards and Technology.

Radiated Emissions measurements were performed in a 3 meter semi-anechoic chamber (equivalent to an Open Area Test Site). In accordance with §2.948(a)(3), a complete site description is contained at MET Laboratories.

D. Description of Test Sample

The ARRIS DCX3635, Equipment Under Test (EUT), is a media gateway with an embedded multi-channel full-band capture QAM and DOCSIS 3.0 front-end receiver that bridges to a video back-end processor supporting video presentation and transcoding as well as other embedded functions. It also functions as an Access Point (AP) through dual concurrent WiFi, specifically IEEE802.11n and IEEE802.11ac supporting 3x3 MIMO, with IP data routing capability through dual Gigabit Ethernet ports. It is capable of presenting encrypted SD and HD video content through HDMI™ and Analog Composite (SD content only), digital audio is presented through HDMI™ and Optical SPDIF, and analog audio is presented through baseband left and right connectors. The DCX3635W is home networking capable through WiFi, MoCA®, and Gigabit Ethernet. This model has removable CableCard for content security. User interface is through IR or RF4CE remote control.

E. Mode of Operation

Normal operation will not be simulated. This device will be configured to perform the required functions for FCC part 15 intentional radiators.

F. Method of Monitoring EUT Operation

Spectrum Analyzer.

G. Modifications

a) Modifications to EUT

No modifications were made to the EUT.

b) Modifications to Test Standard

No modifications were made to the test standard.

H. Disposition of EUT

The test sample including all support equipment submitted to the Electro-Magnetic Compatibility Lab for testing was returned to ARRIS upon completion of testing.

III. Electromagnetic Compatibility Criteria for Intentional Radiators

Electromagnetic Compatibility Criteria for Intentional Radiators

§ 15.203 Antenna Requirement

Test Requirement: **§ 15.203:** An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

The structure and application of the EUT were analyzed to determine compliance with Section 15.203 of the Rules. Section 15.203 states that the subject device must meet at least one of the following criteria:

a.) Antenna must be permanently attached to the unit.

b.) Antenna must use a unique type of connector to attach to the EUT.

c.) Unit must be professionally installed. Installer shall be responsible for verifying that the correct antenna is employed with the unit.

Results: The EUT as tested is compliant the criteria of §15.203. EUT has internal antennas and is not accessible to the end user.

Test Engineer(s): Poona Saber

Test Date(s): 07/01/15

Electromagnetic Compatibility Criteria for Intentional Radiators

§ 15.207(a) Conducted Emissions Limits

Test Requirement(s): **§ 15.207 (a):** For an intentional radiator that is designed to be connected to the public utility (AC) power line, the radio frequency voltage that is conducted back onto the AC power line on any frequency or frequencies, within the band 150 kHz to 30MHz, shall not exceed the limits in the following table, as measured using a 50 μH/50 Σ line impedance stabilization network (LISN). Compliance with the provisions of this paragraph shall be based on the measurement of the radio frequency voltage between each power line and ground at the power terminal. The lower limit applies at the boundary between the frequency ranges.

Frequency range (MHz)	§ 15.207(a), Conducted Limit (dBμV)	
	Quasi-Peak	Average
* 0.15- 0.45	66 - 56	56 - 46
0.45 - 0.5	56	46
0.5 - 30	60	50

Table 4. Conducted Limits for Intentional Radiators from FCC Part 15 § 15.207(a)

Test Procedure: The EUT was placed on a 0.8 m-high wooden table inside a screen room. The EUT was situated such that the back of the EUT was 0.4 m from one wall of the vertical ground plane, and the remaining sides of the EUT were no closer than 0.8 m from any other conductive surface. The EUT was powered from a 50 Ω/50 μH Line Impedance Stabilization Network (LISN). The EMC receiver scanned the frequency range from 150 kHz to 30 MHz. Conducted Emissions measurements were made in accordance with *ANSI C63.4-2003 "Methods and Measurements of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9kHz to 40 GHz"*. The measurements were performed over the frequency range of 0.15 MHz to 30 MHz using a 50 Ω/50 μH LISN as the input transducer to an EMC/field intensity meter. For the purpose of this testing, the transmitter was turned on. Scans were performed with the transmitter on.

Test Results: The EUT was compliant with this requirement.

Test Engineer(s): Surinder Singh

Test Date(s): 07/02/15

15.207(a) Conducted Emissions Test Results

Frequency (MHz)	Uncorrected Meter Reading (dBµV) QP	Cable Loss (dB)	Corrected Measurement (dBµV) QP	Limit (dBµV) QP	Margin (dB) QP	Uncorrected Meter Reading (dBµV) Avg.	Cable Loss (dB)	Corrected Measurement (dBµV) AVG	Limit (dBµV) AVG	Margin (dB) AVG
0.245	36.02	0.13	36.15	61.93	-25.78	30.57	0.13	30.7	51.93	-21.23
0.559	37.07	0	37.07	56	-18.93	30.53	0	30.53	46	-15.47
2.5	31.66	0.08	31.74	56	-24.26	24.78	0.08	24.86	46	-21.14
6.612	32.42	0.17	32.59	60	-27.41	25.44	0.17	25.61	50	-24.39
16.38	36.98	0	36.98	60	-23.02	31.05	0	31.05	50	-18.95
22.75	27.85	0	27.85	60	-32.15	22.21	0	22.21	50	-27.79

Table 5. Conducted Emissions, 15.207(a), Phase Line, Test Results



Plot 1. Conducted Emissions, 15.207(a), Phase Line, Low Channel

Plot 2. Conducted Emissions, 15.207(a), Phase Line, Mid Channel



Plot 3. Conducted Emissions, 15.207(a), Phase Line, High Channel

15.207(a) Conducted Emissions Test Results

Frequency (MHz)	Uncorrected Meter Reading (dBµV) QP	Cable Loss (dB)	Corrected Measurement (dBµV) QP	Limit (dBµV) QP	Margin (dB) QP	Uncorrected Meter Reading (dBµV) Avg.	Cable Loss (dB)	Corrected Measurement (dBµV) AVG	Limit (dBµV) AVG	Margin (dB) AVG
0.164	38.66	0.17	38.83	65.26	-26.43	27.26	0.17	27.43	55.26	-27.83
0.328	35	0	35	59.5	-24.5	25.93	0	25.93	49.5	-23.57
4.95	33.51	0.17	33.68	56	-22.32	25.52	0.17	25.69	46	-20.31
5.275	33.88	0.17	34.05	60	-25.95	26.24	0.17	26.41	50	-23.59
15.6	36.41	0	36.41	60	-23.59	29.95	0	29.95	50	-20.05
24.2	27.32	0	27.32	60	-32.68	21.28	0	21.28	50	-28.72

Table 6. Conducted Emissions, 15.207(a), Neutral Line, Test Results



Plot 4. Conducted Emissions, 15.207(a), Neutral Line, Low Channel



Plot 5. Conducted Emissions, 15.207(a), Neutral Line, Mid Channel



Plot 6. Conducted Emissions, 15.207(a), Neutral Line, High Channel

15.207(a) Conducted Emissions Test Setup Photo

Photograph 1. Conducted Emissions, 15.207(a), Test Setup

Electromagnetic Compatibility Criteria for Intentional Radiators

§ 15.247(a)(2) 6 dB Bandwidth

Test Requirements: **§ 15.247(a)(2):** Operation under the provisions of this section is limited to frequency hopping and digitally modulated intentional radiators that comply with the following provisions:

For systems using digital modulation techniques, the EUT may operate in the 902-928 MHz, 2400-2483.5 MHz and 5725-5850 MHz bands. The minimum 6dB bandwidth shall be at least 500 kHz.

Test Procedure: The transmitter was on and transmitting at the highest output power. The bandwidth of the fundamental frequency was measured with the spectrum analyzer using a RBW approximately 1% of the total emission bandwidth, VBW > RBW. The 6 dB Bandwidth was measured and recorded. The measurements were performed on the low, mid and high channels.

Test Results The EUT was compliant with § 15.247 (a)(2).

The 6 dB Bandwidth was determined from the plots on the following pages.

Test Engineer(s): Poona Saber

Test Date(s): 06/19/15



Figure 1. Block Diagram, Occupied Bandwidth Test Setup

Occupied Bandwidth Test Results

Occupied Bandwidth				
	Mode	**Carrier Channel**	**Frequency (MHz)**	**Measured 6 dB Bandwidth (MHz)**
Antenna 0	802.11b	Low	2412	9.151
		Mid	2437	9.140
		High	2462	9.155
Antenna 1	802.11b	Low	2412	9.142
		Mid	2437	9.169
		High	2462	9.097
Antenna 2	802.11b	Low	2412	9.077
		Mid	2437	9.034
		High	2462	8.084
Antenna 0	802.11g	Low	2412	16.598
		Mid	2437	16.604
		High	2462	16.561
Antenna 1	802.11g	Low	2412	16.589
		Mid	2437	16.601
		High	2462	16.593
Antenna 2	802.11g	Low	2412	16.408
		Mid	2437	17.621
		High	2462	16.372
Antenna 0	802.11n 20 MHz	Low	2412	17.796
		Mid	2437	17.721
		High	2462	17.779
Antenna 1	802.11n 20 MHz	Low	2412	17.785
		Mid	2437	17.787
		High	2462	17.804
Antenna 2	802.11n 20 MHz	Low	2412	17.612
		Mid	2437	17.823
		High	2462	17.615
Antenna 0	802.11n 40 MHz	Low	2422	36.450
		Mid	2437	36.563
		High	2452	36.503
Antenna 1	802.11n 40 MHz	Low	2422	36.514
		Mid	2437	36.621
		High	2452	36.561
Antenna 2	802.11n 40 MHz	Low	2422	35.976
		Mid	2437	36.629
		High	2452	36.503

Table 7. 6 dB Occupied Bandwidth, Test Results

6 dB Occupied Bandwidth Test Results, 802.11b, Antenna 0



Plot 7. 6 dB Occupied Bandwidth, Low Channel, 802.11b, Antenna 0



Plot 8. 6 dB Occupied Bandwidth, Mid Channel, 802.11b, Antenna 0



Plot 9. 6 dB Occupied Bandwidth, High Channel, 802.11b, Antenna 0

6 dB Occupied Bandwidth Test Results, 802.11b, Antenna 1



Plot 10. 6 dB Occupied Bandwidth, Low Channel, 802.11b, Antenna 1



Plot 11. 6 dB Occupied Bandwidth, Mid Channel, 802.11b, Antenna 1



Plot 12. 6 dB Occupied Bandwidth, High Channel, 802.11b, Antenna 1

6 dB Occupied Bandwidth Test Results, 802.11b, Antenna 2



Plot 13. 6 dB Occupied Bandwidth, Low Channel, 802.11b, Antenna 2



Plot 14. 6 dB Occupied Bandwidth, Mid Channel, 802.11b, Antenna 2



Plot 15. 6 dB Occupied Bandwidth, High Channel, 802.11b, Antenna 2

6 dB Occupied Bandwidth Test Results, 802.11g, Antenna 0



Plot 16. 6 dB Occupied Bandwidth, Low Channel, 802.11g, Antenna 0



Plot 17. 6 dB Occupied Bandwidth, Mid Channel, 802.11g, Antenna 0



Plot 18. 6 dB Occupied Bandwidth, High Channel, 802.11g, Antenna 0

6 dB Occupied Bandwidth Test Results, 802.11g, Antenna 1



Plot 19. 6 dB Occupied Bandwidth, Low Channel, 802.11g, Antenna 1



Plot 20. 6 dB Occupied Bandwidth, Mid Channel, 802.11g, Antenna 1



Plot 21. 6 dB Occupied Bandwidth, High Channel, 802.11g, Antenna 1

6 dB Occupied Bandwidth Test Results, 802.11g, Antenna 2



Plot 22. 6 dB Occupied Bandwidth, Low Channel, 802.11g, Antenna 2



Plot 23. 6 dB Occupied Bandwidth, Mid Channel, 802.11g, Antenna 2



Plot 24. 6 dB Occupied Bandwidth, High Channel, 802.11g, Antenna 2

6 dB Occupied Bandwidth Test Results, 802.11n 20 MHz, Antenna 0



Plot 25. 6 dB Occupied Bandwidth, Low Channel, 802.11n 20 MHz, Antenna 0



Plot 26. 6 dB Occupied Bandwidth, Mid Channel, 802.11n 20 MHz, Antenna 0



Plot 27. 6 dB Occupied Bandwidth, High Channel, 802.11n 20 MHz, Antenna 0

6 dB Occupied Bandwidth Test Results, 802.11n 20 MHz, Antenna 1



Plot 28. 6 dB Occupied Bandwidth, Low Channel, 802.11n 20 MHz, Antenna 1



Plot 29. 6 dB Occupied Bandwidth, Mid Channel, 802.11n 20 MHz, Antenna 1



Plot 30. 6 dB Occupied Bandwidth, High Channel, 802.11n 20 MHz, Antenna 1

6 dB Occupied Bandwidth Test Results, 802.11n 20 MHz, Antenna 2



Plot 31. 6 dB Occupied Bandwidth, Low Channel, 802.11n 20 MHz, Antenna 2



Plot 32. 6 dB Occupied Bandwidth, Mid Channel, 802.11n 20 MHz, Antenna 2



Plot 33. 6 dB Occupied Bandwidth, High Channel, 802.11n 20 MHz, Antenna 2

6 dB Occupied Bandwidth Test Results, 802.11n 40 MHz, Antenna 0



Plot 34. 6 dB Occupied Bandwidth, Low Channel, 802.11n 40 MHz, Antenna 0



Plot 35. 6 dB Occupied Bandwidth, Mid Channel, 802.11n 40 MHz, Antenna 0



Plot 36. 6 dB Occupied Bandwidth, High Channel, 802.11n 40 MHz, Antenna 0

6 dB Occupied Bandwidth Test Results, 802.11n 40 MHz, Antenna 1



Plot 37. 6 dB Occupied Bandwidth, Low Channel, 802.11n 40 MHz, Antenna 1



Plot 38. 6 dB Occupied Bandwidth, Mid Channel, 802.11n 40 MHz, Antenna 1



Plot 39. 6 dB Occupied Bandwidth, High Channel, 802.11n 40 MHz, Antenna 1

6 dB Occupied Bandwidth Test Results, 802.11n 40 MHz, Antenna 2



Plot 40. 6 dB Occupied Bandwidth, Low Channel, 802.11n 40 MHz, Antenna 2



Plot 41. 6 dB Occupied Bandwidth, Mid Channel, 802.11n 40 MHz, Antenna 2



Plot 42. 6 dB Occupied Bandwidth, High Channel, 802.11n 40 MHz, Antenna 2

Electromagnetic Compatibility Criteria for Intentional Radiators

§ 15.247(b) Peak Power Output

Test Requirements: **§15.247(b):** The maximum peak output power of the intentional radiator shall not exceed the following:

Digital Transmission Systems (MHz)	Output Limit (Watts)
902-928	1.000
2400–2483.5	1.000
5725– 5850	1.000

Table 8. Output Power Requirements from §15.247(b)

§15.247(c): if transmitting antennas of directional gain greater than 6 dBi are used the peak output power from the intentional radiator shall be reduced below the stated values in the Table 8, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Systems operating in the 2400 – 2483.5 MHz band and using a point to point application may employ transmitting antennas with directional gain greater than 6 dBi provided the maximum peak output power of the intentional radiator is reduced by 1 dB for every 3 dB that the directional gain of the antenna exceeds 6 dBi.

Systems operating in the 5725 – 5850 MHz band that are used exclusively for fixed, point-to-point operations may employ transmitting antennas with directional gain greater than 6 dBi without any corresponding reduction in transmitter peak output power.

Fixed, point-to-point operation excludes the use of point-to-multipoint systems, Omni-directional applications, and multiple co-located intentional radiators transmitting the same information. The operator of the spread spectrum intentional radiator or, if the equipment is professionally installed, the installer is responsible for ensuring that the system is used exclusively for fixed, point-to-point operations. The instruction manual furnished with the intentional radiator shall contain language in the installation instructions informing the operator and the installer of this responsibility.

Test Procedure: The transmitter was connected to a calibrated spectrum analyzer. The EUT was measured at the low, mid and high channels of each band at the maximum power level.

Test Results: The EUT was compliant with the Peak Power Output limits of **§15.247(b)**.

Test Engineer(s): Poona Saber

Test Date(s): 07/01/15



Figure 2. Peak Power Output Test Setup

Peak Power Output Test Results

Frequency (MHz)	Mode	Ant Port 0 Power (dBm)	Ant Port 1 Power (dBm)	Ant Port 2 Power (dBm)	Summed Power (dBm)	Antenna Gain (dBi)	Limit (dBm)	Margin (dB)
2412	802.11b	21.42	22.56	21.15	26.6	9.2	26.8	-0.2
2417	802.11b	--	--	--	--	9.2	26.8	-22
2422	802.11b	--	--	--	--	9.2	26.8	-22
2427	802.11b	--	--	--	--	9.2	26.8	-22
2432	802.11b	--	--	--	--	9.2	26.8	-22
2437	802.11b	20.3	22.77	21.02	26.3	9.2	26.8	-0.5
2442	802.11b	--	--	--	--	9.2	26.8	-22
2447	802.11b	--	--	--	--	9.2	26.8	-22
2452	802.11b	--	--	--	--	9.2	26.8	-22
2457	802.11b	--	--	--	--	9.2	26.8	-22
2462	802.11b	20.88	22.69	21.22	26.5	9.2	26.8	-0.3

Table 9. Peak Power Output, Test Results, 802.11b, MIMO

Frequency (MHz)	Mode	Ant Port 0 Power (dBm)	Ant Port 1 Power (dBm)	Ant Port 2 Power (dBm)	Summed Power (dBm)	Antenna Gain (dBi)	Limit (dBm)	Margin (dB)
2412	802.11g	20.17	22.11	20.6	25.9	9.2	26.8	-0.9
2417	802.11g	--	--	--	--	9.2	26.8	-26.8
2422	802.11g	--	--	--	--	9.2	26.8	-26.8
2427	802.11g	--	--	--	--	9.2	26.8	-26.8
2432	802.11g	--	--	--	--	9.2	26.8	-26.8
2437	802.11g	--	--	--	--	9.2	26.8	-26.8
2442	802.11g	--	--	--	--	9.2	26.8	-26.8
2447	802.11g	--	--	--	--	9.2	26.8	-26.8
2452	802.11g	20.3	22.1	20.56	25.9	9.2	26.8	-0.9
2457	802.11g	19.69	21.67	20.01	25.4	9.2	26.8	-1.4
2462	802.11g	18.77	17.53	19.04	23.3	9.2	26.8	-3.5

Table 10. Peak Power Output, Test Results, 802.11g, MIMO

Frequency (MHz)	Mode	Ant Port 0 Power (dBm)	Ant Port 1 Power (dBm)	Ant Port 2 Power (dBm)	Summed Power (dBm)	Antenna Gain (dBi)	Limit (dBm)	Margin (dB)
2412	HT20	15.98	16.79	17.15	21.5	9.2	26.8	-5.3
2417	HT20	19.98	21.03	20.33	25.3	9.2	26.8	-1.5
2422	HT20	20.76	21.84	22.29	26.5	9.2	26.8	-0.3
2427	HT20	--	--	--	--	9.2	26.8	-22
2432	HT20	--	--	--	--	9.2	26.8	-22
2437	HT20	20.8	21.98	22.17	26.5	9.2	26.8	-0.3
2442	HT20	--	--	--	--	9.2	26.8	-22
2447	HT20	--	--	--	--	9.2	26.8	-22
2452	HT20	20.64	22.05	22.39	26.6	9.2	26.8	-0.2
2457	HT20	19.82	20.93	21.47	25.6	9.2	26.8	-1.2
2462	HT20	15.98	17.53	17.46	21.9	9.2	26.8	-4.9

Table 11. Peak Power Output, Test Results, 802.11n 20 MHz, MIMO

Frequency (MHz)	Mode	Ant Port 0 Power (dBm)	Ant Port 1 Power (dBm)	Ant Port 2 Power (dBm)	Summed Power (dBm)	Antenna Gain (dBi)	Limit (dBm)	Margin (dB)
2422	HT40	13.7	13.78	14.97	19	9.2	26.8	-7.8
2427	HT40	15.18	15.87	15.43	20.3	9.2	26.8	-6.5
2432	HT40	16.74	18.27	17.02	22.2	9.2	26.8	-4.6
2437	HT40	17.11	17.09	18.01	22.2	9.2	26.8	-4.6
2442	HT40	15.4	15.42	16.13	20.5	9.2	26.8	-6.3
2447	HT40	14.36	15.19	15.73	20	9.2	26.8	-6.8
2452	HT40	13.27	13.65	14.23	18.6	9.2	26.8	-8.2

Table 12. Peak Power Output, Test Results, 802.11n 40 MHz, MIMO

Frequency (MHz)	Mode	Ant Port 0 Power (dBm)	Ant Port 1 Power (dBm)	Ant Port 2 Power (dBm)	Summed Power (dBm)	Antenna Gain (dBi)	Limit (dBm)	Margin (dB)
2412	802.11b	--	24.46	--	24.35	5.25	30.00	-5.65
2417	802.11b	--	25.25	--	25.23	5.25	30.00	-4.77
2422	802.11b	--	26.03	--	26.08	5.25	30.00	-3.92
2427	802.11b	--	--	--	0.00	5.25	30.00	-30.00
2432	802.11b	--	--	--	0.00	5.25	30.00	-30.00
2437	802.11b	--	26.10	--	26.10	5.25	30.00	-3.90
2442	802.11b	--	--	--	0.00	5.25	30.00	-30.00
2447	802.11b	--	--	--	0.00	5.25	30.00	-30.00
2452	802.11b	--	--	--	0.00	5.25	30.00	-30.00
2457	802.11b	--	--	--	0.00	5.25	30.00	-30.00
2462	802.11b	--	23.86	--	23.86	5.25	30.00	-6.14

Table 13. Peak Power Output, Test Results, 802.11b, SISO

Frequency (MHz)	Mode	Ant Port 0 Power (dBm)	Ant Port 1 Power (dBm)	Ant Port 2 Power (dBm)	Summed Power (dBm)	Antenna Gain (dBi)	Limit (dBm)	Margin (dB)
2412	802.11g	--	21.23	--	21.23	5.25	30.00	-8.77
2417	802.11g	--	22.58	--	22.49	5.25	30.00	-7.51
2422	802.11g	--	24.01	--	23.55	5.25	30.00	-6.45
2427	802.11g	--	24.63	--	24.63	5.25	30.00	-5.37
2432	802.11g	--	25.53	--	25.53	5.25	30.00	-4.47
2437	802.11g	--	25.42	--	25.42	5.25	30.00	-4.58
2442	802.11g	--	24.67	--	24.67	5.25	30.00	-5.33
2447	802.11g	--	23.78	--	23.78	5.25	30.00	-6.22
2452	802.11g	--	22.94	--	22.94	5.25	30.00	-7.06
2457	802.11g	--	21.91	--	21.91	5.25	30.00	-8.09
2462	802.11g	--	18.47	--	18.17	5.25	30.00	-11.83

Table 14. Peak Power Output, Test Results, 802.11g, SISO

Frequency (MHz)	Mode	Ant Port 0 Power (dBm)	Ant Port 1 Power (dBm)	Ant Port 2 Power (dBm)	Summed Power (dBm)	Antenna Gain (dBi)	Limit (dBm)	Margin (dB)
2412	HT20	--	18.87	--	18.87	5.25	30.00	-11.13
2417	HT20	--	22.11	--	22.11	5.25	30.00	-7.89
2422	HT20	--	23.22	--	23.22	5.25	30.00	-6.78
2427	HT20	--	24.10	--	24.1	5.25	30.00	-5.9
2432	HT20	--	24.93	--	24.93	5.25	30.00	-5.07
2437	HT20	--	25.54	--	25.54	5.25	30.00	-4.46
2442	HT20	--	24.39	--	24.39	5.25	30.00	-5.61
2447	HT20	--	23.07	--	23.07	5.25	30.00	-6.93
2452	HT20	--	22.55	--	22.55	5.25	30.00	-7.45
2457	HT20	--	21.40	--	21.4	5.25	30.00	-8.6
2462	HT20	--	18.19	--	18.19	5.25	30.00	-11.81

Table 15. Peak Power Output, Test Results, 802.11n 20 MHz, SISO

Frequency (MHz)	Mode	Ant Port 0 Power (dBm)	Ant Port 1 Power (dBm)	Ant Port 2 Power (dBm)	Summed Power (dBm)	Antenna Gain (dBi)	Limit (dBm)	Margin (dB)
2422	HT40	--	17.02	--	17.02	5.25	30.00	-12.98
2427	HT40	--	18.12	--	18.12	5.25	30.00	-11.88
2432	HT40	--	19.34	--	19.34	5.25	30.00	-10.66
2437	HT40	--	19.30	--	19.3	5.25	30.00	-10.7
2442	HT40	--	17.93	--	17.93	5.25	30.00	-12.07
2447	HT40	--	16.53	--	16.53	5.25	30.00	-13.47
2452	HT40	--	16.04	--	16.04	5.25	30.00	-13.96

Table 16. Peak Power Output, Test Results, 802.11n 40 MHz, SISO

Peak Power Output Test Results, 802.11b, MIMO, Antenna 1



Plot 43. Peak Power Output, Low Channel, 802.11b, MIMO, Antenna 1



Plot 44. Peak Power Output, Mid Channel, 802.11b, MIMO, Antenna 1



Plot 45. Peak Power Output, High Channel, 802.11b, MIMO, Antenna 1

Peak Power Output Test Results, 802.11b, SISO



Plot 46. Peak Power Output, 2412 MHz, 802.11b, SISO



Plot 47. Peak Power Output, 2417 MHz, 802.11b, SISO



Plot 48. Peak Power Output, 2422 MHz, 802.11b, SISO



Plot 49. Peak Power Output, 2437 MHz, 802.11b, SISO



Plot 50. Peak Power Output, 2462 MHz, 802.11b, SISO

Peak Power Output Test Results, 802.11g, MIMO



Plot 51. Peak Power Output, 2412 MHz, 802.11g, MIMO



Plot 52. Peak Power Output, 2452 MHz, 802.11g, MIMO



Plot 53. Peak Power Output, 2457 MHz, 802.11g, MIMO



Plot 54. Peak Power Output, 2462 MHz, 802.11g 20 MHz, MIMO

Peak Power Output Test Results, 802.11g, SISO



Plot 55. Peak Power Output, 2412 MHz, 802.11g, SISO



Plot 56. Peak Power Output, 2417 MHz, 802.11g, SISO



Plot 57. Peak Power Output, 2422 MHz, 802.11g, SISO



Plot 58. Peak Power Output, 2427 MHz, 802.11g, SISO



Plot 59. Peak Power Output, 2432 MHz, 802.11g, SISO



Plot 60. Peak Power Output, 2437 MHz, 802.11g, SISO



Plot 61. Peak Power Output, 2442 MHz, 802.11g, SISO



Plot 62. Peak Power Output, 2447 MHz, 802.11g, SISO



Plot 63. Peak Power Output, 2452 MHz, 802.11g, SISO



Plot 64. Peak Power Output, 2457 MHz, 802.11g, SISO



Plot 65. Peak Power Output, 2462 MHz, 802.11g, SISO

Peak Power Output Test Results, 802.11n 20 MHz, MIMO



Plot 66. Peak Power Output, 2412 MHz, 802.11n 20 MHz, MIMO



Plot 67. Peak Power Output, 2417 MHz, 802.11n 20 MHz, MIMO



Plot 68. Peak Power Output, 2422 MHz, 802.11n 20 MHz, MIMO



Plot 69. Peak Power Output, 2437 MHz, 802.11n 20 MHz, MIMO



Plot 70. Peak Power Output, 2452 MHz, 802.11n 20 MHz, MIMO



Plot 71. Peak Power Output, 2457 MHz, 802.11n 20 MHz, MIMO



Plot 72. Peak Power Output, 2462 MHz, 802.11n 20 MHz, MIMO

Peak Power Output Test Results, 802.11n 20 MHz, SISO



Plot 73. Peak Power Output, 2412 MHz, 802.11n 20 MHz, SISO



Plot 74. Peak Power Output, 2417 MHz, 802.11n 20 MHz, SISO



Plot 75. Peak Power Output, 2422 MHz, 802.11n 20 MHz, SISO



Plot 76. Peak Power Output, 2427 MHz, 802.11n 20 MHz, SISO



Plot 77. Peak Power Output, 2432 MHz, 802.11n 20 MHz, SISO



Plot 78. Peak Power Output, 2437 MHz, 802.11n 20 MHz, SISO



Plot 79. Peak Power Output, 2442 MHz, 802.11n 20 MHz, SISO



Plot 80. Peak Power Output, 2447 MHz, 802.11n 20 MHz, SISO



Plot 81. Peak Power Output, 2452 MHz, 802.11n 20 MHz, SISO



Plot 82. Peak Power Output, 2457 MHz, 802.11n 20 MHz, SISO



Plot 83. Peak Power Output, 2462 MHz, 802.11n 20 MHz, SISO

Peak Power Output Test Results, 802.11n 40 MHz, MIMO



Plot 84. Peak Power Output, 2422 MHz, 802.11n 40 MHz, MIMO



Plot 85. Peak Power Output, 2432 MHz, 802.11n 40 MHz, MIMO



Plot 86. Peak Power Output, 2437 MHz, 802.11n 40 MHz, MIMO



Plot 87. Peak Power Output, 2442 MHz, 802.11n 40 MHz, MIMO



Plot 88. Peak Power Output, 2447 MHz, 802.11n 40 MHz, MIMO



Plot 89. Peak Power Output, 2452 MHz, 802.11n 40 MHz, MIMO

Peak Power Output Test Results, 802.11n 40 MHz, SISO



Plot 90. Peak Power Output, 2422 MHz, 802.11n 40 MHz, SISO



Plot 91. Peak Power Output, 2427 MHz, 802.11n 40 MHz, SISO



Plot 92. Peak Power Output, 2432 MHz, 802.11n 40 MHz, SISO



Plot 93. Peak Power Output, 2437 MHz, 802.11n 40 MHz, SISO

Electromagnetic Compatibility Criteria for Intentional Radiators

§ 15.247(d) Radiated Spurious Emissions Requirements and Band Edge

Test Requirements: **§15.247(d); §15.205:** Emissions outside the frequency band.

Attenuation below the general limits specified in § 15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in § 15.205(a), must also comply with the radiated emission limits specified in § 15.209(a).

§15.205(a): Except as shown in paragraph (d) of this section, only spurious emissions are permitted in any of the frequency bands listed below:

MHz	MHz	MHz	GHz
0.090–0.110----------	16.42–16.423	399.9–410	4.5–5.15
[1] 0.495–0.505----------	16.69475–16.69525	608–614	5.35–5.46
2.1735–2.1905----------	16.80425–16.80475	960–1240	7.25–7.75
4.125–4.128----------	25.5–25.67	1300–1427	8.025–8.5
4.17725–4.17775----------	37.5–38.25	1435–1626.5	9.0–9.2
4.20725–4.20775----------	73–74.6	1645.5–1646.5	9.3–9.5
6.215–6.218----------	74.8–75.2	1660–1710	10.6–12.7
6.26775–6.26825----------	108–121.94	1718.8–1722.2	13.25–13.4
6.31175–6.31225----------	123–138	2200–2300	14.47–14.5
8.291–8.294----------	149.9–150.05	2310–2390	15.35–16.2
8.362–8.366----------	156.52475–156.52525	2483.5–2500	17.7–21.4
8.37625–8.38675----------	156.7–156.9	2655–2900	22.01–23.12
8.41425–8.41475----------	162.0125–167.17	3260–3267	23.6–24.0
12.29–12.293----------	167.72–173.2	3332–3339	31.2–31.8
12.51975–12.52025----------	240–285	3345.8–3358 36.	43–36.5
12.57675–12.57725----------	322–335.4	3600–4400	([2])

Table 17. Restricted Bands of Operation

[1] Until February 1, 1999, this restricted band shall be 0.490 – 0.510 MHz.
[2] Above 38.6

Test Requirement(s): **§ 15.209 (a):** Except as provided elsewhere in this subpart, the emissions from an intentional radiator shall not exceed the field strength levels specified in Table 18.

Frequency (MHz)	§ 15.209(a),Radiated Emission Limits (dBµV) @ 3m
30 - 88	40.00
88 - 216	43.50
216 - 960	46.00
Above 960	54.00

Table 18. Radiated Emissions Limits Calculated from FCC Part 15, § 15.209 (a)

Test Procedures: The transmitter was turned on. Measurements were performed of the low, mid and high Channels. The EUT was rotated orthogonally through all three axes. Plots shown are corrected for both antenna correction factor and distance and compared to a 3 m limit line. Only noise floor was measured above 18 GHz. Emissions below 1 GHz that appear to exceed the limit are from the digital circuitry as seen in the following two plots on next page.

Test Results: The EUT was compliant with the Radiated Spurious Emission limits of **§ 15.247(d)**.

Test Engineer(s): Poona Saber

Test Date(s): 06/22/15

Radiated Spurious Emissions Test Results, 802.11b, MIMO



Plot 94. Radiated Spurious Emissions, Low Channel, 802.11b, 30 MHz – 1 GHz, MIMO



Plot 95. Radiated Spurious Emissions, Low Channel, 802.11b, 1 GHz – 18 GHz, Average, MIMO



Plot 96. Radiated Spurious Emissions, Low Channel, 802.11b, 1 GHz – 18 GHz, Peak, MIMO



Plot 97. Radiated Spurious Emissions, Mid Channel, 802.11b, 30 MHz –1 GHz, MIMO



Plot 98. Radiated Spurious Emissions, Mid Channel, 802.11b, 1 GHz – 18 GHz, Average, MIMO



Plot 99. Radiated Spurious Emissions, Mid Channel, 802.11b, 1 GHz – 18 GHz, Peak, MIMO



Plot 100. Radiated Spurious Emissions, High Channel, 802.11b, 30 MHz – 1 GHz, MIMO



Plot 101. Radiated Spurious Emissions, High Channel, 802.11b, 1 GHz – 18 GHz, Average, MIMO



Plot 102. Radiated Spurious Emissions, High Channel, 802.11b, 1 GHz – 18 GHz, Peak, MIMO

Radiated Spurious Emissions Test Results, 802.11b, SISO



Plot 103. Radiated Spurious Emissions, Low Channel, 802.11b, 30 MHz – 1 GHz, SISO



Plot 104. Radiated Spurious Emissions, Low Channel, 802.11b, 1 GHz – 18 GHz, Average, SISO



Plot 105. Radiated Spurious Emissions, Low Channel, 802.11b, 1 GHz – 18 GHz, Peak, SISO



Plot 106. Radiated Spurious Emissions, Mid Channel, 802.11b, 30 MHz – 1 GHz, SISO



Plot 107. Radiated Spurious Emissions, Mid Channel, 802.11b, 1 GHz – 18 GHz, Average, SISO



Plot 108. Radiated Spurious Emissions, Mid Channel, 802.11b, 1 GHz – 18 GHz, Peak, SISO



Plot 109. Radiated Spurious Emissions, High Channel, 802.11b, 30 MHz – 1 GHz, SISO



Plot 110. Radiated Spurious Emissions, High Channel, 802.11b, 1 GHz – 18 GHz, Average, SISO



Plot 111. Radiated Spurious Emissions, High Channel, 802.11b, 1 GHz – 18 GHz, Peak, SISO

Radiated Spurious Emissions Test Results, 802.11g, MIMO



Plot 112. Radiated Spurious Emissions, Low Channel, 802.11g, 30 MHz – 1 GHz, MIMO



Plot 113. Radiated Spurious Emissions, Low Channel, 802.11g, 1 GHz – 18 GHz, Average, MIMO



Plot 114. Radiated Spurious Emissions, Low Channel, 802.11g, 1 GHz – 18 GHz, Peak, MIMO



Plot 115. Radiated Spurious Emissions, Mid Channel, 802.11g, 30 MHz – 1 GHz, MIMO



Plot 116. Radiated Spurious Emissions, Mid Channel, 802.11g, 1 GHz – 18 GHz, Average, MIMO



Plot 117. Radiated Spurious Emissions, Mid Channel, 802.11g, 1 GHz – 18 GHz, Peak, MIMO



Plot 118. Radiated Spurious Emissions, High Channel, 802.11g, 30 MHz – 1 GHz, MIMO



Plot 119. Radiated Spurious Emissions, High Channel, 802.11g, 1 GHz – 18 GHz, Average, MIMO



Plot 120. Radiated Spurious Emissions, High Channel, 802.11g, 1 GHz – 18 GHz, Peak, MIMO

Radiated Spurious Emissions Test Results, 802.11g, SISO



Plot 121. Radiated Spurious Emissions, Low Channel, 802.11g, 30 MHz – 1 GHz, SISO



Plot 122. Radiated Spurious Emissions, Low Channel, 802.11g, 1 GHz – 18 GHz, Average, SISO



Plot 123. Radiated Spurious Emissions, Low Channel, 802.11g, 1 GHz – 18 GHz, Peak, SISO



Plot 124. Radiated Spurious Emissions, Mid Channel, 802.11g, 30 MHz – GHz, SISO



Plot 125. Radiated Spurious Emissions, Mid Channel, 802.11g, 1 GHz – 18 GHz, Average, SISO



Plot 126. Radiated Spurious Emissions, Mid Channel, 802.11g, 1 GHz – 18 GHz, Peak, SISO



Plot 127. Radiated Spurious Emissions, High Channel, 802.11g, 30 MHz – 1 GHz, SISO



Plot 128. Radiated Spurious Emissions, High Channel, 802.11g, 1 GHz – 18 GHz, Average, SISO



Plot 129. Radiated Spurious Emissions, High Channel, 802.11g, 1 GHz – 18 GHz, Peak, SISO

Radiated Spurious Emissions Test Results, 802.11n 20 MHz, MIMO



Plot 130. Radiated Spurious Emissions, Low Channel, 802.11n 20 MHz, 30 MHz – 1 GHz, MIMO



Plot 131. Radiated Spurious Emissions, Low Channel, 802.11n 20 MHz, 1 GHz – 18 GHz, Average, MIMO



Plot 132. Radiated Spurious Emissions, Low Channel, 802.11n 20 MHz, 1 GHz – 18 GHz, Peak, MIMO



Plot 133. Radiated Spurious Emissions, Mid Channel, 802.11n 20 MHz, 30 MHz – 1GHz, MIMO



Plot 134. Radiated Spurious Emissions, Mid Channel, 802.11n 20 MHz, 1 GHz – 18 GHz, Average, MIMO



Plot 135. Radiated Spurious Emissions, Mid Channel, 802.11n 20 MHz, 1 GHz – 18 GHz, Peak, MIMO



Plot 136. Radiated Spurious Emissions, High Channel, 802.11n 20 MHz, 30 MHz – 1 GHz, MIMO



Plot 137. Radiated Spurious Emissions, High Channel, 802.11n 20 MHz, 1 GHz – 18 GHz, Average, MIMO



Plot 138. Radiated Spurious Emissions, High Channel, 802.11n 20 MHz, 1 GHz – 7 GHz, Peak, MIMO

Radiated Spurious Emissions Test Results, 802.11n 20 MHz, SISO



Plot 139. Radiated Spurious Emissions, Low Channel, 802.11n 20 MHz, 30 MHz – 1 GHz, SISO



Plot 140. Radiated Spurious Emissions, Low Channel, 802.11n 20 MHz, 1 GHz – 18 GHz, Average, SISO



Plot 141. Radiated Spurious Emissions, Low Channel, 802.11n 20 MHz, 1 GHz – 18 GHz, Peak, SISO



Plot 142. Radiated Spurious Emissions, Mid Channel, 802.11n 20 MHz, 30 MHz –1 GHz, SISO



Plot 143. Radiated Spurious Emissions, Mid Channel, 802.11n 20 MHz, 1 GHz – 18 GHz, Average, SISO



Plot 144. Radiated Spurious Emissions, Mid Channel, 802.11n 20 MHz, 1 GHz – 7 GHz, Peak, SISO



Plot 145. Radiated Spurious Emissions, High Channel, 802.11n 20 MHz, 30 MHz – 1 GHz, SISO



Plot 146. Radiated Spurious Emissions, High Channel, 802.11n 20 MHz, 1 GHz – 18 GHz, Average, SISO



Plot 147. Radiated Spurious Emissions, High Channel, 802.11n 20 MHz, 1 GHz – 7 GHz, Peak, SISO

Radiated Spurious Emissions Test Results, 802.11n 40 MHz, MIMO



Plot 148. Radiated Spurious Emissions, Low Channel, 802.11n 40 MHz, 30 MHz – 1 GHz, MIMO



Plot 149. Radiated Spurious Emissions, Low Channel, 802.11n 40 MHz, 1 GHz – 18 GHz, Average, MIMO



Plot 150. Radiated Spurious Emissions, Low Channel, 802.11n 40 MHz, 1 GHz – 18 GHz, Peak, MIMO



Plot 151. Radiated Spurious Emissions, Mid Channel, 802.11n 40 MHz, 30 MHz –1 GHz, MIMO



Plot 152. Radiated Spurious Emissions, Mid Channel, 802.11n 40 MHz, 1 GHz – 18 GHz, Average, MIMO



Plot 153. Radiated Spurious Emissions, Mid Channel, 802.11n 40 MHz, 1 GHz – 18 GHz, Peak, MIMO



Plot 154. Radiated Spurious Emissions, High Channel, 802.11n 40 MHz, 30 MHz – 1 GHz, MIMO



Plot 155. Radiated Spurious Emissions, High Channel, 802.11n 40 MHz, 1 GHz – 18 GHz, Average, MIMO



Plot 156. Radiated Spurious Emissions, High Channel, 802.11n 40 MHz, 1 GHz – 18 GHz, Peak, MIMO

Radiated Spurious Emissions Test Results, 802.11n 40 MHz, SISO



Plot 157. Radiated Spurious Emissions, Low Channel, 802.11n 40 MHz, 30 MHz – 1 GHz, SISO



Plot 158. Radiated Spurious Emissions, Low Channel, 802.11n 40 MHz, 1 GHz – 18 GHz, Average, SISO



Plot 159. Radiated Spurious Emissions, Low Channel, 802.11n 40 MHz, 1 GHz – 18 GHz, Peak, SISO



Plot 160. Radiated Spurious Emissions, Mid Channel, 802.11n 40 MHz, 30 MHz – 1 GHz, SISO



Plot 161. Radiated Spurious Emissions, Mid Channel, 802.11n 40 MHz, 1 GHz – 18 GHz, Average, SISO



Plot 162. Radiated Spurious Emissions, Mid Channel, 802.11n 40 MHz, 1 GHz – 18 GHz, Peak, SISO



Plot 163. Radiated Spurious Emissions, High Channel, 802.11n 40 MHz, 30 MHz – 1 GHz, SISO



Plot 164. Radiated Spurious Emissions, High Channel, 802.11n 40 MHz, 1 GHz – 18 GHz, Average, SISO



Plot 165. Radiated Spurious Emissions, High Channel, 802.11n 40 MHz, 1 GHz – 18 GHz, Peak, SISO

Radiated Band Edge Measurements

Test Procedures: The transmitter was turned on. Measurements were performed on the low, mid, and high Channels. The EUT was rotated orthogonally through all three axes. Plots shown are corrected for both antenna correction factor and distance and compared to a 3 m limit line.

Radiated Band Edge Measurements, 802.11b, MIMO



Plot 166. Radiated Restricted Band Edge, 2412 MHz, 802.11b, MIMO, Average



Plot 167. Radiated Restricted Band Edge, 2412 MHz, 802.11b, MIMO, Peak



Plot 168. Radiated Restricted Band Edge, 2462 MHz, 802.11b, MIMO, Average



Plot 169. Radiated Restricted Band Edge, 2462 MHz, 802.11b, MIMO, Peak

Radiated Band Edge Measurements, 802.11b, SISO



Plot 170. Radiated Restricted Band Edge, 2412 MHz, 802.11b, SISO, Average



Plot 171. Radiated Restricted Band Edge, 2412 MHz, 802.11b, SISO, Peak



Plot 172. Radiated Restricted Band Edge, 2417 MHz, 802.11b, SISO, Average



Plot 173. Radiated Restricted Band Edge, 2417 MHz, 802.11b, SISO, Peak



Plot 174. Radiated Restricted Band Edge, 2422 MHz, 802.11b, SISO, Average



Plot 175. Radiated Restricted Band Edge, 2422 MHz, 802.11b, SISO, Peak



Plot 176. Radiated Restricted Band Edge, 2462 MHz, 802.11b, SISO, Average



Plot 177. Radiated Restricted Band Edge, 2462 MHz, 802.11b, SISO, Peak

Radiated Band Edge Measurements, 802.11g, MIMO



Plot 178. Radiated Restricted Band Edge, 2412 MHz, 802.11g, MIMO, Average



Plot 179. Radiated Restricted Band Edge, 2412 MHz, 802.11g, MIMO, Peak



Plot 180. Radiated Restricted Band Edge, 2417 MHz, 802.11g, MIMO, Peak



Plot 181. Radiated Restricted Band Edge, 2417 MHz, 802.11g, MIMO, Average



Plot 182. Radiated Restricted Band Edge, 2457 MHz, 802.11g, MIMO, Average



Plot 183. Radiated Restricted Band Edge, 2457 MHz, 802.11g, MIMO, Peak



Plot 184. Radiated Restricted Band Edge, 2462 MHz, 802.11g, MIMO, Average



Plot 185. Radiated Restricted Band Edge, 2462 MHz, 802.11g, MIMO, Peak

Radiated Band Edge Measurements, 802.11g, SISO



Plot 186. Radiated Restricted Band Edge, 2412 MHz, 802.11g, SISO, Average



Plot 187. Radiated Restricted Band Edge, 2412 MHz, 802.11g, SISO, Peak



Plot 188. Radiated Restricted Band Edge, 2417 MHz, 802.11g, SISO, Average



Plot 189. Radiated Restricted Band Edge, 2417 MHz, 802.11g, SISO, Peak



Plot 190. Radiated Restricted Band Edge, 2422 MHz, 802.11g, SISO, Average



Plot 191. Radiated Restricted Band Edge, 2422 MHz, 802.11g, SISO, Peak



Plot 192. Radiated Restricted Band Edge, 2427 MHz, 802.11g, SISO, Average



Plot 193. Radiated Restricted Band Edge, 2427 MHz, 802.11g, SISO, Peak



Plot 194. Radiated Restricted Band Edge, 2442 MHz, 802.11g, SISO, Average



Plot 195. Radiated Restricted Band Edge, 2442 MHz, 802.11g, SISO, Peak



Plot 196. Radiated Restricted Band Edge, 2447 MHz, 802.11g, SISO, Average



Plot 197. Radiated Restricted Band Edge, 2447 MHz, 802.11g, SISO, Peak



Plot 198. Radiated Restricted Band Edge, 2452 MHz, 802.11g, SISO, Average



Plot 199. Radiated Restricted Band Edge, 2452 MHz, 802.11g, SISO, Peak



Plot 200. Radiated Restricted Band Edge, 2457 MHz, 802.11g, SISO, Average



Plot 201. Radiated Restricted Band Edge, 2457 MHz, 802.11g, SISO, Peak



Plot 202. Radiated Restricted Band Edge, 2462 MHz, 802.11g, SISO, Average



Plot 203. Radiated Restricted Band Edge, 2462 MHz, 802.11g, SISO, Peak

Radiated Band Edge Measurements, 802.11n 20 MHz, MIMO



Plot 204. Radiated Restricted Band Edge, 2412 MHz, 802.11n 20 MHz, MIMO, Average



Plot 205. Radiated Restricted Band Edge, 2412 MHz, 802.11n 20 MHz, MIMO, Peak



Plot 206. Radiated Restricted Band Edge, 2417 MHz, 802.11n 20 MHz, MIMO, Average



Plot 207. Radiated Restricted Band Edge, 2417 MHz, 802.11n 20 MHz, MIMO, Peak



Plot 208. Radiated Restricted Band Edge, 2422 MHz, 802.11n 20 MHz, MIMO, Average



Plot 209. Radiated Restricted Band Edge, 2422 MHz, 802.11n 20 MHz, MIMO, Peak



Plot 210. Radiated Restricted Band Edge, 2452 MHz, 802.11n 20 MHz, MIMO, Average



Plot 211. Radiated Restricted Band Edge, 2452 MHz, 802.11n 20 MHz, MIMO, Peak



Plot 212. Radiated Restricted Band Edge, 2457 MHz, 802.11n 20 MHz, MIMO, Average



Plot 213. Radiated Restricted Band Edge, 2457 MHz, 802.11n 20 MHz, MIMO, Peak



Plot 214. Radiated Restricted Band Edge, 2462 MHz, 802.11n 20 MHz, MIMO, Average



Plot 215. Radiated Restricted Band Edge, 2462 MHz, 802.11n 20 MHz, MIMO, Peak

Radiated Band Edge Measurements, 802.11n 20 MHz, SISO



Plot 216. Radiated Restricted Band Edge, 2412 MHz, 802.11n 20 MHz, SISO, Average



Plot 217. Radiated Restricted Band Edge, 2412 MHz, 802.11n 20 MHz, SISO, Peak



Plot 218. Radiated Restricted Band Edge, 2417 MHz, 802.11n 20 MHz, SISO, Average



Plot 219. Radiated Restricted Band Edge, 2417 MHz, 802.11n 20 MHz, SISO, Peak



Plot 220. Radiated Restricted Band Edge, 2422 MHz, 802.11n 20 MHz, SISO, Average



Plot 221. Radiated Restricted Band Edge, 2422 MHz, 802.11n 20 MHz, SISO, Peak



Plot 222. Radiated Restricted Band Edge, 2427 MHz, 802.11n 20 MHz, SISO, Average



Plot 223. Radiated Restricted Band Edge, 2427 MHz, 802.11n 20 MHz, SISO, Peak



Plot 224. Radiated Restricted Band Edge, 2432 MHz, 802.11n 20 MHz, SISO, Average



Plot 225. Radiated Restricted Band Edge, 2432 MHz, 802.11n 20 MHz, SISO, Peak



Plot 226. Radiated Restricted Band Edge, 2437 MHz, 802.11n 20 MHz, SISO, Average



Plot 227. Radiated Restricted Band Edge, 2437 MHz, 802.11n 20 MHz, SISO, Peak



Plot 228. Radiated Restricted Band Edge, 2442 MHz, 802.11n 20 MHz, SISO, Average



Plot 229. Radiated Restricted Band Edge, 2442 MHz, 802.11n 20 MHz, SISO, Peak



Plot 230. Radiated Restricted Band Edge, 2447 MHz, 802.11n 20 MHz, SISO, Average



Plot 231. Radiated Restricted Band Edge, 2447 MHz, 802.11n 20 MHz, SISO, Peak



Plot 232. Radiated Restricted Band Edge, 2452 MHz, 802.11n 20 MHz, SISO, Average



Plot 233. Radiated Restricted Band Edge, 2452 MHz, 802.11n 20 MHz, SISO, Peak



Plot 234. Radiated Restricted Band Edge, 2457 MHz, 802.11n 20 MHz, SISO, Average



Plot 235. Radiated Restricted Band Edge, 2457 MHz, 802.11n 20 MHz, SISO, Peak



Plot 236. Radiated Restricted Band Edge, 2462 MHz, 802.11n 20 MHz, SISO, Average



Plot 237. Radiated Restricted Band Edge, 2462 MHz, 802.11n 20 MHz, SISO, Peak

Radiated Band Edge Measurements, 802.11n 40 MHz, MIMO



Plot 238. Radiated Restricted Band Edge, 2422 MHz, 802.11n 40 MHz, MIMO, Average



Plot 239. Radiated Restricted Band Edge, 2422 MHz, 802.11n 40 MHz, MIMO, Peak



Plot 240. Radiated Restricted Band Edge, 2427 MHz, 802.11n 40 MHz, MIMO, Average



Plot 241. Radiated Restricted Band Edge, 2427 MHz, 802.11n 40 MHz, MIMO, Peak



Plot 242. Radiated Restricted Band Edge, 2432 MHz, 802.11n 40 MHz, MIMO, Average



Plot 243. Radiated Restricted Band Edge, 2432 MHz, 802.11n 40 MHz, MIMO, Peak



Plot 244. Radiated Restricted Band Edge, 2437 MHz, 802.11n 40 MHz, MIMO, Average



Plot 245. Radiated Restricted Band Edge, 2437 MHz, 802.11n 40 MHz, MIMO, Peak



Plot 246. Radiated Restricted Band Edge, 2442 MHz, 802.11n 40 MHz, MIMO, Average



Plot 247. Radiated Restricted Band Edge, 2442 MHz, 802.11n 40 MHz, MIMO, Peak



Plot 248. Radiated Restricted Band Edge, 2447 MHz, 802.11n 40 MHz, MIMO, Average



Plot 249. Radiated Restricted Band Edge, 2447 MHz, 802.11n 40 MHz, MIMO, Peak



Plot 250. Radiated Restricted Band Edge, 2452 MHz, 802.11n 40 MHz, MIMO, Average



Plot 251. Radiated Restricted Band Edge, 2452 MHz, 802.11n 40 MHz, MIMO, Peak

Radiated Band Edge Measurements, 802.11n 40 MHz, SISO



Plot 252. Radiated Restricted Band Edge, 2422 MHz, 802.11n 40 MHz, SISO, Average



Plot 253. Radiated Restricted Band Edge, 2422 MHz, 802.11n 40 MHz, SISO, Peak



Plot 254. Radiated Restricted Band Edge, 2427 MHz, 802.11n 40 MHz, SISO, Average



Plot 255. Radiated Restricted Band Edge, 2427 MHz, 802.11n 40 MHz, SISO, Peak



Plot 256. Radiated Restricted Band Edge, 2432 MHz, 802.11n 40 MHz, SISO, Average



Plot 257. Radiated Restricted Band Edge, 2432 MHz, 802.11n 40 MHz, SISO, Peak



Plot 258. Radiated Restricted Band Edge, 2437 MHz, 802.11n 40 MHz, SISO, Average



Plot 259. Radiated Restricted Band Edge, 2437 MHz, 802.11n 40 MHz, SISO, Peak



Plot 260. Radiated Restricted Band Edge, 2442 MHz, 802.11n 40 MHz, SISO, Peak



Plot 261. Radiated Restricted Band Edge, 2442 MHz, 802.11n, SISO, Average



Plot 262. Radiated Restricted Band Edge, 2447 MHz, 802.11n 40 MHz, SISO, Average



Plot 263. Radiated Restricted Band Edge, 2447 MHz, 802.11n 40 MHz, SISO, Peak



Plot 264. Radiated Restricted Band Edge, 2452 MHz, 802.11n 40 MHz, SISO, Average



Plot 265. Radiated Restricted Band Edge, 2452 MHz, 802.11n 40 MHz, SISO, Peak

Radiated Spurious Emissions Test Setup



Photograph 2. Radiated Spurious Emissions, Test Setup

Electromagnetic Compatibility Criteria for Intentional Radiators

§ 15.247(d) RF Conducted Spurious Emissions Requirements and Band Edge

Test Requirement: **15.247(d)** In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB.

Test Procedure: For intentional radiators with a digital device portion which operates below 10 GHz, the spectrum was investigated as per §15.33(a)(1) and §15.33(a)(4); i.e., the lowest RF signal generated or used in the device up to the 10th harmonic of the highest fundamental frequency or to 40 GHz, whichever is lower.

See following pages for detailed test results with RF Conducted Spurious Emissions.

Test Results: The EUT was compliant with the Conducted Spurious Emission limits of **§15.247(d)**.

Test Engineer(s): Poona Saber

Test Date(s): 06/22/15



Figure 3. Block Diagram, Conducted Spurious Emissions Test Setup

Conducted Spurious Emissions Test Results, 802.11b, Antenna 0, MIMO



Plot 266. Conducted Spurious Emissions, Low Channel, 802.11b, Antenna 0, 30 MHz – 1 GHz, MIMO



Plot 267. Conducted Spurious Emissions, Low Channel, 802.11b, Antenna 0, 1 GHz – 26 GHz, MIMO



Plot 268. Conducted Spurious Emissions, Mid Channel, 802.11b, Antenna 0, 30 MHz – 1 GHz, MIMO



Plot 269. Conducted Spurious Emissions, Mid Channel, 802.11b, Antenna 0, 1 GHz – 26 GHz, MIMO



Plot 270. Conducted Spurious Emissions, High Channel, 802.11b, Antenna 0, 30 MHz – 1 GHz, MIMO



Plot 271. Conducted Spurious Emissions, High Channel, 802.11b, Antenna 0, 1 GHz – 26 GHz, MIMO

Conducted Spurious Emissions Test Results, 802.11g, Antenna 0, MIMO



Plot 272. Conducted Spurious Emissions, Low Channel, 802.11g, Antenna 0, 30 MHz – 1 GHz, MIMO



Plot 273. Conducted Spurious Emissions, Low Channel, 802.11g, Antenna 0, 1 GHz – 26 GHz, MIMO



Plot 274. Conducted Spurious Emissions, Mid Channel, 802.11g, Antenna 0, 30 MHz – 1 GHz, MIMO



Plot 275. Conducted Spurious Emissions, Mid Channel, 802.11g, Antenna 0, 1 GHz – 26 GHz, MIMO



Plot 276. Conducted Spurious Emissions, High Channel, 802.11g, Antenna 0, 30 MHz – 1 GHz, MIMO



Plot 277. Conducted Spurious Emissions, High Channel, 802.11g, Antenna 0, 1 GHz – 26 GHz, MIMO

Conducted Spurious Emissions Test Results, 802.11n 20 MHz, Antenna 0, MIMO



Plot 278. Conducted Spurious Emissions, Low Channel, 802.11n 20 MHz, Antenna 0, 30 MHz – 1 GHz, MIMO



Plot 279. Conducted Spurious Emissions, Low Channel, 802.11n 20 MHz, Antenna 0, 1 GHz – 26 GHz, MIMO



Plot 280. Conducted Spurious Emissions, Mid Channel, 802.11n 20 MHz, Antenna 0, 30 MHz – 1 GHz, MIMO



Plot 281. Conducted Spurious Emissions, Mid Channel, 802.11n 20 MHz, Antenna 0, 1 GHz – 26 GHz, MIMO



Plot 282. Conducted Spurious Emissions, High Channel, 802.11n 20 MHz, Antenna 0, 30 MHz – 1 GHz, MIMO



Plot 283. Conducted Spurious Emissions, High Channel, 802.11n 20 MHz, Antenna 0, 1 GHz – 26 GHz, MIMO

Conducted Spurious Emissions Test Results, 802.11n 40 MHz, Antenna 0, MIMO



Plot 284. Conducted Spurious Emissions, Low Channel, 802.11n 40 MHz, Antenna 0, 30 MHz – 1 GHz, MIMO



Plot 285. Conducted Spurious Emissions, Low Channel, 802.11n 40 MHz, Antenna 0, 1 GHz – 26 GHz, MIMO



Plot 286. Conducted Spurious Emissions, Mid Channel, 802.11n 40 MHz, Antenna 0, 30 MHz – 1 GHz, MIMO



Plot 287. Conducted Spurious Emissions, Mid Channel, 802.11n 40 MHz, Antenna 0, 1 GHz – 26 GHz, MIMO



Plot 288. Conducted Spurious Emissions, High Channel, 802.11n 40 MHz, Antenna 0, 30 MHz – 1 GHz, MIMO



Plot 289. Conducted Spurious Emissions, High Channel, 802.11n 40 MHz, Antenna 0, 1 GHz – 26 GHz, MIMO

Conducted Spurious Emissions Test Results, 802.11b, Antenna 1, MIMO



Plot 290. Conducted Spurious Emissions, Low Channel, 802.11b, Antenna 1, 30 MHz – 1 GHz, MIMO



Plot 291. Conducted Spurious Emissions, Low Channel, 802.11b, Antenna 1, 1 GHz – 26 GHz, MIMO



Plot 292. Conducted Spurious Emissions, Mid Channel, 802.11b, Antenna 1, 30 MHz – 1 GHz, MIMO



Plot 293. Conducted Spurious Emissions, Mid Channel, 802.11b, Antenna 1, 1 GHz – 26 GHz, MIMO



Plot 294. Conducted Spurious Emissions, High Channel, 802.11b, Antenna 1, 30 MHz – 1 GHz, MIMO



Plot 295. Conducted Spurious Emissions, High Channel, 802.11b, Antenna 1, 1 GHz – 26 GHz, MIMO

Conducted Spurious Emissions Test Results, 802.11g, Antenna 1, MIMO



Plot 296. Conducted Spurious Emissions, Low Channel, 802.11g, Antenna 1, 30 MHz – 1 GHz, MIMO



Plot 297. Conducted Spurious Emissions, Low Channel, 802.11g, Antenna 1, 1 GHz – 26 GHz, MIMO



Plot 298. Conducted Spurious Emissions, Mid Channel, 802.11g, Antenna 1, 30 MHz – 1 GHz, MIMO



Plot 299. Conducted Spurious Emissions, Mid Channel, 802.11g, Antenna 1, 1 GHz – 26 GHz, MIMO



Plot 300. Conducted Spurious Emissions, High Channel, 802.11g, Antenna 1, 30 MHz – 1 GHz, MIMO



Plot 301. Conducted Spurious Emissions, High Channel, 802.11g, Antenna 1, 1 GHz – 26 GHz, MIMO

Conducted Spurious Emissions Test Results, 802.11n 20 MHz, Antenna 1, MIMO



Plot 302. Conducted Spurious Emissions, Low Channel, 802.11n 20 MHz, Antenna 1, 30 MHz – 1 GHz, MIMO



Plot 303. Conducted Spurious Emissions, Low Channel, 802.11n 20 MHz, Antenna 1, 1 GHz – 26 GHz, MIMO



Plot 304. Conducted Spurious Emissions, Mid Channel, 802.11n 20 MHz, Antenna 1, 30 MHz – 1 GHz, MIMO



Plot 305. Conducted Spurious Emissions, Mid Channel, 802.11n 20 MHz, Antenna 1, 1 GHz – 26 GHz, MIMO



Plot 306. Conducted Spurious Emissions, High Channel, 802.11n 20 MHz, Antenna 1, 30 MHz – 1 GHz, MIMO



Plot 307. Conducted Spurious Emissions, High Channel, 802.11n 20 MHz, Antenna 1, 1 GHz – 26 GHz, MIMO

Conducted Spurious Emissions Test Results, 802.11n 40 MHz, Antenna 1, MIMO



Plot 308. Conducted Spurious Emissions, Low Channel, 802.11n 40 MHz, Antenna 1, 30 MHz – 1 GHz, MIMO



Plot 309. Conducted Spurious Emissions, Low Channel, 802.11n 40 MHz, Antenna 1, 1 GHz – 26 GHz, MIMO



Plot 310. Conducted Spurious Emissions, Mid Channel, 802.11n 40 MHz, Antenna 1, 30 MHz – 1 GHz, MIMO



Plot 311. Conducted Spurious Emissions, Mid Channel, 802.11n 40 MHz, Antenna 1, 1 GHz – 26 GHz, MIMO



Plot 312. Conducted Spurious Emissions, High Channel, 802.11n 40 MHz, Antenna 1, 30 MHz – 1 GHz, MIMO



Plot 313. Conducted Spurious Emissions, High Channel, 802.11n 40 MHz, Antenna 1, 1 GHz – 26 GHz, MIMO

Conducted Spurious Emissions Test Results, 802.11b, Antenna 2, MIMO



Plot 314. Conducted Spurious Emissions, Low Channel, 802.11b, Antenna 2, 30 MHz – 1 GHz, MIMO



Plot 315. Conducted Spurious Emissions, Low Channel, 802.11b, Antenna 2, 1 GHz – 26 GHz, MIMO



Plot 316. Conducted Spurious Emissions, Mid Channel, 802.11b, Antenna 2, 30 MHz – 1 GHz, MIMO



Plot 317. Conducted Spurious Emissions, Mid Channel, 802.11b, Antenna 2, 1 GHz – 26 GHz, MIMO



Plot 318. Conducted Spurious Emissions, High Channel, 802.11b, Antenna 2, 30 MHz – 1 GHz, MIMO



Plot 319. Conducted Spurious Emissions, High Channel, 802.11b, Antenna 2, 1 GHz – 26 GHz, MIMO

Conducted Spurious Emissions Test Results, 802.11g, Antenna 2, MIMO



Plot 320. Conducted Spurious Emissions, Low Channel, 802.11g, Antenna 2, 30 MHz – 1 GHz, MIMO



Plot 321. Conducted Spurious Emissions, Low Channel, 802.11g, Antenna 2, 1 GHz – 26 GHz, MIMO



Plot 322. Conducted Spurious Emissions, Mid Channel, 802.11g, Antenna 2, 30 MHz – 1 GHz, MIMO



Plot 323. Conducted Spurious Emissions, Mid Channel, 802.11g, Antenna 2, 1 GHz – 26 GHz, MIMO



Plot 324. Conducted Spurious Emissions, High Channel, 802.11g, Antenna 2, 30 MHz – 1 GHz, MIMO



Plot 325. Conducted Spurious Emissions, High Channel, 802.11g, Antenna 2, 1 GHz – 26 GHz, MIMO

Conducted Spurious Emissions Test Results, 802.11n 20 MHz, Antenna 2, MIMO



Plot 326. Conducted Spurious Emissions, Low Channel, 802.11n 20 MHz, Antenna 2, 30 MHz – 1 GHz, MIMO



Plot 327. Conducted Spurious Emissions, Low Channel, 802.11n 20 MHz, Antenna 2, 1 GHz – 26 GHz, MIMO



Plot 328. Conducted Spurious Emissions, Mid Channel, 802.11n 20 MHz, Antenna 2, 30 MHz – 1 GHz, MIMO



Plot 329. Conducted Spurious Emissions, Mid Channel, 802.11n 20 MHz, Antenna 2, 1 GHz – 26 GHz, MIMO



Plot 330. Conducted Spurious Emissions, High Channel, 802.11n 20 MHz, Antenna 2, 30 MHz – 1 GHz, MIMO



Plot 331. Conducted Spurious Emissions, High Channel, 802.11n 20 MHz, Antenna 2, 1 GHz – 26 GHz, MIMO

Conducted Spurious Emissions Test Results, 802.11n 40 MHz, Antenna 2, MIMO



Plot 332. Conducted Spurious Emissions, Low Channel, 802.11n 40 MHz, Antenna 2, 30 MHz – 1 GHz, MIMO



Plot 333. Conducted Spurious Emissions, Low Channel, 802.11n 40 MHz, Antenna 2, 1 GHz – 26 GHz, MIMO



Plot 334. Conducted Spurious Emissions, Mid Channel, 802.11n 40 MHz, Antenna 2, 30 MHz – 1 GHz, MIMO



Plot 335. Conducted Spurious Emissions, Mid Channel, 802.11n 40 MHz, Antenna 2, 1 GHz – 26 GHz, MIMO



Plot 336. Conducted Spurious Emissions, High Channel, 802.11n 40 MHz, Antenna 2, 30 MHz – 1 GHz, MIMO



Plot 337. Conducted Spurious Emissions, High Channel, 802.11n 40 MHz, Antenna 2, 1 GHz – 26 GHz, MIMO

Conducted Spurious Emissions Test Results, 802.11b, Antenna 1, SISO



Plot 338. Conducted Spurious Emissions, Low Channel, 802.11b, Antenna 1, 30 MHz – 1 GHz, SISO



Plot 339. Conducted Spurious Emissions, Low Channel, 802.11b, Antenna 1, 1 GHz – 26 GHz, SISO



Plot 340. Conducted Spurious Emissions, Mid Channel, 802.11b, Antenna 1, 30 MHz – 1 GHz, SISO



Plot 341. Conducted Spurious Emissions, Mid Channel, 802.11b, Antenna 1, 1 GHz – 26 GHz, SISO



Plot 342. Conducted Spurious Emissions, High Channel, 802.11b, Antenna 1, 30 MHz – 1 GHz, SISO



Plot 343. Conducted Spurious Emissions, High Channel, 802.11b, Antenna 1, 1 GHz – 26 GHz, SISO

Conducted Spurious Emissions Test Results, 802.11g, Antenna 1, SISO



Plot 344. Conducted Spurious Emissions, Low Channel, 802.11g, Antenna 1, 30 MHz – 1 GHz, SISO



Plot 345. Conducted Spurious Emissions, Low Channel, 802.11g, Antenna 1, 1 GHz – 26 GHz, SISO



Plot 346. Conducted Spurious Emissions, Mid Channel, 802.11g, Antenna 1, 30 MHz – 1 GHz, SISO



Plot 347. Conducted Spurious Emissions, Mid Channel, 802.11g, Antenna 1, 1 GHz – 26 GHz, SISO



Plot 348. Conducted Spurious Emissions, High Channel, 802.11g, Antenna 1, 30 MHz – 1 GHz, SISO



Plot 349. Conducted Spurious Emissions, High Channel, 802.11g, Antenna 1, 1 GHz – 26 GHz, SISO

Conducted Spurious Emissions Test Results, 802.11n 20 MHz, Antenna 1, SISO



Plot 350. Conducted Spurious Emissions, Low Channel, 802.11n 20 MHz, Antenna 1, 30 MHz – 1 GHz, SISO



Plot 351. Conducted Spurious Emissions, Low Channel, 802.11n 20 MHz, Antenna 1, 1 GHz – 26 GHz, SISO



Plot 352. Conducted Spurious Emissions, Mid Channel, 802.11n 20 MHz, Antenna 1, 30 MHz – 1 GHz, SISO



Plot 353. Conducted Spurious Emissions, Mid Channel, 802.11n 20 MHz, Antenna 1, 1 GHz – 26 GHz, SISO



Plot 354. Conducted Spurious Emissions, High Channel, 802.11n 20 MHz, Antenna 1, 30 MHz – 1 GHz, SISO



Plot 355. Conducted Spurious Emissions, High Channel, 802.11n 20 MHz, Antenna 1, 1 GHz – 26 GHz, SISO

Conducted Spurious Emissions Test Results, 802.11n 40 MHz, Antenna 1, SISO



Plot 356. Conducted Spurious Emissions, Low Channel, 802.11n 40 MHz, Antenna 1, 30 MHz – 1 GHz, SISO



Plot 357. Conducted Spurious Emissions, Low Channel, 802.11n 40 MHz, Antenna 1, 1 GHz – 26 GHz, SISO



Plot 358. Conducted Spurious Emissions, Mid Channel, 802.11n 40 MHz, Antenna 1, 30 MHz – 1 GHz, SISO



Plot 359. Conducted Spurious Emissions, Mid Channel, 802.11n 40 MHz, Antenna 1, 1 GHz – 26 GHz, SISO



Plot 360. Conducted Spurious Emissions, High Channel, 802.11n 40 MHz, Antenna 1, 30 MHz – 1 GHz, SISO



Plot 361. Conducted Spurious Emissions, High Channel, 802.11n 40 MHz, Antenna 1, 1 GHz – 26 GHz, SISO

Conducted Band Edge Test Results, 802.11b, Antenna 0, MIMO



Plot 362. Conducted Band Edge, 2412 MHz, 802.11b, Antenna 0, MIMO



Plot 363. Conducted Band Edge, 2462 MHz, 802.11b, Antenna 0, MIMO

Conducted Band Edge Test Results, 802.11b, Antenna 1, MIMO



Plot 364. Conducted Band Edge, 2412 MHz, 802.11b, Antenna 1, MIMO



Plot 365. Conducted Band Edge, 2462 MHz, 802.11b, Antenna 1, MIMO

Conducted Band Edge Test Results, 802.11b, Antenna 2, MIMO



Plot 366. Conducted Band Edge, 2412 MHz, 802.11b, Antenna 2, MIMO



Plot 367. Conducted Band Edge, 2462 MHz, 802.11b, Antenna 2, MIMO

Conducted Band Edge Test Results, 802.11b, Antenna 1, SISO



Plot 368. Conducted Band Edge, 2412 MHz, 802.11b, Antenna 1, SISO



Plot 369. Conducted Band Edge, 2462 MHz, 802.11b, Antenna 1, SISO

Conducted Band Edge Test Results, 802.11g, Antenna 0, MIMO



Plot 370. Conducted Band Edge, 2412 MHz, 802.11g, Antenna 0, MIMO



Plot 371. Conducted Band Edge, 2462 MHz, 802.11g, Antenna 0, MIMO

Conducted Band Edge Test Results, 802.11g, Antenna 1, MIMO



Plot 372. Conducted Band Edge, 2412 MHz, 802.11g, Antenna 1, MIMO



Plot 373. Conducted Band Edge, 2462 MHz, 802.11g, Antenna 1, MIMO

Conducted Band Edge Test Results, 802.11g, Antenna 2, MIMO



Plot 374. Conducted Band Edge, 2412 MHz, 802.11g, Antenna 2, MIMO



Plot 375. Conducted Band Edge, 2462 MHz, 802.11g, Antenna 2, MIMO

Conducted Band Edge Test Results, 802.11g, Antenna 1, SISO



Plot 376. Conducted Band Edge, 2412 MHz, 802.11g, Antenna 1, SISO



Plot 377. Conducted Band Edge, 2417 MHz, 802.11g, Antenna 1, SISO



Plot 378. Conducted Band Edge, 2422 MHz, 802.11g, Antenna 1, SISO



Plot 379. Conducted Band Edge, 2462 MHz, 802.11g, Antenna 1, SISO

Conducted Band Edge Test Results, 802.11n 20 MHz, Antenna 0, MIMO



Plot 380. Conducted Band Edge, 2412 MHz, 802.11n 20 MHz, Antenna 0, MIMO



Plot 381. Conducted Band Edge, 2417 MHz, 802.11n 20 MHz, Antenna 0, MIMO



Plot 382. Conducted Band Edge, 2462 MHz, 802.11n 20 MHz, Antenna 0, MIMO

Conducted Band Edge Test Results, 802.11n 20 MHz, Antenna 1, MIMO



Plot 383. Conducted Band Edge, 2412 MHz, 802.11n 20 MHz, Antenna 1, MIMO



Plot 384. Conducted Band Edge, 2417 MHz, 802.11n 20 MHz, Antenna 1, MIMO



Plot 385. Conducted Band Edge, 2462 MHz, 802.11n 20 MHz, Antenna 1, MIMO

Conducted Band Edge Test Results, 802.11n 20 MHz, Antenna 2, MIMO



Plot 386. Conducted Band Edge, 2412 MHz, 802.11n 20 MHz, Antenna 2, MIMO



Plot 387. Conducted Band Edge, 2417 MHz, 802.11n 20 MHz, Antenna 2, MIMO



Plot 388. Conducted Band Edge, 2462 MHz, 802.11n 20 MHz, Antenna 2, MIMO

Conducted Band Edge Test Results, 802.11n 20 MHz, Antenna 1, SISO



Plot 389. Conducted Band Edge, 2412 MHz, 802.11n 20 MHz, Antenna 1, SISO



Plot 390. Conducted Band Edge, 2417 MHz, 802.11n 20 MHz, Antenna 1, SISO



Plot 391. Conducted Band Edge, 2422 MHz, 802.11n 20 MHz, Antenna 1, SISO



Plot 392. Conducted Band Edge, 2462 MHz, 802.11n 20 MHz, Antenna 1, SISO

Conducted Band Edge Test Results, 802.11n 40 MHz, Antenna 0, MIMO



Plot 393. Conducted Band Edge, 2422 MHz, 802.11n 40 MHz, Antenna 0, MIMO



Plot 394. Conducted Band Edge, 2427 MHz, 802.11n 40 MHz, Antenna 0, MIMO



Plot 395. Conducted Band Edge, 2452 MHz, 802.11n 40 MHz, Antenna 0, MIMO

Conducted Band Edge Test Results, 802.11n 40 MHz, Antenna 1, MIMO



Plot 396. Conducted Band Edge, 2422 MHz, 802.11n 40 MHz, Antenna 1, MIMO



Plot 397. Conducted Band Edge, 2427 MHz, 802.11n 40 MHz, Antenna 1, MIMO



Plot 398. Conducted Band Edge, 2452 MHz, 802.11n 40 MHz, Antenna 1, MIMO

Conducted Band Edge Test Results, 802.11n 40 MHz, Antenna 2, MIMO



Plot 399. Conducted Band Edge, 2422 MHz, 802.11n 40 MHz, Antenna 2, MIMO



Plot 400. Conducted Band Edge, 2427 MHz, 802.11n 40 MHz, Antenna 2, MIMO



Plot 401. Conducted Band Edge, 2452 MHz, 802.11n 40 MHz, Antenna 2, MIMO

Conducted Band Edge Test Results, 802.11n 40 MHz, Antenna 1, SISO



Plot 402. Conducted Band Edge, 2422 MHz, 802.11n 40 MHz, Antenna 1, SISO



Plot 403. Conducted Band Edge, 2427 MHz, 802.11n 40 MHz, Antenna 1, SISO



Plot 404. Conducted Band Edge, 2432 MHz, 802.11n 40 MHz, Antenna 1, SISO



Plot 405. Conducted Band Edge, 2437 MHz, 802.11n 40 MHz, Antenna 1, SISO



Plot 406. Conducted Band Edge, 2442 MHz, 802.11n 40 MHz, Antenna 1, SISO



Plot 407. Conducted Band Edge, 2447 MHz, 802.11n 40 MHz, Antenna 1, SISO



Plot 408. Conducted Band Edge, 2452 MHz, 802.11n 40 MHz, Antenna 1, SISO

Electromagnetic Compatibility Criteria for Intentional Radiators

§ 15.247(e) Peak Power Spectral Density

Test Requirements: **§15.247(e):** For digitally modulated systems, the peak power spectral density conducted from the intentional radiator to the antenna shall not be greater than 8dBm in any 3 kHz band during any time interval of continuous transmission.

Test Procedure: The transmitter was connected directly to a Spectrum Analyzer through an attenuator. The power level was set to the maximum level throughout each of the 100 sweeps of power averaging. The RBW was set to 3 kHz and a VBW set to 9 kHz or greater. The spectrum analyzer was set to an auto sweep time and a peak detector was used. Measurements were carried out at the low, mid and high channels.

Test Results: The EUT was compliant with the peak power spectral density limits of **§ 15.247 (e)**.

The peak power spectral density was determined from plots on the following page(s).

Test Engineer: Poona Saber

Test Date: 07/01/15



Figure 4. Block Diagram, Peak Power Spectral Density Test Setup

Peak Power Spectral Density Test Results

Frequency (MHz)	Mode	Ant Port 0 PSD (dBm)	Ant Port 1 PSD (dBm)	Ant PSD Power (dBm)	Summed PSD (dBm)	Antenna Gain (dBi)	Limit (dBm)	Margin (dB)
2412	802.11b	-2.309	-2.863	-2.79	2.2	9.2	4.8	-2.6
2417	802.11b	--	--	--	--	9.2	4.8	-4.8
2422	802.11b	--	--	--	--	9.2	4.8	-4.8
2427	802.11b	--	--	--	--	9.2	4.8	-4.8
2432	802.11b	--	--	--	--	9.2	4.8	-4.8
2437	802.11b	-4.23	-3.369	-2.71	1.4	9.2	4.8	-3.4
2442	802.11b	--	--	--	--	9.2	4.8	-4.8
2447	802.11b	--	--	--	--	9.2	4.8	-4.8
2452	802.11b	--	--	--	--	9.2	4.8	-4.8
2457	802.11b	--	--	--	--	9.2	4.8	-4.8
2462	802.11b	-2.94	-3.367	-2.919	1.8	9.2	4.8	-3

Table 19. Peak Power Spectral Density, Test Results, 802.11b, MIMO

Frequency (MHz)	Mode	Ant Port 0 PSD (dBm)	Ant Port 1 PSD (dBm)	Ant PSD Power (dBm)	Summed PSD (dBm)	Antenna Gain (dBi)	Limit (dBm)	Margin (dB)
2412	802.11g	-3.245	-3.235	-2.798	1.7	9.2	4.8	-3.1
2417	802.11g	--	--	--	--	9.2	4.8	-4.8
2422	802.11g	--	--	--	--	9.2	4.8	-4.8
2427	802.11g	--	--	--	--	9.2	4.8	-4.8
2432	802.11g	--	--	--	--	9.2	4.8	-4.8
2437	802.11g	-4.034	-4.179	-3.985	0.8	9.2	4.8	-4
2442	802.11g	--	--	--	--	9.2	4.8	-4.8
2447	802.11g	--	--	--	--	9.2	4.8	-4.8
2452	802.11g	-3.654	-3.946	-3.765	1	9.2	4.8	-3.8
2457	802.11g	-4.234	-4.584	-4.342	0.4	9.2	4.8	-4.4
2462	802.11g	-6.123	-6.357	-5.765	-1.3	9.2	4.8	-6.1

Table 20. Peak Power Spectral Density, Test Results, 802.11g, MIMO

Frequency (MHz)	Mode	Ant Port 0 PSD (dBm)	Ant Port 1 PSD (dBm)	Ant PSD Power (dBm)	Summed PSD (dBm)	Antenna Gain (dBi)	Limit (dBm)	Margin (dB)
2412	HT20	-8.32	-8.406	-8.26	-3.5	9.2	4.8	-8.3
2417	HT20	-5.89	-5.059	-5.16	-0.5	9.2	4.8	-5.3
2422	HT20	-3.62	-3.919	-3.34	1.2	9.2	4.8	-3.6
2427	HT20	--	--	--	--	9.2	4.8	-4.8
2432	HT20	--	--	--	--	9.2	4.8	-4.8
2437	HT20	-4.67	-4.082	-4.41	0.4	9.2	4.8	-4.4
2442	HT20	--	--	--	--	9.2	4.8	-4.8
2447	HT20	--	--	--	--	9.2	4.8	-4.8
2452	HT20	--	--	--	--	9.2	4.8	-4.8
2457	HT20	-5.82	-5.282	-5.29	-0.6	9.2	4.8	-5.4
2462	HT20	-4.37	-4.017	-4.73	0.5	9.2	4.8	-4.3

Table 21. Peak Power Spectral Density, Test Results, 802.11n 20 MHz, MIMO

Frequency (MHz)	Mode	Ant Port 0 PSD (dBm)	Ant Port 1 PSD (dBm)	Ant PSD Power (dBm)	Summed PSD (dBm)	Antenna Gain (dBi)	Limit (dBm)	Margin (dB)
2422	HT40	-13.17	-13.92	-13.45	-8.7	9.2	4.8	-13.5
2427	HT40	--	--	--	--	9.2	4.8	-4.8
2432	HT40	--	--	--	--	9.2	4.8	-4.8
2437	HT40	-10.25	-10.65	-10.76	-5.7	9.2	4.8	-10.5
2442	HT40	-13.83	-13.06	-13.78	-8.7	9.2	4.8	-13.5
2447	HT40	-13.48	-13.59	-13.29	-8.6	9.2	4.8	-13.4
2452	HT40	-14.62	-14.15	-14.29	-9.5	9.2	4.8	-14.3

Table 22. Peak Power Spectral Density, Test Results, 802.11n 40 MHz, MIMO

Frequency (MHz)	Mode	Ant Port 0 PSD (dBm)	Ant Port 1 PSD (dBm)	Ant PSD Power (dBm)	Summed PSD (dBm)	Antenna Gain (dBi)	Limit (dBm)	Margin (dB)
2412	802.11b	--	-1.566	--	-1.57	5.25	8.00	-9.57
2417	802.11b	--	-0.611	--	-0.61	5.25	8.00	-8.61
2422	802.11b	--	0.283	--	0.28	5.25	8.00	-7.72
2427	802.11b	--	--	--	0.00	5.25	8.00	-8.00
2432	802.11b	--	--	--	0.00	5.25	8.00	-8.00
2437	802.11b	--	--	--	0.00	5.25	8.00	-8.00
2442	802.11b	--	--	--	0.00	5.25	8.00	-8.00
2447	802.11b	--	--	--	0.00	5.25	8.00	-8.00
2452	802.11b	--	--	--	0.00	5.25	8.00	-8.00
2457	802.11b	--	-0.01	--	-0.01	5.25	8.00	-8.01
2462	802.11b	--	-1.552	--	-1.55	5.25	8.00	-9.55

Table 23. Peak Power Spectral Density, Test Results, 802.11b, SISO

Frequency (MHz)	Mode	Ant Port 0 PSD (dBm)	Ant Port 1 PSD (dBm)	Ant PSD Power (dBm)	Summed PSD (dBm)	Antenna Gain (dBi)	Limit (dBm)	Margin (dB)
2412	802.11g	--	2.542	--	2.542	5.25	8.00	-5.458
2417	802.11g	--	3.738	--	3.738	5.25	8.00	-4.262
2422	802.11g	--	5.13	--	5.13	5.25	8.00	-2.87
2427	802.11g	--	6.26	--	6.264	5.25	8.00	-1.736
2432	802.11g	--	6.38	--	6.381	5.25	8.00	-1.619
2437	802.11g	--	7.57	--	7.566	5.25	8.00	-0.434
2442	802.11g	--	5.78	--	5.78	5.25	8.00	-2.22
2447	802.11g	--	5.12	--	5.124	5.25	8.00	-2.876
2452	802.11g	--	4.38	--	4.375	5.25	8.00	-3.625
2457	802.11g	--	3.44	--	3.442	5.25	8.00	-4.558
2462	802.11g	--	0.46	--	0.46	5.25	8.00	-7.54

Table 24. Peak Power Spectral Density, Test Results, 802.11g, SISO

Frequency (MHz)	Mode	Ant Port 0 PSD (dBm)	Ant Port 1 PSD (dBm)	Ant PSD Power (dBm)	Summed PSD (dBm)	Antenna Gain (dBi)	Limit (dBm)	Margin (dB)
2412	HT20	--	-1.259	--	-1.259	5.25	8.00	-9.259
2417	HT20	--	2.857	--	2.857	5.25	8.00	-5.143
2422	HT20	--	3.217	--	3.217	5.25	8.00	-4.783
2427	HT20	--	4.39	--	4.387	5.25	8.00	-3.613
2432	HT20	--	4.88	--	4.88	5.25	8.00	-3.12
2437	HT20	--	5.11	--	5.114	5.25	8.00	-2.886
2442	HT20	--	4.27	--	4.272	5.25	8.00	-3.728
2447	HT20	--	4.06	--	4.056	5.25	8.00	-3.944
2452	HT20	--	3.18	--	3.18	5.25	8.00	-4.82
2457	HT20	--	2.04	--	2.043	5.25	8.00	-5.957
2462	HT20	--	-1.534	--	-1.534	5.25	8.00	-9.534

Table 25. Peak Power Spectral Density, Test Results, 802.11n 20 MHz, SISO

Frequency (MHz)	Mode	Ant Port 0 PSD (dBm)	Ant Port 1 PSD (dBm)	Ant PSD Power (dBm)	Summed PSD (dBm)	Antenna Gain (dBi)	Limit (dBm)	Margin (dB)
2422	HT40	--	-4.577	--	-4.577	5.25	8.00	-12.577
2427	HT40	--	-4.234	--	-4.234	5.25	8.00	-12.234
2432	HT40	--	-3.958	--	-3.958	5.25	8.00	-11.958
2437	HT40	--	-3.69	--	-3.693	5.25	8.00	-11.693
2442	HT40	--	-2.68	--	-2.683	5.25	8.00	-10.683
2447	HT40	--	-6.26	--	-6.262	5.25	8.00	-14.262
2452	HT40	--	-6.20	--	-6.199	5.25	8.00	-14.199

Table 26. Peak Power Spectral Density, Test Results, 802.11n 40 MHz, SISO

Peak Power Spectral Density, 802.11b, Antenna 1, MIMO



Plot 409. Peak Power Spectral Density, 2412 MHz, 802.11b, Antenna 1, MIMO



Plot 410. Peak Power Spectral Density, 2437 MHz, 802.11b, Antenna 1, MIMO



Plot 411. Peak Power Spectral Density, 2462 MHz, 802.11b, Antenna 1, MIMO

Peak Power Spectral Density, 802.11b, Antenna 1, SISO



Plot 412. Peak Power Spectral Density, 2412 MHz, 802.11b, Antenna 1, SISO



Plot 413. Peak Power Spectral Density, 2417 MHz, 802.11b, Antenna 1, SISO



Plot 414. Peak Power Spectral Density, 2422 MHz, 802.11b, Antenna 1, SISO



Plot 415. Peak Power Spectral Density, 2457 MHz, 802.11b, Antenna 1, SISO



Plot 416. Peak Power Spectral Density, 2462 MHz, 802.11b, Antenna 1, SISO

Peak Power Spectral Density, 802.11g, Antenna 1, MIMO



Plot 417. Peak Power Spectral Density, 2412 MHz, 802.11g, Antenna 1, MIMO



Plot 418. Peak Power Spectral Density, 2437 MHz, 802.11g, Antenna 1, MIMO



Plot 419. Peak Power Spectral Density, 2452 MHz, 802.11g, Antenna 1, MIMO



Plot 420. Peak Power Spectral Density, 2457 MHz, 802.11g, Antenna 1, MIMO



Plot 421. Peak Power Spectral Density, 2462 MHz, 802.11g, Antenna 1, MIMO

Peak Power Spectral Density, 802.11g, Antenna 1, SISO



Plot 422. Peak Power Spectral Density, 2412 MHz, 802.11g, Antenna 1, SISO



Plot 423. Peak Power Spectral Density, 2417 MHz, 802.11g, Antenna 1, SISO



Plot 424. Peak Power Spectral Density, 2422 MHz, 802.11g, Antenna 1, SISO



Plot 425. Peak Power Spectral Density, 2427 MHz, 802.11g, Antenna 1, SISO



Plot 426. Peak Power Spectral Density, 2432 MHz, 802.11g, Antenna 1, SISO



Plot 427. Peak Power Spectral Density, 2437 MHz, 802.11g, Antenna 1, SISO



Plot 428. Peak Power Spectral Density, 2442 MHz, 802.11g, Antenna 1, SISO



Plot 429. Peak Power Spectral Density, 2447 MHz, 802.11g, Antenna 1, SISO



Plot 430. Peak Power Spectral Density, 2452 MHz, 802.11g, Antenna 1, SISO



Plot 431. Peak Power Spectral Density, 2457 MHz, 802.11g, Antenna 1, SISO



Plot 432. Peak Power Spectral Density, 2462 MHz, 802.11g, Antenna 1, SISO

Peak Power Spectral Density, 802.11n 20 MHz, Antenna 1, MIMO



Plot 433. Peak Power Spectral Density, 2412 MHz, 802.11n 20 MHz, Antenna 1, MIMO



Plot 434. Peak Power Spectral Density, 2417 MHz, 802.11n 20 MHz, Antenna 1, MIMO



Plot 435. Peak Power Spectral Density, 2422 MHz, 802.11n 20 MHz, Antenna 1, MIMO



Plot 436. Peak Power Spectral Density, 2437 MHz, 802.11n 20 MHz, Antenna 1, MIMO



Plot 437. Peak Power Spectral Density, 2457 MHz, 802.11n 20 MHz, Antenna 1, MIMO



Plot 438. Peak Power Spectral Density, 2462 MHz, 802.11n 20 MHz, Antenna 1, MIMO

Peak Power Spectral Density, 802.11n 20 MHz, Antenna 1, SISO



Plot 439. Peak Power Spectral Density, 2412 MHz, 802.11n 20 MHz, Antenna 1, SISO



Plot 440. Peak Power Spectral Density, 2417 MHz, 802.11n 20 MHz, Antenna 1, SISO



Plot 441. Peak Power Spectral Density, 2422 MHz, 802.11n 20 MHz, Antenna 1, SISO



Plot 442. Peak Power Spectral Density, 2427 MHz, 802.11n 20 MHz, Antenna 1, SISO



Plot 443. Peak Power Spectral Density, 2432 MHz, 802.11n 20 MHz, Antenna 1, SISO



Plot 444. Peak Power Spectral Density, 2437 MHz, 802.11n 20 MHz, Antenna 1, SISO



Plot 445. Peak Power Spectral Density, 2442 MHz, 802.11n 20 MHz, Antenna 1, SISO



Plot 446. Peak Power Spectral Density, 2447 MHz, 802.11n 20 MHz, Antenna 1, SISO



Plot 447. Peak Power Spectral Density, 2452 MHz, 802.11n 20 MHz, Antenna 1, SISO



Plot 448. Peak Power Spectral Density, 2457 MHz, 802.11n 20 MHz, Antenna 1, SISO



Plot 449. Peak Power Spectral Density, 2462 MHz, 802.11n 20 MHz, Antenna 1, SISO

Peak Power Spectral Density, 802.11n 40 MHz, Antenna 1, MIMO



Plot 450. Peak Power Spectral Density, 2422 MHz, 802.11n 40 MHz, Antenna 1, MIMO



Plot 451. Peak Power Spectral Density, 2437 MHz, 802.11n 40 MHz, Antenna 1, MIMO



Plot 452. Peak Power Spectral Density, 2442 MHz, 802.11n 40 MHz, Antenna 1, MIMO



Plot 453. Peak Power Spectral Density, 2447 MHz, 802.11n 40 MHz, Antenna 1, MIMO



Plot 454. Peak Power Spectral Density, 2452 MHz, 802.11n 40 MHz, Antenna 1, MIMO

Peak Power Spectral Density, 802.11n 40 MHz, Antenna 1, SISO



Plot 455. Peak Power Spectral Density, 2422 MHz, 802.11n 40 MHz, Antenna 1, SISO



Plot 456. Peak Power Spectral Density, 2432 MHz, 802.11n 40 MHz, Antenna 1, SISO



Plot 457. Peak Power Spectral Density, 2437 MHz, 802.11n 40 MHz, Antenna 1, SISO



Plot 458. Peak Power Spectral Density, 2442 MHz, 802.11n 40 MHz, Antenna 1, SISO



Plot 459. Peak Power Spectral Density, 2447 MHz, 802.11n 40 MHz, Antenna 1, SISO



Plot 460. Peak Power Spectral Density, 2452 MHz, 802.11n 40 MHz, Antenna 1, SISO

Electromagnetic Compatibility Criteria for Intentional Radiators

§ 15.247(i) Maximum Permissible Exposure

RF Exposure Requirements: **§1.1307(b)(1) and §1.1307(b)(2):** Systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy levels in excess of the Commission's guidelines.

RF Radiation Exposure Limit: **§1.1310:** As specified in this section, the Maximum Permissible Exposure (MPE) Limit shall be used to evaluate the environmental impact of human exposure to radiofrequency (RF) radiation as specified in Sec. 1.1307(b), except in the case of portable devices which shall be evaluated according to the provisions of Sec. 2.1093 of this chapter.

MPE Limit Calculation: EUT's operating frequencies @ 2400-2483.5 MHz; highest conducted power = *26.6 dBm* (peak) therefore, **Limit for Uncontrolled exposure: 1 mW/cm^2 or 10 W/m^2**

Equation from page 18 of OET 65, Edition 97-01

$S = PG / 4\pi R^2$ or $R = \sqrt{PG / 4\pi S}$

where, S = Power Density (1 mW/cm^2)
P = Power Input to antenna (457.08 mW)
G = Antenna Gain (9.2dBi)

S= (407.38*8.31)/ (4*3.14*400) = 0.756 mW/ cm^2

Therefore, the uncontrolled exposure limit is met at 20 cm.

IV. Test Equipment

Test Equipment

Calibrated test equipment utilized during testing was maintained in a current state of calibration per the requirements of ISO/IEC 17025:2005.

MET #	Equipment	Manufacturer	Model#	Cal Date	Cal Due
1T4681	SPECTRUM ANALYZER	AGILENT TECHNOLOGIES	E4448A	4/22/2015	4/22/2016
1T4829	SPECTRUM ANALYZER	AGILENT	E4407B	9/30/2014	9/30/2015
1T4483	ANTENNA; HORN	ETS-LINDGREN	7/13/1908	2/28/2014	8/28/2015
1T4564	LISN (24 AMP)	SOLAR ELECTRONICS	9252-50-R-24-BNC	7/1/2015	7/1/2016
1T4818	COMB GENERATOR	COM-POWER	CGO-520	SEE NOTE	
1T4870	THERM./CLOCK/HUMIDITY MONITOR	CONTROL COMPANY	06-662-4, FB70258	03/14/2014	03/14/2016
1T4751	ANTENNA - BILOG	SUNOL SCIENCES	JB6	07/20/2014	01/20/2016
1T4300C	SEMI-ANECHOIC 3M CHAMBER # 1 (VCCI)	EMC TEST SYSTEMS	NONE	10/31/2012	10/31/2015
1T4409	EMI RECEIVER	ROHDE & SCHWARZ	ESIB7	07/18/2014	07/18/2016
1T4442	PRE-AMPLIFIER, MICROWAVE	MITEQ	AFS42-01001800-30-10P	SEE NOTE	
1T4149	HIGH-FREQUENCY ANECHOIC CHAMBER	RAY-PROOF	3/21/1900	NOT REQUIRED	
1T2665	ANTENNA; HORN	EMCO	7/11/1908	4/3/2014	10/3/2015
1T4829	SPECTRUM ANALYZER	AGILENT	E4407B	9/30/2014	3/30/2016
1T4817	PREAMPLIFIER	A.H. SYSTEMS, INC.	PAM-0118P	SEE NOTE	

Table 27. Test Equipment List

Note: Functionally tested equipment is verified using calibrated instrumentation at the time of testing.

V. Certification & User's Manual Information

Certification & User's Manual Information

A. Certification Information

The following is extracted from Title 47 of the Code of Federal Regulations, Part 2, Subpart I — Marketing of Radio frequency devices:

§ 2.801 Radio-frequency device defined.

As used in this part, a radio-frequency device is any device which in its operation is capable of Emitting radio-frequency energy by radiation, conduction, or other means. Radio- frequency devices include, but are not limited to:

(a) The various types of radio communication transmitting devices described throughout this chapter.

(b) The incidental, unintentional and intentional radiators defined in Part 15 of this chapter.

(c) The industrial, scientific, and medical equipment described in Part 18 of this chapter.

(d) Any part or component thereof which in use emits radio-frequency energy by radiation, conduction, or other means.

§ 2.803 Marketing of radio frequency devices prior to equipment authorization.

(a) Except as provided elsewhere in this chapter, no person shall sell or lease, or offer for sale or lease (including advertising for sale or lease), or import, ship or distribute for the purpose of selling or leasing or offering for sale or lease, any radio frequency device unless:

(1) In the case of a device subject to certification, such device has been authorized by the Commission in accordance with the rules in this chapter and is properly identified and labeled as required by §2.925 and other relevant sections in this chapter; or

(2) In the case of a device that is not required to have a grant of equipment authorization issued by the Commission, but which must comply with the specified technical standards prior to use, such device also complies with all applicable administrative (including verification of the equipment or authorization under a Declaration of Conformity, where required), technical, labeling and identification requirements specified in this chapter.

(d) Notwithstanding the provisions of paragraph (a) of this section, the offer for sale solely to business, commercial, industrial, scientific or medical users (but not an offer for sale to other parties or to end users located in a residential environment) of a radio frequency device that is in the conceptual, developmental, design or pre-production stage is permitted prior to equipment authorization or, for devices not subject to the equipment authorization requirements, prior to a determination of compliance with the applicable technical requirements *provided* that the prospective buyer is advised in writing at the time of the offer for sale that the equipment is subject to the FCC rules and that the equipment will comply with the appropriate rules before delivery to the buyer or to centers of distribution.

(e)(1) Notwithstanding the provisions of paragraph (a) of this section, prior to equipment authorization or determination of compliance with the applicable technical requirements any radio frequency device may be operated, but not marketed, for the following purposes and under the following conditions:

(i) Compliance testing;

(ii) Demonstrations at a trade show provided the notice contained in paragraph (c) of this section is displayed in a conspicuous location on, or immediately adjacent to, the device;

(iii) Demonstrations at an exhibition conducted at a business, commercial, industrial, scientific or medical location, but excluding locations in a residential environment, provided the notice contained in paragraphs (c) or (d) of this section, as appropriate, is displayed in a conspicuous location on, or immediately adjacent to, the device;

(iv) Evaluation of product performance and determination of customer acceptability, provided such operation takes place at the manufacturer's facilities during developmental, design or pre-production states; or

(v) Evaluation of product performance and determination of customer acceptability where customer acceptability of a radio frequency device cannot be determined at the manufacturer's facilities because of size or unique capability of the device, provided the device is operated at a business, commercial, industrial, scientific or medical user's site, but not at a residential site, during the development, design or pre-production stages.

(e)(2) For the purpose of paragraphs (e)(1)(iv) and (e)(1)(v) of this section, the term *manufacturer's facilities* includes the facilities of the party responsible for compliance with the regulations and the manufacturer's premises, as well as the facilities of other entities working under the authorization of the responsible party in connection with the development and manufacture, but not the marketing, of the equipment.

(f) For radio frequency devices subject to verification and sold solely to business, commercial, industrial, scientific and medical users (excluding products sold to other parties or for operation in a residential environment), parties responsible for verification of the devices shall have the option of ensuring compliance with the applicable technical specifications of this chapter at each end user's location after installation, provided that the purchase or lease agreement includes a proviso that such a determination of compliance be made and is the responsibility of the party responsible for verification of the equipment.

Certification & User's Manual Information

The following is extracted from Title 47 of the Code of Federal Regulations, Part 2, Subpart J — Equipment Authorization Procedures:

§ 2.901 Basis and Purpose

(a) In order to carry out its responsibilities under the Communications Act and the various treaties and international regulations, and in order to promote efficient use of the radio spectrum, the Commission has developed technical standards for radio frequency equipment and parts or components thereof. The technical standards applicable to individual types of equipment are found in that part of the rules governing the service wherein the equipment is to be operated.[1] *In addition to the technical standards provided, the rules governing the service may require that such equipment be verified by the manufacturer or importer*, be authorized under a Declaration of Conformity, or receive an equipment authorization from the Commission by one of the following procedures: certification or registration.

(b) The following sections describe the verification procedure, the procedure for a Declaration of Conformity, and the procedures to be followed in obtaining certification from the Commission and the conditions attendant to such a grant.

§ 2.907 Certification.

(a) Certification is an equipment authorization issued by the Commission, based on representation and test data submitted by the applicant.

(b) Certification attaches to all units subsequently marketed by the grantee which are identical (see Section 2.908) to the sample tested except for permissive changes or other variations authorized by the Commission pursuant to Section 2.1043.

[1] In this case, the equipment is subject to the rules of Part 15. More specifically, the equipment falls under Subpart B (of Part 15), which deals with unintentional radiators.

Certification & User's Manual Information

§ 2.948 Description of measurement facilities.

(a) Each party making measurements of equipment that is subject to an equipment authorization under Part 15 or Part 18 of this chapter, regardless of whether the measurements are filed with the Commission or kept on file by the party responsible for compliance of equipment marketed within the U.S. or its possessions, shall compile a description of the measurement facilities employed.

(1) If the measured equipment is subject to the verification procedure, the description of the measurement facilities shall be retained by the party responsible for verification of the equipment.

(i) If the equipment is verified through measurements performed by an independent laboratory, it is acceptable for the party responsible for verification of the equipment to rely upon the description of the measurement facilities retained by or placed on file with the Commission by that laboratory. In this situation, the party responsible for the verification of the equipment is not required to retain a duplicate copy of the description of the measurement facilities.

(ii) If the equipment is verified based on measurements performed at the installation site of the equipment, no specific site calibration data is required. It is acceptable to retain the description of the measurement facilities at the site at which the measurements were performed.

(2) If the equipment is to be authorized by the Commission under the certification procedure, the description of the measurement facilities shall be filed with the Commission's Laboratory in Columbia, Maryland. The data describing the measurement facilities need only be filed once but must be updated as changes are made to the measurement facilities or as otherwise described in this section. At least every three years, the organization responsible for filing the data with the Commission shall certify that the data on file is current.

Certification & User's Manual Information

1. Label and User's Manual Information

The following is extracted from Title 47 of the Code of Federal Regulations, Part 15, Subpart A — General:

§ 15.19 Labeling requirements.

(a) In addition to the requirements in Part 2 of this chapter, a device subject to certification or verification shall be labeled as follows:

(1) Receivers associated with the operation of a licensed radio service, e.g., FM broadcast under Part 73 of this chapter, land mobile operation under Part 90, etc., shall bear the following statement in a conspicuous location on the device:

This device complies with Part 15 of the FCC Rules. Operation is subject to the condition that this device does not cause harmful interference.

(2) A stand-alone cable input selector switch, shall bear the following statement in a conspicuous location on the device:

This device is verified to comply with Part 15 of the FCC Rules for use with cable television service.

(3) All other devices shall bear the following statement in a conspicuous location on the device:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

(4) Where a device is constructed in two or more sections connected by wires and marketed together, the statement specified under paragraph (a) of this section is required to be affixed only to the main control unit.

(5) When the device is so small or for such use that it is not practicable to place the statement specified under paragraph (a) of this section on it, the information required by this paragraph shall be placed in a prominent location in the instruction manual or pamphlet supplied to the user or, alternatively, shall be placed on the container in which the device is marketed. However, the FCC identifier or the unique identifier, as appropriate, must be displayed on the device.

§ 15.21 Information to user.

The user's manual or instruction manual for an intentional or unintentional radiator shall caution the user that changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Verification & User's Manual Information

The following is extracted from Title 47 of the Code of Federal Regulations, Part 15, Subpart B — Unintentional Radiators:

§ 15.105 Information to the user.

(a) For a Class A digital device or peripheral, the instructions furnished the user shall include the following or similar statement, placed in a prominent location in the text of the manual:

Note: This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at own expense.

(b) For a Class B digital device or peripheral, the instructions furnished the user shall include the following or similar statement, placed in a prominent location in the text of the manual:

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a residential environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

– Reorient or relocate the receiving antenna.

– Increase the separation between the equipment and receiver.

– Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

– Consult the dealer or an experienced radio/TV technician for help.

End of Report

