


VER.	MARK	DCR/ECN NO.	DATE	UPDATE DESCRIPTION	SIGNATURE
01			2012/02/22	First Release	Rich



MOTOROLA
MADE IN CHINA
MODEL: CPP100/1B1A/US1
FIG NO.: XXXXX-XXX-XX
FCCID: ACQCPP
IC: 109AS-CP
ESSID: XXXXXXXX

WARNING: TO PREVENT ELECTRIC SHOCK, DO NOT REMOVE COVER. NO USER SERVICEABLE PARTS INSIDE. REFER SERVICING TO QUALIFIED SERVICE PERSONNEL.

This device complies with part 15 of FCC Rules. Operation is subject to the following two conditions:
(1) This device may not cause harmful interference and
(2) This device must accept any interference received, including interference that may cause undesired operation.

SIN: XXXXXXXXXXXXX
ETH MAC: XXXXX-XX-XX-XX-XX

FC CONTROL POINT
CPP100/1B1A/US1
Input Voltage: +12V rms 1.0A

NOTES:

- MATERIAL: FLEXCON 21940 (SEE 585623-002)
- PRINTING METHOD: LETTERPRESS PRINTING
- CONTROLLED AND REPORTABLE MATERIALS DISCLOSURE (GLOBAL COMPLIANCE)

PRIOR TO PART QUALIFICATION, SUPPLIER MUST PROVIDE ALL REQUIRED INFORMATION TO MEET THE APPROPRIATE ACCEPTANCE CRITERIA OUTLINED IN APPENDIX C OF MOTOROLA'S CONTROLLED AND REPORTABLE MATERIALS DISCLOSURE 1202897W18-MD-HOME. REPORTING TOOLS CAN BE DOWNLOADED FROM: <http://responsibility.motorola.com/index.php/suppliers/materialdisclose>

COPYRIGHT 2011 MOTOROLA MOBILITY


INFORMATION CONTAINED ON ALL SHEETS OF THIS PRINT CANNOT BE REPRODUCED OR USED, IN WHOLE OR IN PART, WITHOUT MOTOROLA MOBILITY'S CONSENT. THIS NOTICE DOES NOT IMPLY PUBLICATION

MATERIAL(SPEC.)										SCALE	1:1			
SEE NOTES										SHEET	1/1			
FINISH										UNIT		PART NAME		
SEE NOTES										MM				
Select DIML.	A	B	C	EPS	EPE	BAG	CTN	Label	USR	SIZE		MODEL	PART NO.	DESIGNED
0-6	0.05	0.05	0.10	/	/	/	/	0.20		A4				Rich
6-30	0.10	0.15	0.20	0.50	0.50	3.00	/	0.20		VIEW		CUSTOMER MODEL	CUSTOMER PART NO.	APPROVED
30-120	0.15	0.20	0.30	0.50	0.50	5.00	2.00	0.25		TRI.		CPP100/1B1A/US1		Charge
120-300	0.20	0.30	0.40	1.00	1.00	10.00	3.00	0.30		ANGLE				
300-450	0.25	0.40	0.50	2.00	2.00	15.00	5.00	0.50						
450-600	0.30	0.50	0.60	3.00	3.00	20.00	5.00	0.80						
DRAFT TOLERANCE				±0.20°		CRITICAL DIM		MARK	✗					



UNIT	PART NAME	
MM		
SIZE	MODEL	PART NO.
A4		
VIEW	CUSTOMER MODEL	CUSTOMER PART NO.
TRI.	CPP100/1B1A/US1	
ANGLE		

VER.	MARK	DCR/ECN NO.	DATE	UPDATE DESCRIPTION	SIGNATURE
01			2012/02/22	First Release	Rich



NOTES:

1. MATERIAL: FLEXCON 21940 (SEE 585623-002)
 2. PRINTING METHOD: LETTERPRESS PRINTING
 3. CONTROLLED AND REPORTABLE MATERIALS DISCLOSURE (GLOBAL COMPLIANCE)
- PRIOR TO PART QUALIFICATION, SUPPLIER MUST PROVIDE ALL REQUIRED INFORMATION TO MEET THE APPROPRIATE ACCEPTANCE CRITERIA OUTLINED IN APPENDIX C OF MOTOROLA'S CONTROLLED AND REPORTABLE MATERIALS DISCLOSURE 1202897W18-MD-HOME. REPORTING TOOLS CAN BE DOWNLOADED FROM: <http://responsibility.motorola.com/index.php/suppliers/materialdisclose>

COPYRIGHT 2011 MOTOROLA MOBILITY

INFORMATION CONTAINED ON ALL SHEETS OF THIS PRINT CANNOT BE REPRODUCED OR USED, IN WHOLE OR IN PART, WITHOUT MOTOROLA MOBILITY'S CONSENT. THIS NOTICE DOES NOT IMPLY PUBLICATION

MATERIAL(SPEC.)	SEE NOTES
FINISH	SEE NOTES
Select DIML.	A B C EPS EPE BAG CTN Label USR
0~6	0.05 0.05 0.10 / / / / 0.20
6~30	0.10 0.15 0.20 0.50 0.50 3.00 / / 0.20
30~120	0.15 0.20 0.30 0.50 0.50 5.00 2.00 0.25
120~300	0.20 0.30 0.40 1.00 1.00 10.00 3.00 0.30
300~450	0.25 0.40 0.50 2.00 2.00 15.00 5.00 0.50
450~600	0.30 0.50 0.60 3.00 3.00 20.00 5.00 0.80
DRAFT TOLERANCE	+0.20° CRITICAL DIM MARK

SCALE	1:1	
SHEET	1/1	
UNIT	PART NAME	
MM		
SIZE	MODEL	PART NO.
A4		DESIGNED Rich
VIEW TRI. ANGLE	CUSTOMER MODEL	CUSTOMER PART NO.
	CPP100/3E1A/US1	APPROVED Charge

Label Location

no opening place for label

