## FCC Part 15D - APPLICATION FORM & SELF-DECLARATION



Applicant Name	Motorola, Inc.				
Address	101 Tournament Drive, Horsham, PA, 19044, USA				
Contact person	Joseph DiBiase				
Telephone No.	215-323-2480	Fax No.	215-323-0480		
Manufacturer Name	Motorola, Inc.				
Address	101 Tournament Drive, Horsham, PA, 19044, USA				

	P	ortable <b>P</b> a	ırt	Fix Part					
FCC ID	ACQMC9421			ACQSBV5422					
Model Number	MC9421			SBV5422					
Device Name	US DECT Handset				Cordless Embedded Muti-Media Terminal Adatper, CeMTA				
HW version	1b PP1285 Mono pole		1 5422-22.0.16-ENG-00-SHPC Mono pole						
SW version									
Antenna Type									
Max. Antenna Gain (dBi)		-1dBi		0dBi					
				Adapter Input	AC	100-240	V		
Mains Power Voltage				Adapter Output	DC	14	V		
				FP Input	DC	14			
Battery Voltage	DC	2.7	V						

Number of channels			5		
Carriers frequency(MHz)	1921.536	5 1923.264	1924.992	1926.720	1928.448
Nominal Receive Bandwidth	+/- 500 kHz				
Frame period (ms)			10		
Timeslot Plan	24 timeslots per frame. First 12 timeslots used for PP transmissions and other 12 timeslots used for FP transmissions.				
Burst Length Range (us)	Min	90	Max	39	0
Operating Temperature Range (°C)	Min	0	Max	5(	)

Does a system built with the enabling the use of the up	⊠Yes	□No		
According to 47CFR15.323 cooperation with other devi	⊠Yes	□No		
Does a system built using t 15.323(c)(6) incorporating	∐Yes	⊠No		
According to 47CFR15.323 reception as for monitoring	⊠Yes	□No		
Does a system built with th 15.323(c)(10) to test for de	∐Yes	⊠No		
Does a system built using to 15.323(c)(11) enabling the presence of collocated into	∐Yes	⊠No		
According to 47CFR15.323 spectrum for other devices.	⊠Yes	□No		
Does your model have the communication?	⊠Yes	□No		
Does your model transmit of	⊠Yes	No		
According to 47CFR15.307	Yes	No		
According to 47CFR15.319	⊠Yes	No		
The provisions within the EUT for self-check, by which compliance with 47CFR15.319(f) is obtained:	A – Connection break down, cease of transmit		Reaction	
	B – Connection break down, EUT transmits signaling information     C – Connection break down,	Switch-off compare device	В	Α
		Hook-on by compare device	В	N
		Switch-off by EUT	Α	Α
	compare device transmits	Hook-on at EUT side	N	A
	signaling information  N – Not possible	Remove Power from EUT	A	A
	H - NOC POSSIDIO	Remove Power from compare device	В	Α

**DECLARED BY:** 

May 6, 2008 Joseph DiBiase Date

Name (print)

Signature & Chop