Pub. No.: TI-1698

Date: July, 1998

Measurement of Radiated Interference at 2 m



1/4 λ whip antenna



5/8 λ whip antenna

Pub. No. : TI- 1698

Date : July, 1998



4 m whip antenna



6 m whip antenna

Pub. No. : TI- 1698

Date : July, 1998




Fig. 7.1

Measuring Antenna:

Broadband Rod Antenna Model 95010-1 of

Advanced Electronics

Frequency Range:

10 kHz - 20 MHz




Fig. 7.2

Measuring Antenna:

Biconical Antenna Model BIA-25 of Electro

Metrics

Frequency Range:

20 MHz - 200 MHz

Pub. No.: TI- 1698

Date: July, 1998




Fig. 7.3

Measuring Antenna:

Conical Log-Spiral Antenna Model LCA-25 of

Electro Metrics

Frequency Range:

200 MHz - 1 GHz




Fig. 7.4

Measuring Antenna:

Double-ridged Guide Antenna Model RGA-

180 of EMD

(Notch filter was connected between 9.3 and 9.5 GHz

to ensure sufficient dynamic range of spectrum

analyzer.)

Frequency Range:

1 GHz - 18 GHz

Pub. No. : TI- 1698

Date : July, 1998



Fig. 7.5

Measuring Antenna:

Frequency Range:

Toshiba Horn Antenna 18 GHz - 40 GHz