



Photographs of the Furuno Radar Sensor DRS12A with Transceiver RTR-094 included to Reveal Equipment Construction and Layout (FCC Rule, 2.1033)**1 Internal View****1.1 Radar Sensor DRS12A (with Transceiver RTR-094 contained)****1.1.1 Inside View (with Top-lid opened, showing Scanner Motor (upper) and Transceiver RTR-094 (lower))**

1.1.2 Inside View (with Top-lid opened, showing Transceiver module RTR-094)



1.1.3 Transceiver module Top View



1.1.4 Transceiver module Top View



1.1.5 Transceiver module Top View (with Shield-cover removed)




Fig. 1.1.5 Transceiver module Top View (with Shield-cover removed, showing MD Board 03P9451A (left) and Pulse Transformer (center))

1.1.6 Transceiver module Top View




Fig. 1.1.6 Transceiver module Top View (with Shield-cover removed, showing Magnetron)

1.1.7 Transceiver module Top View (with Shield-cover removed)





Fig. 1.1.7 Transceiver module Top View (with Shield-cover removed, showing Circulator (center) and MD Board (left))

1.1.8 Transceiver module Bottom View



1.1.9 Transceiver module Bottom View (with Shield-covers removed)




Fig. 1.1.9 Transceiver module Bottom View (with Shield-covers removed, showing NMEA2000 Board 03P9462 (left), RXM module RU-9752 (center) and SPU Board 03P9455 (right))