


Photographs of the Furuno Radar Sensor DRS25A with Transceiver RTR-095 included to Reveal Equipment Construction and Layout (FCC Rule, 2.1033)**1 Internal View****1.1 Radar Sensor DRS25A (with Transceiver RTR-095 contained)****1.1.1 Inside View (with Top-lid opened, showing Scanner Motor (upper) and Transceiver RTR-095 (lower))**

1.1.2 Transceiver Module Top View



1.1.3 Transceiver Module Top View



1.1.4 Transceiver Module Side View (with Shield-cover removed)




Fig. 1.1.4 Transceiver Module Side View (with Shield-cover removed, showing MD Board 03P9451B (top left), PWR Board 03P9454 (bottom left) and Pulse Transformer (center))

1.1.5 Transceiver Module Side View




Fig. 1.1.5 Transceiver Module Side View (with Shield-cover removed, showing Circulator (center))

1.1.6 Transceiver Module Side View (with Shield-cover removed)






Fig. 1.1.6 Transceiver Module Side View (with Shield-cover removed, showing Magnetron MG5436 (bottom right)

1.1.7 Transceiver Module Bottom View



1.1.8 Transceiver Module Bottom View (with Shield-cover removed)



1.1.9 Transceiver Module Bottom View (with Shield-covers removed)




Fig. 1.1.9 Transceiver module Bottom View (with Shield-covers removed, showing NMEA2000 Board 03P9462 (right), RXM module RU-9752 (center) and SPU Board 03P9455 (left))