

Page: 1 of 129

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT





Applicant: BIONIME CORPORATION

No.100, Sec.2, Daging St., South Dist., Taichung City 40242,

Taiwan(R.O.C)

Manufacturer: BIONIME CORPORATION

No.100, Sec.2, Daging St., South Dist., Taichung City 40242,

Taiwan(R.O.C)

Product Name: Blood Glucose Monitoring System

Brand Name: Rightest

Model No.: Max Tel, GM777

Model Difference: For Marketing Purpose

Report Number: TERF2207001076E2

FCC ID ADU-MAXTEL

Date of EUT Received: July 13, 2022

Date of Test: August 12, 2022 ~ August 31, 2022

Issue Date: September 13, 2022

Approved By

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI ANSI C63.26-2015 and the energy emitted by the sample EUT comply with FCC rule part 2, 24E & 27 C.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 2 of 129

Revision History									
Report Number	Revision	Description	Issue Date	Revised By	Remark				
TERF2207001076E2	00	Original	September 13, 2022	Violetta Tang					

Note:

- 1 . The remark "*" indicates modification of the report upon requests from certification body.
- 2 Variant information of model numbers is provided by the applicant, test results of this report are applicable to the sample EUT(s) received and are assessed as electrically identical in RF characteristics, therefore, no further assessment required for the variant(s).

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sqs.com.tw



Page: 3 of 129

Contents

1	GENERAL PRODUCT INFORMATION	4
2	SYSTEM TEST CONFIGURATION	10
3	SUMMARY OF TEST RESULTS	13
4	DESCRIPTION OF TEST MODES	14
5	MEASUREMENT UNCERTAINTY	16
6	MEASUREMENT EQUIPMENT USED	17
7	MAXIMUM OUTPUT POWER	18
8	OCCUPIED BANDWIDTH MEASUREMENT	28
9	OUT OF BAND EMISSION AT ANTENNA TERMINALS	49
10	FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT	73
11	FREQUENCY STABILITY MEASUREMENT	112
12	PEAK TO AVERAGE RATIO	117

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 4 of 129

GENERAL PRODUCT INFORMATION

Product Description

Product Name:	Blood Glucose Monitoring System
Brand Name:	Rightest
Model No.:	Max Tel, GM777
Model Difference:	For Marketing Purpose
Hardware Version:	N/A
Firmware Version:	N/A
EUT Series No.:	TE-2207000072P, TE_SP_20220703501
Power Supply:	3.7Vdc from Rechargeable Li-ion Battery or 5V from AC/DC Power Adapter
Test Software (Name/Version)	Default

1.2 **Frequency Range**

1.2.1 **NB IoT**

NB IoT Band	Subcarrier Spacing (kHz)	Operation Frequency (MHz)		
2	3.75	1850.1 - 1909.9		
۷	15	1030.1 - 1909.9		
1	3.75	1710.1 - 1754.9		
4	15	1710.1 - 1754.9		
13	3.75	777.1 - 786.9		
13	15	111.1 - 100.9		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 5 of 129

M1 Band 2								
BW (MHz)	Operation	Operation Frequency (MHz)						
1.4	1850.7	-	1909.3					
3	1851.5	-	1908.5					
5	1852.5	-	1907.5					
10	1855.0	-	1905.0					

M1 Band 4								
BW (MHz)	Operation	Operation Frequency (MHz)						
1.4	1710.7	-	1754.3					
3	1711.5	-	1753.5					
5	1712.5	-	1752.5					
10	1715.0	-	1750.0					

M1 Band 12								
BW (MHz)	Operation Frequency (MHz)							
1.4	699.7	699.7 - 715.3						
3	700.5	-	714.5					
5	701.5	-	713.5					
10	704.0	-	711.0					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 6 of 129

Antenna Designation

Antenna Type	Antenna Model No.			
FPC	Ant 1			
Note: Transmission frequencies in this test report are only available by the above antenna(s).				

Operating Free	Ant 1 Peak Antenna Gain (dBi)			
NB-IoT Band 2	1850.1	~	1909.9	3.08
NB-IoT Band 4	1710.1	~	1754.9	3.18
NB-IoT Band 13	777.1	~	786.9	-0.04

Operating Free	Ant 1 Peak Antenna Gain (dBi)			
M1 Band 2	1850.7	?	1909.3	3.08
M1 Band 4	1710.7	~	1754.3	3.18
M1 Band 12	699.7	~	715.3	-3.36

Note: Antenna information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 7 of 129

1.4 Type of Emission & Max ERP/EIRP Power Measurement Result:

1.4.1 NB IoT

NB IoT Band	Modulation	ERP / E (dBn		(W)	99% BW (kHz)	Type of Emission
2	BPSK	25.20	EIRP	0.331	181.7100	182KG7D
2	QPSK	25.28	EIRP	0.337	198.9700	199KG7D

NB IoT Band	Modulation	ERP / E		(W)	99% BW (kHz)	Type of Emission
4	BPSK	25.28	EIRP	0.337	177.3000	177KG7D
4	QPSK	25.36	EIRP	0.344	202.3700	202KG7D

NB IoT Band	Modulation	ERP / EIRP (dBm)		(W)	99% BW (kHz)	Type of Emission
13	BPSK	23.26 ERP		0.212	167.6200	168KG7D
13	QPSK	22.64	ERP	0.184	197.3800	197KG7D

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues

Inis document is issued by the Company subject to its General Conditions of Service printed overfeat, available on request or accessible at http://www.sgs.com.tw/lerms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 8 of 129



Cat. M1

M1 Band	BW	Frequ	uency	Modula- tion									P (W) 99%		Type of Emission
2	1.4	1050.7	1000.2	QPSK	24.68	EIRP	0.294	1.0894	1M09G7D						
2	1.4	1850.7 1909.3	1909.3	16QAM	24.55	EIRP	0.285	0.9268	927KD7W						
2	3	1051 5 1000 1	1851.5 1908.5		25.29	EIRP	0.338	1.1427	1M14G7D						
2	3	1001.0	1908.5	16QAM	24.63	EIRP	0.290	0.9974	997KD7W						
2	5	1852.5	1007 E	QPSK	25.05	EIRP	0.320	1.2324	1M23G7D						
2	0	1002.0	1907.5	16QAM	24.73	EIRP	0.297	1.0813	1M08D7W						
2	10 1055 0 1	1005.0	QPSK	24.95	EIRP	0.313	1.3526	1M35G7D							
2 10 18!	1000.0	1855.0 1905.0		24.79	EIRP	0.301	1.2399	1M24D7W							

M1 Band	BW	Frequ	uency	Modula- tion (dBm)				99%	Type of Emission
4	1.4	1710.7	1754.3	QPSK	24.74	EIRP	0.298	1.0962	1M10G7D
4	1.4	1710.7	1754.3	16QAM	24.65	EIRP	0.292	0.9218	922KD7W
4	3	1711 E	1753.5	QPSK	24.70	EIRP	0.295	1.1451	1M15G7D
4	3	1711.5	1753.5	16QAM	24.44	EIRP	0.278	0.9849	985KD7W
4	5	1712.5	1752.5	QPSK	24.55	EIRP	0.285	1.2250	1M23G7D
4	3	1712.3	1732.3	16QAM	24.49	EIRP	0.281	1.0807	1M08D7W
1	10	1715 0 1750 0	QPSK	24.75	EIRP	0.299	1.3664	1M37G7D	
4	10	1715.0	1750.0	16QAM	24.73	EIRP	0.297	1.2450	1M25D7W

M1 Band	BW	Frequ	uency	Modula- ERP / EIRP (dBm)				99%	Type of Emission
12	1.4	699.7	715.2	QPSK	17.44	ERP	0.055	1.0964	1M10G7D
12	1.4	099.7	699.7 715.3	16QAM	17.08	ERP	0.051	0.9247	925KD7W
12	3	700 5 71	700.5 714.5	QPSK	17.21	ERP	0.053	1.1433	1M14G7D
12	3	700.3	714.5	16QAM	16.76	ERP	0.047	0.9973	997KD7W
12	5	701.5	712 E	QPSK	17.27	ERP	0.053	1.2307	1M23G7D
12	5	701.5	713.5	16QAM	16.92	ERP	0.049	1.0794	1M08D7W
12	12 10 704.0 711	10 7010 7110		QPSK	16.94	ERP	0.049	1.3443	1M34G7D
12		711.0	16QAM	16.62	ERP	0.046	1.2057	1M21D7W	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 9 of 129

1.5 Test Methodology of Applied Standards

FCC 47 CFR Part 2, 24E, 27C.

ANSI C63.26-2015

KDB971168 D01 Power Meas license Digital System v03r01

TS 151 010-1 is used to set, and measure the output power.

1.6 Test Facility

Laboratory	Test Site Address	Test Site Name	FCC Designa- tion number	IC CAB identifier			
		SAC 1					
		SAC 3					
		Conduction 1					
	No.134, Wu Kung Road, New Taipei	Conducted 1					
	Industrial Park, Wuku District, New	Conducted 2	TW0027				
	Taipei City, Taiwan.	Conducted 3		TW3702			
		Conducted 4					
		Conducted 5					
SGS Taiwan Ltd.		Conducted 6					
Central RF Lab.		Conduction C					
(TAF code 3702)		SAC C	ļ				
(1A1 Code 3702)		SAC D					
		SAC G					
	No 2 Koji 1et Pd. Cujeban District	Conducted A					
	No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333	Conducted B	TW0028				
	laoyuan City, Taiwan 555	Conducted C					
		Conducted D					
		Conducted E]				
		Conducted F]				
		Conducted G					

Note: Test site name is remarked on the equipment list in each section of this report as an indication where measurements occurred in specific test site and address.

1.7 Special Accessories

No special accessories were used during testing.

1.8 Equipment Modifications

There was no modifications incorporated into the EUT.

1.9 Radiated Emission Test Sites For Measurements From 9 kHz To 30 MHz

Radiated emission below 30MHz is measured in a 9m*6m*6m semi-anechoic chamber, the measurements correspond to those obtained at an open-field test site. There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 10 of 129

2 SYSTEM TEST CONFIGURATION

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.

2.3 Test Procedure

2.3.1 Conducted Measurement at Antenna Port

The EUT is placed on a table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

2.3.2 Radiated Emissions (ERP/EIRP)

The EUT is placed on a turn table, for emission measurements below 1 GHz is 0.8 m above ground plane, for emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Note

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想些结果做新测验之样具合善,同时此样里属是例如于。木型生主概未从司事面纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 11 of 129

2.5 **Final Amplifier Voltage and Current Information:**

2.5.1 **NB IoT**

NB-IoT Band 2		
Test mode	DC voltage (V)	DC current (mA)
LTE Band 2_3.75K	3.7	250
LTE Band 2_15K	3.7	240
NB-IoT Band 4		
Test mode	DC voltage (V)	DC current (mA)
LTE Band 4_3.75K	3.7	260
LTE Band 4_15K	3.7	240
NB-IoT Band 13		
Test mode	DC voltage (V)	DC current (mA)
LTE Band 13_3.75K	3.7	280
LTE Band 13_15K	3.7	300

2.5.2 Cat M1

M1 Band 2

Test mode	DC voltage (V)	DC current (mA)		
M1 Band 2_20M QPSK	3.7	240		

M1 Band 4

Test mode	DC voltage (V)	DC current (mA)
M1 Band 4_20M QPSK	3.7	250

M1 Band 12

Test mode DC voltag		DC current (mA)
M1 Band 5_10M QPSK	3.7	290

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 12 of 129




2.6 **Test Configuration**

2.6.1 **Conducted Emission at the Antenna Port**



2.6.2 **Radiated Emission**



Note: Radio Communication Analyzer is placed in remote side for radiated test.

2.6.3 **Equipment used for test**

N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 13 of 129

3 SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§2.1046(a)	RF Power Output	Compliant
§24.232(c) §27.50(b)(10) §27.50(c)(10) §27.50(d)(4)	ERP/ EIRP measurement	Compliant
§2.1049(h)	99% & 26dB Occuupied Bandwidth	Compliant
§2.1051 §24.238(a) §27.53(g) §27.53(c)(5)	Out of Band Emissions at Antenna Terminals and Band Edge / Emission mask requirements	Compliant
§2.1053 §24.238(a) §27.53(c)(2),(4) §27.53(f) §27.53(g) §27.53(h)	Field Strength of Spurious Radiation	Compliant
§24.232(d) §27.50(B)	Peak to Average Ratio	Compliant
§2.1055(a)(1) §24.235 §27.54	Frequency Stability	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想些结果做新测验之样具合善,同时此样里属是例如于。木型生主概未从司事面纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 14 of 129

DESCRIPTION OF TEST MODES

The Worst Test Modes and Configuration

- 1. The EUT has been tested under operating condition.
- 2. The field strength of radiated emission was measured as the EUT positioned in different orthogonal planes (E1/E2/H) based on actual usage of the EUT to pre-scan the emissions for determining the worst case scenario.

NB IoT 4.2

NB IoT	Test Items	Subc	arrier	Modu	Test			
Modes	rest items	3.75	15	BPSK	QPSK	L	M	Н
	EIRP	V	V	V	V	٧	٧	٧
	Occupied Bandwidth	V	V	V	V	٧	٧	٧
	Band Edge Compliance	V	V	V	V	٧	-	٧
B2	Peak-To-Average Ratio	-	V	V	V	٧	٧	٧
	Frequency Stability	-	V	-	V	-	٧	,
	Conducted Spurious Emission	-	٧	V	V	٧	٧	٧
	Radiated Spurious Emission	-	٧	-	V	٧	٧	٧

NB IoT	Test Items	Subc	Subcarrier		Modulation			
Modes	rest items	3.75	15	BPSK	QPSK	ш	M	Н
	EIRP	V	V	V	V	٧	٧	٧
	Occupied Bandwidth	V	V	V	V	٧	٧	٧
	Band Edge Compliance	V	V	V	V	٧	-	٧
B4	Peak-To-Average Ratio	-	V	V	V	٧	٧	٧
	Frequency Stability	-	V	-	V	-	٧	-
	Conducted Spurious Emission	-	٧	V	V	٧	٧	٧
	Radiated Spurious Emission	-	٧	-	V	٧	٧	٧

NB IoT	Test Items	Subc	arrier	Modu	lation	Test		
Modes	rest items	3.75	15	BPSK	QPSK	ш	M	Н
	EIRP	V	V	V	٧	٧	٧	٧
	Occupied Bandwidth	V	V	V	V	٧	٧	٧
	Band Edge Compliance	V	V	V	V	٧	-	٧
B13	Peak-To-Average Ratio	-	V	V	V	٧	٧	٧
	Frequency Stability	-	V	-	V	-	٧	•
	Conducted Spurious Emission	-	٧	V	>	٧	٧	٧
	Radiated Spurious Emission		-	V	-	٧	٧	٧

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 15 of 129

Cat M1

	Test Iter	ms					Max.	Output l	Power			
Daniel	Te	st Chan	nel		Bandwid	th (MHz)	Modu	lation		RB#	
Band	L	М	Н	1.4	3	5	10	QPSK	16QAM	1	Half	Full
2	V	V	V	V	V	V	V	V	V	V	V	V
4	V	V	V	V	V	V	V	V	V	٧	V	V
12	V	V	V	V	V	V	V	V	V	V	V	V
	Test Iter	ms					Freq	ency Sta	bility			
2	-	V	-				V	V	-	-	-	V
4	-	V	-				V	٧	-	-	-	V
12	-	V	-				V	V	-	-	-	V

	Test Ite	ms						dB and 9 andwid				
Test Channel			nel	Bandwidth (MHz)			Modu	Modulation		RB#		
Band	L	М	Н	1.4	3	5	10	QPSK	16QAM	1	Half	Full
2	V	V	V	V	V	V	V	V	V	-	-	٧
4	V	V	V	V	V	V	٧	V	V	-	-	V
12	V	V	V	V	V	V	V	V	V	-	-	V
	Test Ite	ms					Peak-to	-Av era	ge Ratio			
2	V	V	V	V	V	V	V	-	V	-	-	V
4	V	V	V	V V V V - V						V		
12	V	V	V	V	V	V	V	-	V	-	-	V

	Test Iter	ms					В	and Edo	ge			
Band Test Channel			nel	Bandwidth (MHz)				Modulation		RB#		
Dano	L	М	Н	1.4	3	5	10	QPSK	16QAM	1	Half	Full
2	V	-	V	٧	V	V	V	٧	-	٧	V	V
4	V	-	V	V	V	V	V	V	-	٧	V	V
12	V	-	٧	٧	V	V	٧	٧	-	٧	V	V
	Test Iter	ms					Condu	icted Em	nission			
2	V	V	V	V	V	V	V	V	-	V	-	-
4	V	V	V	V V V V - V -						-		
12	V	V	V	V	V	V	V	٧	-	٧	-	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 16 of 129

MEASUREMENT UNCERTAINTY

Test Items	Und	certair	nty
RF Power Output	+/-	1	dB
ERP/ EIRP measurement	+/-	3	dB
ERF/ EIRF Measurement	+/-	3	dB
Emission Bandwidth	+/-	1.53	Hz
Out of Band Emissions at Antenna Terminals and Band Edge	+/-	1.68	dB
Peak to Average Ratio	+/-	1	dB
Frequency Stability vs. Temperature	+/-	1.53	Hz
Frequency Stability vs. Voltage	+/-	1.53	Hz
Temperature	+/-	0.4	°C
Humidity	+/-	3.5	%
DC / AC Power Source	+/-	1	%

Radiated Spurio	Radiated Spurious Emission Measurement Uncertainty							
	+/-	2.57	dB	9kHz~30MHz				
Polarization: Vertical	+/-	4.85	dB	30MHz - 1000MHz				
Polarization. Vertical	+/-	4.45	dB	1GHz - 18GHz				
	+/-	4.24	dB	18GHz - 40GHz				
	+/-	2.57	dB	9kHz~30MHz				
Polarization: Horizontal	+/-	4.37	dB	30MHz - 1000MHz				
Polarization: Horizontal	+/-	4.45	dB	1GHz - 18GHz				
	+/-	4.24	dB	18GHz - 40GHz				

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 17 of 129

MEASUREMENT EQUIPMENT USED

6.1 **Conducted Measurement**

	Conducted Emission Test Site: Conducted E										
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.						
Radio Communication Analzer	Anritsu	MT8821C	6262044732	12/29/2021	12/28/2022						
DC Power Supply	Gwinstek	SPS-3610	GEV856769	07/28/2022	07/27/2023						
Spectrum Analyzer	KEYSIGHT	N9010A	MY54510568	07/07/2022	07/06/2023						
Test Software	SGS Taiwan	EMI Tool Function Alpha	Ver.1.0	N.C.R	N.C.R						
Coaxial Cables	Woken	00100A1F2A196C	RF93	11/18/2021	11/17/2022						
Coaxial Cables	Woken	00100A1F1A185C	RF72	11/18/2021	11/17/2022						
Coaxial Cables	Woken	00100A1F1A185C	RF73	11/18/2021	11/17/2022						
Attenuator	Marvelous	MVE2213-10	RF06	11/18/2021	11/17/2022						
DC Block	PASTERNACK	PE8210	RF158	11/18/2021	11/17/2022						
Splitter	Woken	DOM35LW1A2	RF255	11/18/2021	11/17/2022						

6.2 **Radiated Measurement**

		Radiated Emission Te	st Site: SAC D		
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Broadband Antenna	SCHWARZBECK	VULB 9168	9168-300	10/19/2021	10/18/2022
Broadband Antenna	SCHWARZBECK	VULB 9168	9168-617	11/12/2021	11/11/2022
Horn Antenna	Schwarzbeck	BBHA9170	184	12/16/2021	12/15/2022
Horn Antenna	Schwarzbeck	BBHA9170	185	08/06/2022	08/05/2023
Horn Antenna	Schwarzbeck	BBHA9120D	1187	01/06/2022	01/05/2023
Horn Antenna	Schwarzbeck	BBHA9120D	1341	05/31/2022	05/30/2023
3m Site NSA	SGS	966 chamber D	N/A	07/12/2022	07/11/2023
Spectrum Analyzer	KEYSIGHT	N9010A	MY57120200	03/24/2022	03/23/2023
Radio Communication Analyzer	Anritsu	MT8821C	6262044732	12/29/2021	12/28/2022
Test Software	audix	e3	E3 20923 SGS Ver.9 (C)	N.C.R	N.C.R
Pre-Amplifier	EMC Instruments	EMC184045B	980135	10/27/2021	10/26/2022
Pre-Amplifier	EMC Instruments	EMC9135	980234	11/18/2021	11/17/2022
Pre-Amplifier	EMC Instruments	EMC12630SE	980273	11/18/2021	11/17/2022
Coaxial Cable	Huber+Suhner	RG 214/U	W21.01	11/18/2021	11/17/2022
Coaxial Cable	Huber Suhner	EMC106-SM-SM-7200	150703	11/18/2021	11/17/2022
Coaxial Cable	Huber Suhner	SUCOFLEX 104	MY17413/4	11/18/2021	11/17/2022

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

www.sqs.com.tw



Page: 18 of 129

MAXIMUM OUTPUT POWER

7.1 Standard Applicable

A base station simulator was used to establish communication with the EUT. Its parameters were set to transmit the maximum power on the EUT. The measured power in the radio frequency on the transmitter output terminals.

7.2 FCC ERP/EIRP LIMIT

According to FCC §2.1046

FCC 24.232(c)

Mobile and portable stations are limited to 2 W EIRP.

FCC 27.50 (b)

- (9) Control stations and mobile stations transmitting in the 746-757 MHz, 776-788 MHz, and 805-806 MHz bands are limited to 30 watts ERP.
- (10) Portable stations (hand-held devices) transmitting in the 746-757 MHz, 776-788 MHz, and 805-806 MHz bands are limited to 3 watts ERP.

FCC 27.50(c)

- (9) Control and mobile stations in the 698-746 MHz band are limited to 30 watts ERP.
- (10) Portable stations (hand-held devices) are limited to 3 watts ERP.

FCC 27.50(d)

- (4) Mobile, and portable (hand-held) stations operating in the 1710-1755 MHz, 1695-1710 MHz and 1755-1780 MHz bands are limited to 1W EIRP.
- (7) Mobile, and portable (hand-held) stations operating in the 1710-1755 MHz band are limited to 2 watts EIRP.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 19 of 129

Test Set-up



Note: Measurement setup for testing on Antenna connector

7.4 **Output Power Measurement Applicable Guideance**

The transmitter output was connected to a calibrated attenuator, the other end of which was connected to a power meter. Transmitter output was read off the power meter in dBm. The power output at the transmitter antenna port was determined by adding the value of the attenuator to the power meter reading. TS 151 010-1 is reference to conduct the measurement of output power.

The Procedure of KDB941225 (SAR Measurement Procedures for 3G devices, (WCDMA/HSPA) was used for EUT and Base station setting. RMC 12.2kps is used for this testing, and KDB 971168 D01 Power Meas License Digital System as the supplemental test methodology to adjust the proper setting obtaining the measurement results.WAll bands conducted average power is obtained from the simulator telecommunication test set.

7.5 Determining ERP and/or EIRP from conducted RF output power measurements

ERP/EIRP = PMeas + GT-LC

Where:

ERP/EIRP = effective or equivalent radiated power, respectively (expressed in the

same units as PMeas, typically dBW or dBm);

PMeas = measured transmitter output power or PSD, in dBm or dBW; **GT** = gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP)

LC = signal attenuation in the connecting cable between the transmitter

and antenna, in dB.2

For devices utilizing multiple antennas, KDB 662911 provides guidance for determining the effective array transmit antenna gain term to be used in the above equation.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 20 of 129

Measurement Result

7.6.1 **NB IoT**

Gain: 3.08

	NB-IoT Band 2									
Channel	Freq. (MHz)	Modulation	Subcarrier Spacing (kHz)	N _{tones}	Power (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dBm)		
		BPSK	3.75	1@0	22.06	25.14		7.86		
		DESK	3.75	1@47	22.09	25.17		7.83		
19601	18601 1850.1	1850.1	BPSK	15	1@11	22.12	25.2		7.80	
10001 1000.1			1@0	22.18	25.26		7.74			
	QPSK	15	1@11	22.2	25.28		7.72			
				12@0	22.12	25.2		7.80		
		BPSK	3.75	1@0	21.97	25.05		7.95		
		DESK	3.73	1@47	21.83	24.91		8.09		
18900	1880	BPSK	15	1@11	21.85	24.93	33.00	8.07		
10300	1000			1@0	21.79	24.87	33.00	8.13		
		QPSK	15	1@11	21.83	24.91	1	8.09		
				12@0	21.94	25.02		7.98		
		BPSK	3.75	1@0	21.84	24.92		8.08		
		DESK	3.75	1@47	21.77	24.85		8.15		
19199	1909.9	BPSK	15	1@11	21.78	24.86		8.14		
13133	1303.3			1@0	21.89	24.97		8.03		
		QPSK	15	1@11	21.87	24.95		8.05		
				12@0	21.92	25		8.00		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 21 of 129

3.18

	NB-IoT Band 4									
Channel	Freq. (MHz)	Modulation	Subcarrier Spacing (kHz)	N _{tones}	Power (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dBm)		
		BPSK	3.75	1@0	21.71	24.89		5.11		
		DISK	5.75	1@47	21.7	24.88		5.12		
19951	19951 1710.1	BPSK	15	1@11	21.69	24.87		5.13		
19991	17 10.1			1@0	21.64	24.82		5.18		
		QPSK	15	1@11	21.77	24.95		5.05		
				12@0	21.65	24.83		5.17		
		BPSK	3.75	1@0	21.84	25.02		4.98		
		DESK	3.75	1@47	21.93	25.11		4.89		
20175	1732.5	BPSK	15	1@11	21.87	25.05	30.00	4.95		
20175	1732.5			1@0	21.82	25	30.00	5.00		
		QPSK	15	1@11	21.91	25.09	1	4.91		
				12@0	21.92	25.1		4.90		
		BPSK	3.75	1@0	22.1	25.28		4.72		
		DESK	3.75	1@47	21.98	25.16		4.84		
20399	1754.9	BPSK	15	1@11	22.05	25.23		4.77		
20333	1754.9			1@0	22.08	25.26		4.74		
		QPSK	15	1@11	22.18	25.36		4.64		
				12@0	22.16	25.34		4.66		

- ·		
Gain:	-0.0	1/1
Oalii.	-0.1	vH

			NB-IoT Ba	and 13				
Channel	Freq. (MHz)	Modulation	Subcarrier Spacing (kHz)	N _{tones}	Power (dBm)	ERP (dBm)	Limit (dBm)	Margin (dBm)
		BPSK	3.75	1@0	23.28	23.24		11.53
		DI SK	3.73	1@47	23.3	23.26		11.51
23181	777.1	BPSK	15	1@11	22.35	22.31		12.46
23101	111.1			1@0	22.26	22.22		12.55
		QPSK	15	1@11	22.25	22.21		12.56
				12@0	22.24	22.2		12.57
		BPSK	3.75	1@0	22.43	22.39		12.38
		DESK	3.75	1@47	22.38	22.34		12.43
23230	782	BPSK	15	1@11	22.31	22.27	34.77	12.50
23230	102			1@0	22.35	22.31	34.11	12.46
		QPSK	15	1@11	22.37	22.33		12.44
				12@0	22.39	22.35		12.42
		BPSK	3.75	1@0	22.61	22.57		12.20
		DESK	3.75	1@47	22.56	22.52		12.25
23279 786.9	BPSK	15	1@11	22.58	22.54		12.23	
23213	100.5			1@0	22.47	22.43		12.34
		QPSK	15	1@11	22.68	22.64		12.13
			12@0	22.58	22.54		12.23	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 22 of 129

7.6.2 Cat M1

Antenna gain (dBi) 3.08

			M1 Band 2_	Uplink fr	requency	band : 1	850 to 1910 MH	z		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Index	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	0	21.38	24.46	33	-8.54
	18607	1850.7	QPSK	1	5	0	21.60	24.68	33	-8.32
				6	0	0	21.51	24.59	33	-8.41
1.4 18900		18900 1880		1	0	0	20.99	24.07	33	-8.93
	18900		QPSK	1	5	0	21.26	24.34	33	-8.66
				6	0	0	21.13	24.21	33	-8.79
	19193	1909.3	QPSK	1	0	0	21.00	24.08	33	-8.92
				1	5	0	21.36	24.44	33	-8.56
				6	0	0	20.96	24.04	33	-8.96
				1	0	11	21.35	24.43	33	-8.57
	18607	1850.7	16QAM	1	4	11	21.40	24.48	33	-8.52
				5	0	11	21.47	24.55	33	-8.45
				1	0	11	20.78	23.86	33	-9.14
1.4	18900	1880	16QAM	1	4	11	20.85	23.93	33	-9.07
				5	0	11	21.10	24.18	33	-8.82
				1	0	11	20.99	24.07	33	-8.93
	19193	1909.3	16QAM	1	4	11	20.89	23.97	33	-9.03
				5	0	11	20.93	24.01	33	-8.99

Antenna gain (dBi) 3.08

			M1 Band 2_	Uplink fi	equency	band : 1	850 to 1910 MH	z		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Index	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	0	21.80	24.88	33	-8.12
18615	18615	1851.5	QPSK	1	5	0	22.07	25.15	33	-7.85
				6	0	0	21.96	25.04	33	-7.96
				1	0	0	21.50	24.58	33	-8.42
3	18900	1880	QPSK	1	5	0	21.77	24.85	33	-8.15
				6	0	0	21.65	24.73	33	-8.27
	19185	85 1908.5	QPSK	1	0	0	21.91	24.99	33	-8.01
				1	5	0	22.21	25.29	33	-7.71
				6	0	0	21.91	24.99	33	-8.01
				1	0	11	21.07	24.15	33	-8.85
	18615	1851.5	16QAM	1	4	11	21.47	24.55	33	-8.45
				5	0	11	21.55	24.63	33	-8.37
				1	0	11	20.43	23.51	33	-9.49
3	18900	1880	16QAM	1	4	11	20.67	23.75	33	-9.25
				5	0	11	20.85	23.93	33	-9.07
				1	0	11	20.70	23.78	33	-9.22
	19185	1908.5	16QAM	1	4	11	20.97	24.05	33	-8.95
				5	0	11	21.12	24.20	33	-8.8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 23 of 129

Antenna gain (dBi)	3.08
	l

	3 (/	0.00								
			M1 Band 2	_Uplink fi	requency	/ band : 1	850 to 1910 MH	z		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Index	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	0	21.62	24.70	33	-8.3
	18625	1852.5	QPSK	1	5	0	21.94	25.02	33	-7.98
				6	0	0	21.64	24.72	33	-8.28
5 18900 1880		QPSK	1	0	0	21.59	24.67	33	-8.33	
	1880		1	5	0	21.97	25.05	33	-7.95	
				6	0	0	21.58	24.66	33	-8.34
		19175 1907.5	QPSK	1	0	0	21.43	24.51	33	-8.49
	19175			1	5	0	21.67	24.75	33	-8.25
				6	0	0	21.45	24.53	33	-8.47
				1	0	11	21.47	24.55	33	-8.45
	18625	1852.5	16QAM	1	4	11	21.61	24.69	33	-8.31
				5	0	11	21.61	24.69	33	-8.31
				1	0	11	21.14	24.22	33	-8.78
5	18900	1880	16QAM	1	4	11	21.62	24.70	33	-8.3
				5	0	11	21.53	24.61	33	-8.39
				1	0	11	21.08	24.16	33	-8.84
	19175	1907.5	16QAM	1	4	11	21.65	24.73	33	-8.27
			5	0	11	21.42	24.50	33	-8.5	

Antenna gain ((dBi)	3.08

	M1 Band 2_Uplink frequency band : 1850 to 1910 MHz												
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Index	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)			
				1	0	0	21.58	24.66	33	-8.34			
	18650	1855	QPSK	1	5	0	21.87	24.95	33	-8.05			
			6	0	0	21.69	24.77	33	-8.23				
			1	0	0	21.54	24.62	33	-8.38				
10	18900	1880	QPSK	1	5	0	21.86	24.94	33	-8.06			
				6	0	0	21.52	24.60	33	-8.4			
	19150	1905	QPSK	1	0	0	21.42	24.50	33	-8.5			
				1	5	0	21.75	24.83	33	-8.17			
				6	0	0	21.39	24.47	33	-8.53			
				1	0	11	21.32	24.40	33	-8.6			
	18650	1855	16QAM	1	4	11	21.71	24.79	33	-8.21			
				5	0	11	21.61	24.69	33	-8.31			
				1	0	11	20.90	23.98	33	-9.02			
10	18900	1880	16QAM	1	4	11	21.50	24.58	33	-8.42			
				5	0	11	21.44	24.52	33	-8.48			
				1	0	11	21.04	24.12	33	-8.88			
	19150	1905	16QAM	1	4	11	21.47	24.55	33	-8.45			
				5	0	11	21.36	24.44	33	-8.56			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

所非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 24 of 129

Antenna gain (dBi)

			M1 Band 4_	Uplink fr	requency	band: 1	710 to 1755 MH	z		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Index	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	0	21.20	24.38	30	-5.62
19957 1	19957	1710.7	QPSK	1	5	0	21.37	24.55	30	-5.45
				6	0	0	21.09	24.27	30	-5.73
			1	0	0	21.24	24.42	30	-5.58	
1.4	20175	1732.5	QPSK	1	5	0	21.38	24.56	30	-5.44
				6	0	0	21.18	24.36	30	-5.64
	20393	1754.3	QPSK	1	0	0	21.19	24.37	30	-5.63
				1	5	0	21.56	24.74	30	-5.26
				6	0	0	21.31	24.49	30	-5.51
				1	0	11	20.45	23.63	30	-6.37
	19957	1710.7	16QAM	1	4	11	20.64	23.82	30	-6.18
				5	0	11	20.73	23.91	30	-6.09
				1	0	11	20.87	24.05	30	-5.95
1.4	20175	1732.5	16QAM	1	4	11	21.27	24.45	30	-5.55
				5	0	11	21.13	24.31	30	-5.69
				1	0	11	21.47	24.65	30	-5.35
	20393	1754.3	16QAM	1	4	11	21.46	24.64	30	-5.36
				5	0	11	21.23	24.41	30	-5.59

		- 1	
Antenna (gain ((dBi)	3.1

			M1 Band 4_	Uplink fi	requency	band : 1	710 to 1755 MH	z		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Index	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	0	21.09	24.27	30	-5.73
	19965	1711.5	QPSK	1	5	0	21.37	24.55	30	-5.45
				6	0	0	21.08	24.26	30	-5.74
				1	0	0	21.02	24.20	30	-5.8
3	3 20175 173	1732.5	QPSK	1	5	0	21.38	24.56	30	-5.44
				6	0	0	21.12	24.30	30	-5.7
				1	0	0	21.20	24.38	30	-5.62
	20385	1753.5	QPSK	1	5	0	21.52	24.70	30	-5.3
				6	0	0	21.32	24.50	30	-5.5
				1	0	11	20.49	23.67	30	-6.33
	19965	1711.5	16QAM	1	4	11	20.67	23.85	30	-6.15
				5	0	11	20.85	24.03	30	-5.97
				1	0	11	20.89	24.07	30	-5.93
3	20175	1732.5	16QAM	1	4	11	21.25	24.43	30	-5.57
				5	0	11	21.03	24.21	30	-5.79
				1	0	11	20.75	23.93	30	-6.07
	20385	1753.5	16QAM	1	4	11	21.12	24.30	30	-5.7
				5	0	11	21.26	24.44	30	-5.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 25 of 129

Antenna gain (dBi) 3.18

			M1 Band 4_	Uplink fi	requency	/ band : 1	710 to 1755 MH	z		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Index	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
			1	0	0	20.96	24.14	30	-5.86	
19975 1712.5 5 20175 1732.5	1712.5	QPSK	1	5	0	21.24	24.42	30	-5.58	
			6	0	0	20.85	24.03	30	-5.97	
		QPSK	1	0	0	21.04	24.22	30	-5.78	
	1732.5		1	5	0	21.37	24.55	30	-5.45	
				6	0	0	21.13	24.31	30	-5.69
		375 1752.5	QPSK	1	0	0	21.16	24.34	30	-5.66
	20375			1	5	0	21.34	24.52	30	-5.48
				6	0	0	21.12	24.30	30	-5.7
				1	0	11	20.73	23.91	30	-6.09
	19975	1712.5	16QAM	1	4	11	21.13	24.31	30	-5.69
				5	0	11	20.75	23.93	30	-6.07
				1	0	11	21.03	24.21	30	-5.79
5	20175	1732.5	16QAM	1	4	11	21.31	24.49	30	-5.51
				5	0	11	21.06	24.24	30	-5.76
				1	0	11	21.11	24.29	30	-5.71
	20375	1752.5	16QAM	1	4	11	21.30	24.48	30	-5.52
				5	0	11	21.10	24.28	30	-5.72

Antenna gain (dBi)	3.18
Antenna yain (ubi)	3.10

			M1 Band 4_	Uplink f	requency	/ band : 1	710 to 1755 MH	z		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Index	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	0	21.00	24.18	30	-5.82
	20000	1715	QPSK	1	5	0	21.39	24.57	30	-5.43
				6	0	0	21.06	24.24	30	-5.76
10 20175 173			1	0	0	21.26	24.44	30	-5.56	
	20175	1732.5	QPSK	1	5	0	21.57	24.75	30	-5.25
				6	0	0	21.32	24.50	30	-5.5
	20350	1750	QPSK	1	0	0	21.19	24.37	30	-5.63
				1	5	0	21.47	24.65	30	-5.35
				6	0	0	21.24	24.42	30	-5.58
				1	0	11	20.88	24.06	30	-5.94
	20000	1715	16QAM	1	4	11	21.29	24.47	30	-5.53
				5	0	11	21.01	24.19	30	-5.81
				1	0	11	20.99	24.17	30	-5.83
10	20175	1732.5	16QAM	1	4	11	21.55	24.73	30	-5.27
				5	0	11	21.27	24.45	30	-5.55
				1	0	11	20.92	24.10	30	-5.9
	20350	1750	16QAM	1	4	11	21.40	24.58	30	-5.42
				5	0	11	21.18	24.36	30	-5.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 26 of 129

Antenna gain (dBi)

			M1	Band 12	_Uplink	frequency	y band : 699 to	716 MHz			
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Index	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	ERP Limit (dBm)	Margin (dB)
			1	0	0	21.90	16.39	18.54	34.77	-18.38	
	23017	699.7	QPSK	1	5	0	22.39	16.88	19.03	34.77	-17.89
			6	0	0	22.10	16.59	18.74	34.77	-18.18	
				1	0	0	22.44	16.93	19.08	34.77	-17.84
1.4	23095	707.5	QPSK	1	5	0	22.51	17.00	19.15	34.77	-17.77
				6	0	0	22.40	16.89	19.04	34.77	-17.88
		715.5	QPSK	1	0	0	22.80	17.29	19.44	34.77	-17.48
	23173			1	5	0	22.95	17.44	19.59	34.77	-17.33
				6	0	0	22.76	17.25	19.40	34.77	-17.52
				1	0	11	21.38	15.87	18.02	34.77	-18.90
	23017	699.7	16QAM	1	4	11	21.63	16.12	18.27	34.77	-18.65
				5	0	11	21.73	16.22	18.37	34.77	-18.55
				1	0	11	22.21	16.70	18.85	34.77	-18.07
1.4	23095	707.5	16QAM	1	4	11	22.24	16.73	18.88	34.77	-18.04
				5	0	11	22.31	16.80	18.95	34.77	-17.97
				1	0	11	22.45	16.94	19.09	34.77	-17.83
	23173	715.5	16QAM	1	4	11	22.51	17.00	19.15	34.77	-17.77
				5	0	11	22.59	17.08	19.23	34.77	-17.69

Antenna gain (dBi)	-3.36
--------------------	-------

			M1	Band 12	_Uplink 1	frequency	y band : 699 to	716 MHz			
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Index	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	ERP Limit (dBm)	Margin (dB)
				1	0	0	22.09	16.58	18.73	34.77	-18.19
	23025	700.5	QPSK	1	5	0	22.28	16.77	18.92	34.77	-18.00
			6	0	0	22.01	16.50	18.65	34.77	-18.27	
			1	0	0	22.24	16.73	18.88	34.77	-18.04	
3	23095	707.5	QPSK	1	5	0	22.42	16.91	19.06	34.77	-17.86
				6	0	0	22.34	16.83	18.98	34.77	-17.94
		714.5	QPSK	1	0	0	22.55	17.04	19.19	34.77	-17.73
	23165			1	5	0	22.72	17.21	19.36	34.77	-17.56
				6	0	0	22.38	16.87	19.02	34.77	-17.90
			16QAM	1	0	11	21.53	16.02	18.17	34.77	-18.75
	23025	700.5		1	4	11	21.66	16.15	18.30	34.77	-18.62
				5	0	11	21.89	16.38	18.53	34.77	-18.39
				1	0	11	21.92	16.41	18.56	34.77	-18.36
3	23095	707.5	16QAM	1	4	11	21.81	16.30	18.45	34.77	-18.47
3				5	0	11	22.16	16.65	18.80	34.77	-18.12
				1	0	11	22.04	16.53	18.68	34.77	-18.24
	23165	714.5	16QAM	1	4	11	22.15	16.64	18.79	34.77	-18.13
	20100	7 14.0	TOWAIN	3	2	0	-0.02	-5.53	-3.38	34.77	-40.30
				5	0	11	22.27	16.76	18.91	34.77	-18.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 27 of 129

Antenna gain (dBi)

			M1	Band 12	_Uplink	frequency	y band : 699 to	716 MHz			
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Index	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	ERP Limit (dBm)	Margin (dB)
			1	0	0	22.22	16.71	18.86	34.77	-18.06	
	23035 701.5	QPSK	1	5	0	22.39	16.88	19.03	34.77	-17.89	
			6	0	0	22.07	16.56	18.71	34.77	-18.21	
				1	0	0	22.35	16.84	18.99	34.77	-17.93
5	23095	707.5	QPSK	1	5	0	22.31	16.80	18.95	34.77	-17.97
				6	0	0	22.10	16.59	18.74	34.77	-18.18
		713.5	QPSK	1	0	0	22.64	17.13	19.28	34.77	-17.64
	23155			1	5	0	22.78	17.27	19.42	34.77	-17.50
				6	0	0	22.56	17.05	19.20	34.77	-17.72
				1	0	11	21.50	15.99	18.14	34.77	-18.78
	23035	701.5	16QAM	1	4	11	21.85	16.34	18.49	34.77	-18.43
				5	0	11	22.05	16.54	18.69	34.77	-18.23
				1	0	11	22.25	16.74	18.89	34.77	-18.03
5	23095	707.5	16QAM	1	4	11	22.25	16.74	18.89	34.77	-18.03
				5	0	11	22.05	16.54	18.69	34.77	-18.23
				1	0	11	22.43	16.92	19.07	34.77	-17.85
	23155	713.5	16QAM	1	4	11	22.27	16.76	18.91	34.77	-18.01
				5	0	11	22.40	16.89	19.04	34.77	-17.88

Antenna gair	r (dBi)	-3.36

			M1	Band 12	_Uplink	frequenc	y band : 699 to	716 MHz			
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Index	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	ERP Limit (dBm)	Margin (dB)
			1	0	0	22.30	16.79	18.94	34.77	-17.98	
	23060 704	QPSK	1	5	0	22.45	16.94	19.09	34.77	-17.83	
				6	0	0	22.17	16.66	18.81	34.77	-18.11
		707.5		1	0	0	22.13	16.62	18.77	34.77	-18.15
10	10 23095		QPSK	1	5	0	22.09	16.58	18.73	34.77	-18.19
				6	0	0	21.90	16.39	18.54	34.77	-18.38
		711	QPSK	1	0	0	21.92	16.41	18.56	34.77	-18.36
	23130			1	5	0	22.06	16.55	18.70	34.77	-18.22
				6	0	0	21.87	16.36	18.51	34.77	-18.41
				1	0	11	21.96	16.45	18.60	34.77	-18.32
	23060	704	16QAM	1	4	11	22.07	16.56	18.71	34.77	-18.21
				5	0	11	22.13	16.62	18.77	34.77	-18.15
				1	0	11	21.95	16.44	18.59	34.77	-18.33
10	23095	707.5	16QAM	1	4	11	22.03	16.52	18.67	34.77	-18.25
				5	0	11	21.85	16.34	18.49	34.77	-18.43
				1	0	11	21.67	16.16	18.31	34.77	-18.61
	23130	711	16QAM	1	4	11	21.99	16.48	18.63	34.77	-18.29
				5	0	11	21.84	16.33	18.48	34.77	-18.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 28 of 129

8 OCCUPIED BANDWIDTH MEASUREMENT

8.1 Standard Applicable

The occupied bandwidth is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power.

8.2 Test Set-up



8.3 Measurement Procedure

99% &26dB Bandwidth with detector peak

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about 1% of emission BW, VBW= 3 times RBW, -26dBc display line was placed on the screen (or 26dB bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace. Then set RBW to 99% bandwidth, RBW= 1%, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

99% Bandwidth with detector sample

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about $1\% \sim 5\%$ of emission BW, VBW= 3 times RBW, -20dBc display line was placed on the screen (or 20dB bandwidth). Set RBW to 99% bandwidth, RBW= $1\% \sim 5\%$, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 29 of 129

8.4 **Measurement Result**

8.4.1 **NB IoT**

	NB-IoT Band 2										
Channal	Freq.	Madulation	Subcarrier	NI.	Measure R	esult (kHz)					
Channel	(MHz)	Modulation	Spacing (kHz)	N_{tones}	99% BW	26dB BW					
		BPSK	3.75	1@0	168.400	181.80					
18601	1850.1	QPSK	15	1@0	140.660	154.60					
		QPSK	15	12@0	196.030	223.00					
		BPSK	3.75	1@0	168.300	181.90					
18900	1880	QPSK	15	1@0	140.410	129.60					
		QPSK	15	12@0	198.970	225.50					
	1909.9	BPSK	3.75	1@0	181.710	186.60					
19199		QPSK	15	1@0	140.570	154.30					
		QPSK	15	12@0	195.290	225.30					

	NB-IoT Band 4										
Channel	Freq.	Modulation	Subcarrier Spacing	N	Measure Result (kHz)						
Channel	(MHz)	iviodulation	(kHz)	N_{tones}	99% BW	26dB BW					
		BPSK	3.75	1@0	168.110	181.80					
19951	1710.1	QPSK	15	1@0	138.910	154.40					
		QPSK	15	12@0	202.370	237.20					
		BPSK	3.75	1@0	168.280	183.30					
20175	1732.5	QPSK	15	1@0	137.980	130.40					
		QPSK	15	12@0	196.260	228.90					
		BPSK	3.75	1@0	177.300	182.70					
20399	1754.9	QPSK	15	1@0	139.250	154.60					
		QPSK	15	12@0	196.670	224.90					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 30 of 129

	NB-IoT Band 13										
Channel	Freq.	Modulation	Subcarrier Spacing	N	Measure Result (kHz)						
Channel	(MHz)	iviodulation	(kHz)	N_{tones}	99% BW	26dB BW					
		BPSK	3.75	1@0	167.450	179.70					
23181	777.1	QPSK	15	1@0	138.980	140.70					
		QPSK	15	12@0	190.310	214.30					
		BPSK	3.75	1@0	167.620	179.80					
23230	782	QPSK	15	1@0	139.260	141.00					
		QPSK	15	12@0	197.380	229.80					
		BPSK	3.75	1@0	167.170	179.80					
23279	786.9	QPSK	15	1@0	139.110	142.80					
		QPSK	15	12@0	194.730	225.40					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



8.4.2 Cat M1

Report No.: TERF2207001076E2 Page: 31 of 129

M1 BAND 2 Channel bandwidth: 1.4MHz										
Freq.	CH	99% BV	V (MHz)	26 dB BW (MHz)						
(MHz)	OH	QPSK	16QAM	QPSK	16QAM					
1850.7	18607	1.0894	0.9201	1.351	1.268					
1880.0	18900	1.0875	0.9219	1.359	1.257					
1909.3	19193	1.0890	0.9268	1.389	1.238					

	M1 BAND 2 Channel bandwidth: 5MHz									
Freq.	СН	99% BV	V (MHz)	26 dB BW (MHz)						
(MHz)	OH	QPSK	16QAM	QPSK	16QAM					
1852.5	18625	1.2297	1.0783	1.759	1.476					
1880.0	18900	1.2324	1.0771	1.830	1.569					
1907.5	19175	1.2193	1.0813	1.636	1.567					

M1 BAND 4 Channel bandwidth: 1.4MHz										
Freq.	СН	99% BV	V (MHz)	26 dB BW (MHz)						
(MHz)		QPSK	16QAM	QPSK	16QAM					
1710.7	19957	1.0881	0.9161	1.395	1.240					
1732.5	20175	1.0897	0.9218	1.396	1.286					
1754.3	20393	1.0962	0.9216	1.363	1.268					

M1 BAND 4 Channel bandwidth: 5MHz							
Freq.	СН	99% BV	V (MHz)	26 dB B	W (MHz)		
(MHz)		QPSK	16QAM	QPSK	16QAM		
1712.5	19975	1.2072	1.0793	1.548	1.480		
1732.5	20175	1.2099	1.0807	1.503	1.449		
1752.5	20375	1.2250	1.0663	1.638	1.449		

M1 BAND 12 Channel bandwidth: 1.4MHz							
Freq.	СН	99% BV	V (MHz)	26 dB BW	(MHz)		
(MHz)	ОП	QPSK	16QAM	QPSK	16QAM		
699.7	23017	1.0964	0.9247	1.383	1.270		
707.5	23095	1.0892	0.9237	1.361	1.252		
715.3	23173	1.0890	0.9198	1.375	1.316		

M1 BAND 12 Channel bandwidth: 5MHz						
Freq.	CH	99% BV	V (MHz)	26 dB BW	(MHz)	
(MHz)	OH	QPSK	16QAM	QPSK	16QAM	
701.5	23035	1.2177	1.0794	1.590	1.553	
707.5	23095	1.2307	1.0582	1.645	1.603	
713.5	23155	1.2200	1.0667	1.611	1.735	

M1 BAND 2 Channel bandwidth: 3MHz						
Freq.	CH	99% BV	V (MHz)	26 dB B\	W (MHz)	
(MHz)	OH	QPSK	16QAM	QPSK	16QAM	
1851.5	18615	1.1409	0.9974	1.454	1.515	
1880.0	18900	1.1358	0.9889	1.459	1.392	
1908.5	19185	1.1427	0.9862	1.485	1.396	

M1 BAND 2 Channel bandwidth: 10MHz						
Freq.	СН	99% BV	V (MHz)	26 dB B\	W (MHz)	
(MHz)	OH	QPSK	16QAM	QPSK	16QAM	
1855.0	18650	1.3255	1.2399	1.856	1.667	
1880.0	18900	1.3526	1.2317	2.116	2.332	
1905.0	19150	1.3394	1.2175	2.032	1.582	

M1 BAND 4 Channel bandwidth: 3MHz						
Freq.	СН	99% BV	V (MHz)	26 dB B	W (MHz)	
(MHz)	CH	QPSK	16QAM	QPSK	16QAM	
1711.5	19965	1.1308	0.9763	1.483	1.359	
1732.5	20175	1.1337	0.9766	1.481	1.374	
1753.5	20385	1.1451	0.9849	1.496	1.357	

M1 BAND 4 Channel bandwidth: 10MHz							
Freq.	CH	99% BV	V (MHz)	26 dB B	W (MHz)		
(MHz)	СП	QPSK	16QAM	QPSK	16QAM		
1715.0	20000	1.3474	1.2008	1.735	1.664		
1732.5	20175	1.3132	1.2022	1.754	1.669		
1750.0	20350	1.3664	1.2450	2.190	2.075		

M1 BAND 12 Channel bandwidth: 3MHz						
Freq.	СН	99% BV	V (MHz)	26 dB B	W (MHz)	
(MHz)	OH	QPSK	16QAM	QPSK	16QAM	
700.5	23025	1.1377	0.9934	1.509	1.423	
707.5	23095	1.1312	0.9869	1.489	1.387	
714.5	23165	1.1433	0.9973	1.454	1.371	

M1 BAND 12 Channel bandwidth: 10MHz						
Freq.	СН	99% BV	V (MHz)	26 dB B	W (MHz)	
(MHz)	OH	QPSK	16QAM	QPSK	16QAM	
704.0	23060	1.3443	1.2057	1.814	1.794	
707.5	23095	1.3221	1.1948	1.816	1.726	
711.0	23130	1.3347	1.1967	1.957	1.875	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司




Page: 32 of 129


NB_IoT_Band2_3.75kHz_BPSK_1_0_CH18601




NB_IoT_Band2_3.75kHz_BPSK_1_0_CH18900




NB IoT Band2 3.75kHz BPSK 1 0 CH19199




NB_IoT_Band2_15kHz_QPSK_12_0_CH18601



NB_loT_Band2_15kHz_QPSK 12_0_CH18900



NB IoT Band2 15kHz QPSK 12 0 CH19199



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


SGS Taiwan Ltd.




Page: 33 of 129


NB_loT_Band2_15kHz_QPSK_1_0_CH18601









NB_IoT_Band2_15kHz_QPSK_1_0_CH19199




NB_loT_Band4_3.75kHz_BPSK_1_0_CH19951



NB_IoT_Band4_3.75kHz_BPSK_1_0_CH20175



NB_IoT_Band4_3.75kHz_BPSK_1_0_CH20399



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大司如公海侧。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488




Page: 34 of 129


NB_loT_Band4_15kHz_QPSK_12_0_CH19951




NB_loT_Band4_15kHz_QPSK_12_0_CH20175



NB_loT_Band4_15kHz_QPSK_12_0_CH20399




NB_loT_Band4_15kHz_QPSK_1_0_CH19951



NB_IoT_Band4_15kHz_QPSK_1_0_CH20175



NB_IoT_Band4_15kHz_QPSK_1_0_CH20399



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大司如公海侧。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司




Page: 35 of 129


NB_IoT_Band13_3.75kHz_BPSK_1_0_CH23181




NB_IoT_Band13_3.75kHz_BPSK_1_0_CH23230




NB_IoT_Band13_3.75kHz_BPSK_1_0_CH23279




NB_IoT_Band13_15kHz_QPSK_12_0_CH23181



NB_loT_Band13_15kHz_QPSK_12_0_CH23230



NB_loT_Band13_15kHz_QPSK_12_0_CH23279



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北京方的时,他就是在国际影响是少锋只会表,同时他接口底尺向的手,太阳如此连侧。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 36 of 129


NB_IoT_Band13_15kHz_QPSK_1_0_CH23181




NB_IoT_Band13_15kHz_QPSK_1_0_CH23230




NB IoT Band13 15kHz QPSK 1 0 CH23279




Band2_1.4MHz_QPSK_RB6_0_CH18607



1.4MHz_QPSK_RB6_0_CH18900



Band2 1.4MHz QPSK RB6 0 CH19193



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 37 of 129


Band2_1.4MHz_16QAM_RB5_0_CH18607




Band2_1.4MHz_16QAM_RB5_0_CH18900



Band2_1.4MHz_16QAM_RB5_0_CH19193




Band2_3MHz_QPSK_RB6_0_CH18615



Band2_3MHz_QPSK_RB6_0_CH18900



Band2_3MHz_QPSK_RB6_0_CH19185



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大司如公海侧。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 38 of 129










Band2 3MHz 16QAM RB5 0 CH19185




Band2_5MHz_QPSK_RB6_0_CH18625



Band2_5MHz_QPSK_RB6_0_CH18900



Band2 5MHz QPSK RB6 0 CH19175



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 39 of 129


Band2_5MHz_16QAM_RB5_0_CH18625




Band2_5MHz_16QAM_RB5_0_CH18900




Band2_5MHz_16QAM_RB5_0_CH19175




Band2_10MHz_QPSK_RB6_0_CH18650



Band2_10MHz_QPSK_RB6_0_CH18900



Band2_10MHz_QPSK_RB6_0_CH19150



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大司如公海侧。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 40 of 129


Band2_10MHz_16QAM_RB5_0_CH18650









Band2 10MHz 16QAM RB5 0 CH19150




Band4_1.4MHz_QPSK_RB6_0_CH19957



Band4_1.4MHz_QPSK_RB6_0_CH20175



Band4 1.4MHz QPSK RB6 0 CH20393



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

f (886-2) 2298-0488




Page: 41 of 129


Band4_1.4MHz_16QAM_RB5_0_CH19957








Band4_1.4MHz_16QAM_RB5_0_CH20393




Band4_3MHz_QPSK_RB6_0_CH19965



Band4_3MHz_QPSK_RB6_0_CH20175



Band4 3MHz QPSK RB6 0 CH20385



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the leimitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488




Page: 42 of 129


Band4_3MHz_16QAM_RB5_0_CH19965








Band4_3MHz_16QAM_RB5_0_CH20385




Band4_5MHz_QPSK_RB6_0_CH19975



Band4_5MHz_QPSK_RB6_0_CH20175



Band4_5MHz_QPSK_RB6_0_CH20375



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有說明,此報生來用屬對個對文學具有書,同時此業具屬是例的子。未報生主權未公司書面對可,不可可以推翻。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 43 of 129


Band4_5MHz_16QAM_RB5_0_CH19975




Band4_5MHz_16QAM_RB5_0_CH20175




Band4_5MHz_16QAM_RB5_0_CH20375




Band4_10MHz_QPSK_RB6_0_CH20000



Band4_10MHz_QPSK_RB6_0_CH20175



Band4_10MHz_QPSK_RB6_0_CH20350



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大司如公海侧。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 44 of 129












Band4 10MHz 16QAM RB5 0 CH20350




Band12_1.4MHz_QPSK_RB6_0_CH23017



Band12 1.4MHz QPSK RB6 0 CH23095



Band12 1.4MHz QPSK RB6 0 CH23173



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司




Page: 45 of 129







Band12_1.4MHz_16QAM_RB5_0_CH23095




Band12_1.4MHz_16QAM_RB5_0_CH23173




Band12_3MHz_QPSK_RB6_0_CH23025



Band12_3MHz_QPSK_RB6_0_CH23095



Band12_3MHz_QPSK_RB6_0_CH23165



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大司如公海侧。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.