

TABLE 1
FIELD STRENGTH
RADIATED EMISSIONS DATA SHEET

EMISSION FREQUENCY (MHZ)	ANTENNA POLARITY (H,V)	EMISSION LEVEL (dBuV)	ANTENNA FACTOR AND CABLE LOSS (dB)	EMISSION LEVEL (dBuV/m)	FCC LIMIT (3 METERS) (dBuV/m)
27.145	V	64.1	0.0	64.1	80
27.145	H	60.3	0.0	60.3	80
54.292	V	23.4	5.4	28.8	40
81.438	V&H	<22.5	9.2	<31.5	40
108.584	V&H	<14.0	13.2	<27.2	40
135.730	V&H	<14.0	15.5	<29.5	40
162.871	V&H	<15.0	17.1	<32.1	40
190.022	V&H	<14.0	19.0	<33.0	40
217.168	V&H	<13.0	19.9	<32.9	46
244.314	V&H	<15.0	20.9	<35.9	46
271.460	V&H	<16.0	22.0	<39.0	46

All limits are specified in Quasi-Peak, all data reported in Peak.

CLIENT:	TAIYO KOGYO
FCC ID:	AEK981627
MODEL:	X-TREME CYCLE
TEST DATE:	04/21/99
TEST ENGINEER:	Michael A. Nicolay

