

SAR TEST DATA SUMMARY

Ambient TEMPERATURE (°C) _____ 22.5
 Relative HUMIDITY (%) _____ 56.0
 Atmospheric PRESSURE (kPa) _____ 93.0

Mixture Type: _____ Muscle _____
 Dielectric Constant: _____ 51.70 _____
 Conductivity: _____ 1.10 S/m _____

Measurement Results (Body-worn configuration)

FREQUENCY		Modulation	POWER* (W)	Separation Distance** (cm)	Antenna Position	SAR (W/kg)
MHz	Ch.					
824.70	1013	CDMA	0.225	1.5	IN	1.2243
824.70	1013	CDMA	0.225	1.5	OUT	1.2260
ANSI / IEEE C95.1 1992 - SAFETY LIMIT Spatial Peak (Muscle) Uncontrolled Exposure/General Population				1.6 W/kg (mW/g)		

NOTES:

- All modes of operation were investigated and the worst-case are reported.
- Battery condition is fully charged for all readings.
- Battery Type Standard Extended
- * Power Measured Conducted EIRP ERP
- SAR Measurement System SPEAG IDX
- SAR Configuration Head Body Hand
- ** Test Configuration Body Holster Without Body Holster


 Randy Ortanez
 President & Chief Engineer

PCTEST SEAL