








 PCTEST Computer Windows Lab	Sanyo FCC ID : AEZSCP-25H	EUT Photographs
© 2007 PCTEST Lab.	Cellular/PCS CDMA Phone with Bluetooth	Model : S1

10.0 EUT PHOTOGRAPHS



FCC ID: AEZSCP-25H		FCC Pt. 15B MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0707020671.AEZ-R1	Test Dates: 7/9/07	EUT Type: Cellular/PCS CDMA Phone with Bluetooth	Page 19 of 20	



FCC ID: AEZSCP-25H		FCC Pt. 15B MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0707020671.AEZ-R1	Test Dates: 7/9/07	EUT Type: Cellular/PCS CDMA Phone with Bluetooth	Page 20 of 20	



 PCTEST Computer Windows Lab	Sanyo FCC ID : AEZSCP-25H	EUT Photographs
© 2007 PCTEST Lab.	Cellular/PCS CDMA Phone with Bluetooth	Model : S1



 PCTEST Computer Windows Lab	Sanyo FCC ID : AEZSCP-25H	EUT Photographs
© 2007 PCTEST Lab.	Cellular/PCS CDMA Phone with Bluetooth	Model : S1



 PCTEST Computer Windows Lab	Sanyo FCC ID : AEZSCP-25H	EUT Photographs
© 2007 PCTEST Lab.	Cellular/PCS CDMA Phone with Bluetooth	Model : S1



 PCTEST Computer Windows Lab	Sanyo FCC ID : AEZSCP-25H	EUT Photographs
© 2007 PCTEST Lab.	Cellular/PCS CDMA Phone with Bluetooth	Model : S1



SANYO Standard Lilon Battery 3.7V SCP-29LBPS

⚠ **Caution:** Do not expose to high temperature (60°C/140°F). Do not disassemble. Dispose of properly. Use specified charger only.

Attention: Ne pas exposer à une température élevée (60°C/140°F). Ne pas démonter. Jeter conformément à la réglementation.

N'utiliser que le chargeur spécifié. L21A ①

Cuidado: No exponga a temperaturas altas (60°C/140°F). No la desarme. Tire la batería usada con respecto a la reglamentación. Use únicamente cargadores de escritorio específicos. ② ③

SANYO Electric Co., Ltd.

Made in Japan

 PCTEST Computer Windows Lab	Sanyo FCC ID: AEZSCP-25H	EUT Photographs
© 2007 PCTEST Lab.	Cellular/PCS CDMA Phone with Bluetooth	Model: S1