SANYO FCC ID: AEZSCP-49H -- FM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: σ = 0.91 mho/m ε_r = 42.5 ρ = 1.00 g/cm^3; Antenna Position -- In; Crest Factor 1.0

SAR (1g): 0.855 mW/g, SAR (10g): 0.537 mW/g

SANYO Dual Mode Model: SCP-4900

AMPS Mode, Ch.991 [824.04MHz]; Standard Battery; Ambient Temp. = 22.2°C / Meas. Tissue Temp. = 22.0°

Conducted Power = 25.5dBm; Left Head SAR, Ear/15degree Tilt position

Test Date -- 05/28/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SANYO FCC ID: AEZSCP-49H -- FM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: σ = 0.91 mho/m ε_r = 42.5 ρ = 1.00 g/cm^3; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 1.06 mW/g, SAR (10g): 0.665 mW/g

SANYO Dual Mode Model: SCP-4900

AMPS Mode, Ch.991 [824.04MHz]; Standard Battery; Ambient Temp. = 22.2°C / Meas. Tissue Temp. = 22.0°

Conducted Power = 25.5dBm; Left Head SAR, Ear/15degree Tilt position

Test Date -- 05/28/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SANYO FCC ID: AEZSCP-49H -- FM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: σ = 0.91 mho/m ε_r = 42.5 ρ = 1.00 g/cm^3; Antenna Position -- In; Crest Factor 1.0

SAR (1g): 0.988 mW/g, SAR (10g): 0.610 mW/g

SANYO Dual Mode Model: SCP-4900

AMPS Mode, Ch.383 [836.49MHz]; Standard Battery; Ambient Temp. = 22.2°C / Meas. Tissue Temp. = 22.0°

Conducted Power = 25.5dBm; Left Head SAR, Ear/15degree Tilt position

Test Date -- 05/28/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SANYO FCC ID: AEZSCP-49H -- FM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: σ = 0.91 mho/m ε_r = 42.5 ρ = 1.00 g/cm ; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 1.39 mW/g, SAR (10g): 0.858 mW/g

SANYO Dual Mode Model: SCP-4900

AMPS Mode, Ch.383 [836.49MHz]; Standard Battery; Ambient Temp. = 22.2°C / Meas. Tissue Temp. = 22.0°

Conducted Power = 25.5dBm; Left Head SAR, Ear/15degree Tilt position

Test Date -- 05/28/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SANYO FCC ID: AEZSCP-49H -- FM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: σ = 0.91 mho/m ε_r = 42.5 ρ = 1.00 g/cm ; Antenna Position -- In; Crest Factor 1.0

SAR (1g): 0.855 mW/g, SAR (10g): 0.526 mW/g

SANYO Dual Mode Model: SCP-4900

AMPS Mode, Ch.799 [848.97MHz]; Standard Battery; Ambient Temp. = 22.2°C / Meas. Tissue Temp. = 22.0°

Conducted Power = 25.5dBm; Left Head SAR, Ear/15degree Tilt position

Test Date -- 05/28/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SANYO FCC ID: AEZSCP-49H -- FM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: σ = 0.91 mho/m ε_r = 42.5 ρ = 1.00 g/cm ; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 1.14 mW/g, SAR (10g): 0.703 mW/g

SANYO Dual Mode Model: SCP-4900

AMPS Mode, Ch.799 [848.97MHz]; Standard Battery; Ambient Temp. = 22.2°C / Meas. Tissue Temp. = 22.0°

Conducted Power = 25.5dBm; Left Head SAR, Ear/15degree Tilt position

Test Date -- 05/28/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SANYO FCC ID: AEZSCP-49H -- FM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: σ = 0.91 mho/m ε_r = 42.5 ρ = 1.00 g/cm^3; Antenna Position -- In; Crest Factor 1.0

SAR (1g): 1.20 mW/g, SAR (10g): 0.880 mW/g

SANYO Dual Mode Model: SCP-4900

AMPS Mode, Ch.991 [824.04MHz]; Standard Battery; Ambient Temp. = 22.2°C / Meas. Tissue Temp. = 22.0°

Conducted Power = 25.5dBm; Left Head SAR, Cheek/Touch position

Test Date -- 05/28/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SANYO FCC ID: AEZSCP-49H -- FM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: σ = 0.91 mho/m ε_r = 42.5 ρ = 1.00 g/cm^3; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 1.39 mW/g, SAR (10g): 1.02 mW/g

SANYO Dual Mode Model: SCP-4900

AMPS Mode, Ch.991 [824.04MHz]; Standard Battery; Ambient Temp. = 22.2°C / Meas. Tissue Temp. = 22.0°

Conducted Power = 25.5dBm; Left Head SAR, Cheek/Touch position

Test Date -- 05/28/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SANYO FCC ID: AEZSCP-49H -- FM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: σ = 0.91 mho/m ε_r = 42.5 ρ = 1.00 g/cm ; Antenna Position -- In; Crest Factor 1.0

SAR (1g): 1.32 mW/g, SAR (10g): 0.973 mW/g

SANYO Dual Mode Model: SCP-4900

AMPS Mode, Ch.383 [836.49MHz]; Standard Battery; Ambient Temp. = 22.2°C / Meas. Tissue Temp. = 22.0°

Conducted Power = 25.5dBm; Left Head SAR, Cheek/Touch position

Test Date -- 05/28/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SANYO FCC ID: AEZSCP-49H -- FM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: σ = 0.91 mho/m ε_r = 42.5 ρ = 1.00 g/cm^3; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 1.48 mW/g, SAR (10g): 1.07 mW/g

SANYO Dual Mode Model: SCP-4900

AMPS Mode, Ch.383 [836.49MHz]; Standard Battery; Ambient Temp. = 22.2°C / Meas. Tissue Temp. = 22.0°

Conducted Power = 25.5dBm; Left Head SAR, Cheek/Touch position

Test Date -- 05/28/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SANYO FCC ID: AEZSCP-49H -- FM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: σ = 0.91 mho/m ε_r = 42.5 ρ = 1.00 g/cm ; Antenna Position -- In; Crest Factor 1.0

SAR (1g): 1.15 mW/g, SAR (10g): 0.826 mW/g

SANYO Dual Mode Model: SCP-4900

AMPS Mode, Ch.799 [848.97MHz]; Standard Battery; Ambient Temp. = 22.2°C / Meas. Tissue Temp. = 22.0°

Conducted Power = 25.5dBm; Left Head SAR, Cheek/Touch position

Test Date -- 05/28/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SANYO FCC ID: AEZSCP-49H -- FM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: σ = 0.97 mho/m ε_r = 42.5 ρ = 1.00 g/cm ; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 1.13 mW/g, SAR (10g): 0.831 mW/g

SANYO Dual Mode Model: SCP-4900

AMPS Mode, Ch.799 [848.97MHz]; Standard Battery; Ambient Temp. = 22.2°C / Meas. Tissue Temp. = 22.0°

Conducted Power = 25.5dBm; Left Head SAR, Cheek/Touch position

Test Date -- 05/28/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SANYO FCC ID: AEZSCP-49H -- FM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: σ = 0.91 mho/m ε_r = 42.5 ρ = 1.00 g/cm ; Antenna Position -- In; Crest Factor 1.0

SAR (1g): 1.15 mW/g, SAR (10g): 0.834 mW/g

SANYO Dual Mode Model: SCP-4900

AMPS Mode, Ch.383 [836.49MHz]; Extended Battery; Ambient Temp. = 22.2°C / Meas. Tissue Temp. = 22.0°

Conducted Power = 25.5dBm; Left Head SAR, Cheek/Touch position

Test Date -- 05/28/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SANYO FCC ID: AEZSCP-49H -- FM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: σ = 0.91 mho/m ε_r = 42.5 ρ = 1.00 g/cm ; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 1.40 mW/g, SAR (10g): 1.04 mW/g

SANYO Dual Mode Model: SCP-4900

AMPS Mode, Ch.383 [836.49MHz]; Extended Battery; Ambient Temp. = 22.2°C / Meas. Tissue Temp. = 22.0°

Conducted Power = 25.5dBm; Left Head SAR, Cheek/Touch position

Test Date -- 05/28/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SANYO FCC ID: AEZSCP-49H -- FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: σ = 0.91 mho/m ε_r = 42.5 ρ = 1.00 g/cm^3; Antenna Position -- In; Crest Factor 1.0

SAR (1g): 0.740 mW/g, SAR (10g): 0.484 mW/g

SANYO Dual Mode Model: SCP-4900

AMPS Mode, Ch.991 [824.04MHz]; Standard Battery; Ambient Temp. = 22.2°C / Meas. Tissue Temp. = 22.0°

Conducted Power = 25.5dBm; Right Head SAR, Ear/15degree Tilt position

Test Date -- 05/28/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SANYO FCC ID: AEZSCP-49H -- FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: σ = 0.91 mho/m ε_r = 42.5 ρ = 1.00 g/cm^3; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 1.00 mW/g, SAR (10g): 0.648 mW/g

SANYO Dual Mode Model: SCP-4900

AMPS Mode, Ch.991 [824.04MHz]; Standard Battery; Ambient Temp. = 22.2°C / Meas. Tissue Temp. = 22.0°

Conducted Power = 25.5dBm; Right Head SAR, Ear/15degree Tilt position

Test Date -- 05/28/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SANYO FCC ID: AEZSCP-49H -- FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: σ = 0.91 mho/m ε_r = 42.5 ρ = 1.00 g/cm^3; Antenna Position -- In; Crest Factor 1.0

SAR (1g): 0.860 mW/g, SAR (10g): 0.551 mW/g

SANYO Dual Mode Model: SCP-4900

AMPS Mode, Ch.383 [836.49MHz]; Standard Battery; Ambient Temp. = 22.2°C / Meas. Tissue Temp. = 22.0°

Conducted Power = 25.5dBm; Right Head SAR, Ear/15degree Tilt position

Test Date -- 05/28/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SANYO FCC ID: AEZSCP-49H -- FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: σ = 0.91 mho/m ε_r = 42.5 ρ = 1.00 g/cm ; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 1.26 mW/g, SAR (10g): 0.808 mW/g

SANYO Dual Mode Model: SCP-4900

AMPS Mode, Ch.383 [836.49MHz]; Standard Battery; Ambient Temp. = 22.2°C / Meas. Tissue Temp. = 22.0°

Conducted Power = 25.5dBm; Right Head SAR, Ear/15degree Tilt position

Test Date -- 05/28/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SANYO FCC ID: AEZSCP-49H -- FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: σ = 0.97 mho/m ε_r = 42.5 ρ = 1.00 g/cm ; Antenna Position -- In; Crest Factor 1.0

SAR (1g): 0.731 mW/g, SAR (10g): 0.456 mW/g

SANYO Dual Mode Model: SCP-4900

AMPS Mode, Ch.799 [848.97MHz]; Standard Battery; Ambient Temp. = 22.2°C / Meas. Tissue Temp. = 22.0°

Conducted Power = 25.5dBm; Right Head SAR, Ear/15degree Tilt position

Test Date -- 05/28/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SANYO FCC ID: AEZSCP-49H -- FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: σ = 0.91 mho/m ε_r = 42.5 ρ = 1.00 g/cm ; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 0.954 mW/g, SAR (10g): 0.612 mW/g

SANYO Dual Mode Model: SCP-4900

AMPS Mode, Ch.799 [848.97MHz]; Standard Battery; Ambient Temp. = 22.2°C / Meas. Tissue Temp. = 22.0°

Conducted Power = 25.5dBm; Right Head SAR, Ear/15degree Tilt position

Test Date -- 05/28/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SANYO FCC ID: AEZSCP-49H -- FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: σ = 0.91 mho/m ε_r = 42.5 ρ = 1.00 g/cm^3; Antenna Position -- In; Crest Factor 1.0

SAR (1g): 0.906 mW/g, SAR (10g): 0.665 mW/g

SANYO Dual Mode Model: SCP-4900

AMPS Mode, Ch.991 [824.04MHz]; Standard Battery; Ambient Temp. = 22.2°C / Meas. Tissue Temp. = 22.0°

Conducted Power = 25.5dBm; Right Head SAR, Cheek/Touch position

Test Date -- 05/28/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SANYO FCC ID: AEZSCP-49H -- FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: σ = 0.91 mho/m ε_r = 42.5 ρ = 1.00 g/cm^3; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 1.11 mW/g, SAR (10g): 0.826 mW/g

SANYO Dual Mode Model: SCP-4900

AMPS Mode, Ch.991 [824.04MHz]; Standard Battery; Ambient Temp. = 22.2°C / Meas. Tissue Temp. = 22.0°

Conducted Power = 25.5dBm; Right Head SAR, Cheek/Touch position

Test Date -- 05/28/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SANYO FCC ID: AEZSCP-49H -- FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: σ = 0.91 mho/m ε_r = 42.5 ρ = 1.00 g/cm^3; Antenna Position -- In; Crest Factor 1.0

SAR (1g): 1.25 mW/g, SAR (10g): 0.905 mW/g

SANYO Dual Mode Model: SCP-4900

AMPS Mode, Ch.383 [836.49MHz]; Standard Battery; Ambient Temp. = 22.2°C / Meas. Tissue Temp. = 22.0°

Conducted Power = 25.5dBm; Right Head SAR, Cheek/Touch position

Test Date -- 05/28/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SANYO FCC ID: AEZSCP-49H -- FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: σ = 0.91 mho/m ε_r = 42.5 ρ = 1.00 g/cm ; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 1.31 mW/g, SAR (10g): 0.954 mW/g

SANYO Dual Mode Model: SCP-4900

AMPS Mode, Ch.383 [836.49MHz]; Standard Battery; Ambient Temp. = 22.2°C / Meas. Tissue Temp. = 22.0°

Conducted Power = 25.5dBm; Right Head SAR, Cheek/Touch position

Test Date -- 05/28/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]





SANYO FCC ID: AEZSCP-49H -- FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: σ = 0.91 mho/m ε_r = 42.5 ρ = 1.00 g/cm ; Antenna Position -- In; Crest Factor 1.0

SAR (1g): 1.01 mW/g, SAR (10g): 0.734 mW/g

SANYO Dual Mode Model: SCP-4900

AMPS Mode, Ch.799 [848.97MHz]; Standard Battery; Ambient Temp. = 22.2°C / Meas. Tissue Temp. = 22.0°

Conducted Power = 25.5dBm; Right Head SAR, Cheek/Touch position

Test Date -- 05/28/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SANYO FCC ID: AEZSCP-49H -- FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: σ = 0.91 mho/m ε_r = 42.5 ρ = 1.00 g/cm ; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 1.20 mW/g, SAR (10g): 0.873 mW/g

SANYO Dual Mode Model: SCP-4900

AMPS Mode, Ch.799 [848.97MHz]; Standard Battery; Ambient Temp. = 22.2°C / Meas. Tissue Temp. = 22.0°

Conducted Power = 25.5dBm; Right Head SAR, Cheek/Touch position

Test Date -- 05/28/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]





SANYO FCC ID: AEZSCP-49H -- FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: σ = 0.91 mho/m ε_r = 42.5 ρ = 1.00 g/cm ; Antenna Position -- In; Crest Factor 1.0

SAR (1g): 1.10 mW/g, SAR (10g): 0.813 mW/g

SANYO Dual Mode Model: SCP-4900

AMPS Mode, Ch.383 [836.49MHz]; Extended Battery; Ambient Temp. = 22.2°C / Meas. Tissue Temp. = 22.0°

Conducted Power = 25.5dBm; Right Head SAR, Cheek/Touch position

Test Date -- 05/28/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SANYO FCC ID: AEZSCP-49H -- FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: σ = 0.91 mho/m ε_r = 42.5 ρ = 1.00 g/cm ; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 1.24 mW/g, SAR (10g): 0.912 mW/g

SANYO Dual Mode Model: SCP-4900

AMPS Mode, Ch.383 [836.49MHz]; Extended Battery; Ambient Temp. = 22.2°C / Meas. Tissue Temp. = 22.0°

Conducted Power = 25.5dBm; Right Head SAR, Cheek/Touch position

Test Date -- 05/28/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]