SANYO FCC ID:AEZSCP-5K -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 835 MHz Brain: σ = 0.86 mho/m ε_r = 42.5 ρ = 1.00 g/cm^3; Antenna Position -- In; Crest Factor 1.0

SAR (1g): 0.939 mW/g, SAR (10g): 0.616 mW/g

SANYO Dual-Band Model:SCP-5000

FM Mode, Ch.0991 [824.04MHz]

Conducted Power = 24.9dBm; Flip = open

Test Date -- 08-14-2000



SANYO FCC ID:AEZSCP-5K -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 835 MHz Brain: σ = 0.86 mho/m ε_r = 42.5 ρ = 1.00 g/cm^3; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 1.40 mW/g, SAR (10g): 0.917 mW/g

SANYO Dual-Band Model:SCP-5000

FM Mode, Ch.0991 [824.04MHz]

Conducted Power = 24.9dBm; Flip = open

Test Date -- 08-14-2000





SANYO FCC ID:AEZSCP-5K -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 835 MHz Brain: σ = 0.86 mho/m ε_r = 42.5 ρ = 1.00 g/cm^3; Antenna Position -- In; Crest Factor 1.0

SAR (1g): 0.745 mW/g, SAR (10g): 0.484 mW/g

SANYO Dual-Band Model:SCP-5000

FM Mode, Ch.0383 [836.49MHz]

Conducted Power = 24.9dBm; Flip = open

Test Date -- 08-14-2000



SANYO FCC ID:AEZSCP-5K -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 835 MHz Brain: σ = 0.86 mho/m ε_r = 42.5 ρ = 1.00 g/cm^3; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 1.14 mW/g, SAR (10g): 0.738 mW/g

SANYO Dual-Band Model:SCP-5000

FM Mode, Ch.0383 [836.49MHz]

Conducted Power = 24.9dBm; Flip = open

Test Date -- 08-14-2000



SANYO FCC ID:AEZSCP-5K -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 835 MHz Brain: $\sigma = 0.86$ mho/m $\varepsilon_r = 42.5$ $\rho = 1.00$ g/cm^3; Antenna Position -- In; Crest Factor 1.0

SAR (1g): 1.09 mW/g, SAR (10g): 0.711 mW/g

SANYO Dual-Band Model:SCP-5000

FM Mode, Ch.0799 [848.97MHz]

Conducted Power = 24.9dBm; Flip = open

Test Date -- 08-14-2000



SANYO FCC ID:AEZSCP-5K -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 835 MHz Brain: σ = 0.86 mho/m ε_r = 42.5 ρ = 1.00 g/cm^3; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 1.29 mW/g, SAR (10g): 0.837 mW/g

SANYO Dual-Band Model:SCP-5000

FM Mode, Ch.0799 [848.97MHz]

Conducted Power = 24.9dBm; Flip = open

Test Date -- 08-14-2000





SANYO FCC ID:AEZSCP-5K -- PCS Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 1900 MHz Brain: σ = 1.82 mho/m ε_r = 40.4 ρ = 1.00 g/cm^3; Antenna Position -- In; Crest Factor 1.0

SAR (1g): 0.657 mW/g, SAR (10g): 0.306 mW/g

SANYO Dual-Band Model:SCP-5000

PCS Mode, Ch.0025 [1851.25MHz]

Conducted Power = 25.2dBm; Flip = open

Test Date -- 08-14-2000





SANYO FCC ID:AEZSCP-5K -- PCS Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 1900 MHz Brain: σ = 1.82 mho/m ε_r = 40.4 ρ = 1.00 g/cm^3; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 0.404 mW/g, SAR (10g): 0.200 mW/g

SANYO Dual-Band Model:SCP-5000

PCS Mode, Ch.0025 [1851.25MHz]

Conducted Power = 25.2dBm; Flip = open

Test Date -- 08-14-2000



SANYO FCC ID:AEZSCP-5K -- PCS Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 1900 MHz Brain: σ = 1.82 mho/m ε_r = 40.4 ρ = 1.00 g/cm^3; Antenna Position -- In; Crest Factor 1.0

SAR (1g): 0.362 mW/g, SAR (10g): 0.165 mW/g

SANYO Dual-Band Model:SCP-5000

PCS Mode, Ch.0600 [1880.00MHz]

Conducted Power = 25.2dBm; Flip = open

Test Date -- 08-14-2000





SANYO FCC ID:AEZSCP-5K -- PCS Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 1900 MHz Brain: σ = 1.82 mho/m ε_r = 40.4 ρ = 1.00 g/cm^3; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 0.318 mW/g, SAR (10g): 0.157 mW/g

SANYO Dual-Band Model:SCP-5000

PCS Mode, Ch.0600 [1880.00MHz]

Conducted Power = 25.2dBm; Flip = open

Test Date -- 08-14-2000



SANYO FCC ID:AEZSCP-5K -- PCS Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 1900 MHz Brain: σ = 1.82 mho/m ε_r = 40.4 ρ = 1.00 g/cm^3; Antenna Position -- In; Crest Factor 1.0

SAR (1g): 0.235 mW/g, SAR (10g): 0.0994 mW/g

SANYO Dual-Band Model:SCP-5000

PCS Mode, Ch.1175 [1908.75MHz]

Conducted Power = 25.2dBm; Flip = open

Test Date -- 08-14-2000



SANYO FCC ID:AEZSCP-5K -- PCS Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 1900 MHz Brain: σ = 1.82 mho/m ε_r = 40.4 ρ = 1.00 g/cm^3; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 0.241 mW/g, SAR (10g): 0.119 mW/g

SANYO Dual-Band Model:SCP-5000

PCS Mode, Ch.1175 [1908.75MHz]

Conducted Power = 25.2dBm; Flip = open

Test Date -- 08-14-2000





SANYO FCC ID:AEZSCP-5K -- FM Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 835 MHz Muscle: σ = 0.95 mho/m ε_r = 56.2 ρ = 1.00 g/cm^3; Antenna Position -- In; Crest Factor 1.0

SAR (1g): 0.608 mW/g, SAR (10g): 0.408 mW/g

SANYO Dual-Band Model:SCP-5000

FM Mode, Ch.0991 [824.04MHz]; Flip = closed

Conducted Power = 24.9dBm; Spacing = 1.0cm from flat phantom to phone, no holster/beltclip

Test Date -- 08-15-2000



SANYO FCC ID:AEZSCP-5K -- FM Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 835 MHz Muscle: σ = 0.95 mho/m ε_r = 56.2 ρ = 1.00 g/cm^3; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 1.35 mW/g, SAR (10g): 0.914 mW/g

SANYO Dual-Band Model:SCP-5000

FM Mode, Ch.0991 [824.04MHz]; Flip = closed

Conducted Power = 24.9dBm; Spacing = 1.0cm from flat phantom to phone, no holster/beltclip

Test Date -- 08-15-2000



SANYO FCC ID:AEZSCP-5K -- FM Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 835 MHz Muscle: σ = 0.95 mho/m ε_r = 56.2 ρ = 1.00 g/cm^3; Antenna Position -- In; Crest Factor 1.0

SAR (1g): 0.482 mW/g, SAR (10g): 0.320 mW/g

SANYO Dual-Band Model:SCP-5000

FM Mode, Ch.0383 [836.49MHz]; Flip = closed

Conducted Power = 24.9dBm; Spacing = 1.0cm from flat phantom to phone, no holster/beltclip

Test Date -- 08-15-2000



SANYO FCC ID:AEZSCP-5K -- FM Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\varepsilon_r = 56.2$ $\rho = 1.00$ g/cm^3; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 1.08 mW/g, SAR (10g): 0.728 mW/g

SANYO Dual-Band Model:SCP-5000

FM Mode, Ch.0383 [836.49MHz]; Flip = closed

Conducted Power = 24.9dBm; Spacing = 1.0cm from flat phantom to phone, no holster/beltclip

Test Date -- 08-15-2000



SANYO FCC ID:AEZSCP-5K -- FM Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 835 MHz Muscle: σ = 0.95 mho/m ε_r = 56.2 ρ = 1.00 g/cm^3; Antenna Position -- In; Crest Factor 1.0

SAR (1g): 0.714 mW/g, SAR (10g): 0.470 mW/g

SANYO Dual-Band Model:SCP-5000

FM Mode, Ch.0799 [848.97MHz]; Flip = closed

Conducted Power = 24.9dBm; Spacing = 1.0cm from flat phantom to phone, no holster/beltclip

Test Date -- 08-15-2000



SANYO FCC ID:AEZSCP-5K -- FM Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\varepsilon_r = 56.2$ $\rho = 1.00$ g/cm^3; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 1.20 mW/g, SAR (10g): 0.808 mW/g

SANYO Dual-Band Model:SCP-5000

FM Mode, Ch.0799 [848.97MHz]; Flip = closed

Conducted Power = 24.9dBm; Spacing = 1.0cm from flat phantom to phone, no holster/beltclip

Test Date -- 08-15-2000



SANYO FCC ID:AEZSCP-5K -- PCS Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 1900 MHz Muscle: σ = 1.85 mho/m ε_r = 54.2 ρ = 1.00 g/cm^3; Antenna Position -- In; Crest Factor 1.0

SAR (1g): 1.38 mW/g, SAR (10g): 0.702 mW/g

SANYO Dual-Band Model:SCP-5000

PCS Mode, Ch.0025 [1851.25MHz]; Flip = closed

Conducted Power = 25.2dBm; Spacing = 1.0cm from flat phantom to phone, no holster/beltclip

Test Date -- 08-15-2000



SANYO FCC ID:AEZSCP-5K -- PCS Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 1900 MHz Muscle: σ = 1.85 mho/m ε_r = 54.2 ρ = 1.00 g/cm^3; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 1.18 mW/g, SAR (10g): 0.643 mW/g

SANYO Dual-Band Model:SCP-5000

PCS Mode, Ch.0025 [1851.25MHz]; Flip = closed

Conducted Power = 25.2dBm; Spacing = 1.0cm from flat phantom to phone, no holster/beltclip

Test Date -- 08-15-2000



SANYO FCC ID:AEZSCP-5K -- PCS Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 1900 MHz Muscle: σ = 1.85 mho/m ε_r = 54.2 ρ = 1.00 g/cm^3; Antenna Position -- In; Crest Factor 1.0

SAR (1g): 1.19 mW/g, SAR (10g): 0.611 mW/g

SANYO Dual-Band Model:SCP-5000

PCS Mode, Ch.0600 [1880.00MHz]; Flip = closed

Conducted Power = 25.2dBm; Spacing = 1.0cm from flat phantom to phone, no holster/beltclip

Test Date -- 08-15-2000



SANYO FCC ID:AEZSCP-5K -- PCS Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 1900 MHz Muscle: σ = 1.85 mho/m ε_r = 54.2 ρ = 1.00 g/cm^3; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 0.883 mW/g, SAR (10g): 0.487 mW/g

SANYO Dual-Band Model:SCP-5000

PCS Mode, Ch.0600 [1880.00MHz]; Flip = closed

Conducted Power = 25.2dBm; Spacing = 1.0cm from flat phantom to phone, no holster/beltclip

Test Date -- 08-15-2000



SANYO FCC ID:AEZSCP-5K -- PCS Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 1900 MHz Muscle: σ = 1.85 mho/m ε_r = 54.2 ρ = 1.00 g/cm^3; Antenna Position -- In; Crest Factor 1.0

SAR (1g): 0.850 mW/g, SAR (10g): 0.433 mW/g

SANYO Dual-Band Model:SCP-5000

PCS Mode, Ch.1175 [1908.75MHz]; Flip = closed

Conducted Power = 25.2dBm; Spacing = 1.0cm from flat phantom to phone, no holster/beltclip

Test Date -- 08-15-2000



SANYO FCC ID:AEZSCP-5K -- PCS Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 1900 MHz Muscle: σ = 1.85 mho/m ε_r = 54.2 ρ = 1.00 g/cm^3; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 0.761 mW/g, SAR (10g): 0.412 mW/g

SANYO Dual-Band Model:SCP-5000

PCS Mode, Ch.1175 [1908.75MHz]; Flip = closed

Conducted Power = 25.2dBm; Spacing = 1.0cm from flat phantom to phone, no holster/beltclip

Test Date -- 08-15-2000



SANYO FCC ID:AEZSCP-5K -- FM Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 835 MHz Muscle: σ = 0.95 mho/m ε_r = 56.2 ρ = 1.00 g/cm^3; Antenna Position -- In; Crest Factor 1.0

SAR (1g): 3.03 mW/g, **SAR (10g): 1.64 mW/g**

SANYO Dual-Band Model:SCP-5000

FM Mode, Ch.0991 [824.04MHz]; Flip = open

Conducted Power = 24.9dBm; Spacing = touching flat phantom to phone, w/hand

Test Date -- 08-16-2000



SANYO FCC ID:AEZSCP-5K -- FM Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\varepsilon_r = 56.2$ $\rho = 1.00$ g/cm^3; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 2.09 mW/g, **SAR (10g): 1.18 mW/g**

SANYO Dual-Band Model:SCP-5000

FM Mode, Ch.0991 [824.04MHz]; Flip = open

Conducted Power = 24.9dBm; Spacing = touching flat phantom to phone, w/hand

Test Date -- 08-16-2000



SANYO FCC ID:AEZSCP-5K -- FM Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 835 MHz Muscle: σ = 0.95 mho/m ε_r = 56.2 ρ = 1.00 g/cm^3; Antenna Position -- In; Crest Factor 1.0

SAR (1g): 2.77 mW/g, **SAR (10g): 1.48 mW/g**

SANYO Dual-Band Model:SCP-5000

FM Mode, Ch.0363 [836.49MHz]; Flip = open

Conducted Power = 24.9dBm; Spacing = touching flat phantom to phone, w/hand

Test Date -- 08-16-2000



SANYO FCC ID:AEZSCP-5K -- FM Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\varepsilon_r = 56.2$ $\rho = 1.00$ g/cm^3; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 2.42 mW/g, **SAR (10g): 1.31 mW/g**

SANYO Dual-Band Model:SCP-5000

FM Mode, Ch.0383 [836.49MHz]; Flip = open

Conducted Power = 24.9dBm; Spacing = touching flat phantom to phone, w/hand

Test Date -- 08-16-2000



SANYO FCC ID:AEZSCP-5K -- FM Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 835 MHz Muscle: σ = 0.95 mho/m ε_r = 56.2 ρ = 1.00 g/cm^3; Antenna Position -- In; Crest Factor 1.0

SAR (1g): 2.93 mW/g, **SAR (10g): 1.44 mW/g**

SANYO Dual-Band Model:SCP-5000

FM Mode, Ch.0799 [848.97MHz]; Flip = open

Conducted Power = 24.9dBm; Spacing = touching flat phantom to phone, w/hand

Test Date -- 08-16-2000



SANYO FCC ID:AEZSCP-5K -- FM Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\varepsilon_r = 56.2$ $\rho = 1.00$ g/cm^3; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 1.93 mW/g, **SAR (10g): 1.06 mW/g**

SANYO Dual-Band Model:SCP-5000

FM Mode, Ch.0799 [848.97MHz]; Flip = open

Conducted Power = 24.9dBm; Spacing = touching flat phantom to phone, w/hand

Test Date -- 08-16-2000



SANYO FCC ID:AEZSCP-5K -- PCS Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 1900 MHz Muscle: σ = 1.85 mho/m ε_r = 54.2 ρ = 1.00 g/cm^3; Antenna Position -- In; Crest Factor 1.0

SAR (1g): 6.69 mW/g, **SAR (10g): 1.82 mW/g**

SANYO Dual-Band Model:SCP-5000

PCS Mode, Ch.0025 [1851.25MHz]; Flip = open

Conducted Power = 25.2dBm; Spacing = touching flat phantom to phone, w/hand

Test Date -- 08-16-2000



SANYO FCC ID:AEZSCP-5K -- PCS Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 1900 MHz Muscle: σ = 1.85 mho/m ε_r = 54.2 ρ = 1.00 g/cm^3; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 6.64 mW/g, **SAR (10g): 2.29 mW/g**

SANYO Dual-Band Model:SCP-5000

PCS Mode, Ch.0025 [1851.25MHz]; Flip = open

Conducted Power = 25.2dBm; Spacing = touching flat phantom to phone, w/hand

Test Date -- 08-16-2000



SANYO FCC ID:AEZSCP-5K -- PCS Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 1900 MHz Muscle: σ = 1.85 mho/m ε_r = 54.2 ρ = 1.00 g/cm^3; Antenna Position -- In; Crest Factor 1.0

SAR (1g): 4.52 mW/g, **SAR (10g): 1.52 mW/g**

SANYO Dual-Band Model:SCP-5000

PCS Mode, Ch.0600 [1880.00MHz]; Flip = open

Conducted Power = 25.2dBm; Spacing = touching flat phantom to phone, w/hand

Test Date -- 08-16-2000



SANYO FCC ID:AEZSCP-5K -- PCS Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 1900 MHz Muscle: σ = 1.85 mho/m ε_r = 54.2 ρ = 1.00 g/cm^3; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 4.23 mW/g, **SAR (10g): 1.39 mW/g**

SANYO Dual-Band Model:SCP-5000

PCS Mode, Ch.0600 [1880.00MHz]; Flip = open

Conducted Power = 25.2dBm; Spacing = touching flat phantom to phone, w/hand

Test Date -- 08-16-2000



SANYO FCC ID:AEZSCP-5K -- PCS Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 1900 MHz Muscle: σ = 1.85 mho/m ε_r = 54.2 ρ = 1.00 g/cm^3; Antenna Position -- In; Crest Factor 1.0

SAR (1g): 3.00 mW/g, **SAR (10g): 0.731 mW/g**

SANYO Dual-Band Model:SCP-5000

PCS Mode, Ch.1175 [1908.75MHz]; Flip = open

Conducted Power = 25.2dBm; Spacing = touching flat phantom to phone, w/hand

Test Date -- 08-16-2000



SANYO FCC ID:AEZSCP-5K -- PCS Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV5 - SN1370 -- Probe Cal Date 02/00

Med. Parameters 1900 MHz Muscle: σ = 1.85 mho/m ε_r = 54.2 ρ = 1.00 g/cm^3; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 3.77 mW/g, **SAR (10g): 0.777 mW/g**

SANYO Dual-Band Model:SCP-5000

PCS Mode, Ch.1175 [1908.75MHz]; Flip = open

Conducted Power = 25.2dBm; Spacing = touching flat phantom to phone, w/hand

Test Date -- 08-16-2000