

PCTEST Engineering Lab., Inc.

SUBJECT: Modulation Characteristics
FCC Part 24/22


Test Report No.: 0502210095
Test Date: 02/22-24/2005

EUT: Tri-Mode Dual-Band Analog/PCS Phone (AMPS/CDMA)

Model: MM-8300

FCC ID: AEZSCP-83H

REFERENCE: 1 kHz = 0 dB




PCTEST Engineering Lab., Inc.

SUBJECT: Modulation Characteristics
FCC Part 24/22

Test Report No.: 0502210095
Test Date: 02/22-24/2005

EUT: Tri-Mode Dual-Band Analog/PCS Phone (AMPS/CDMA)
Model: MM-8300
FCC ID: AEZSCP-83H

REFERENCE: 1 kHz = 0 dB




PCTEST Engineering Lab., Inc.

SUBJECT: Modulation Characteristics
FCC Part 24/22

Test Report No.: 0502210095
Test Date: 02/22-24/2005

EUT: Tri-Mode Dual-Band Analog/PCS Phone (AMPS/CDMA)
Model: MM-8300
FCC ID: AEZSCP-83H

REFERENCE: 1 kHz = 0 dB



PCTEST Engineering Lab.

SPECTRUM ANALYZER PRESENTATION

FCC ID:AEZSCP-83H

SANYO


Tri-Mode Phone

FM Channel 383

Operating Frequency: 836.490 MHz

Output Power : 24.5 dBm

Test Mode:Unmodulated Signal



PCTEST Engineering Lab.

SPECTRUM ANALYZER PRESENTATION

FCC ID:AEZSCP-83H

SANYO


Tri-Mode Phone

FM Channel 383

Operating Frequency: 836.490 MHz

Output Power : 24.5 dBm

Test Mode:Voice



PCTEST Engineering Lab.

SPECTRUM ANALYZER PRESENTATION

FCC ID:AEZSCP-83H

SANYO

Tri-Mode Phone

FM Channel 383

Operating Frequency: 836.490 MHz

Output Power : 24.5 dBm

Test Mode:Wide Band Data

