

Date: 31st August, 2007

Federal Communications Commission Equipment Authorization Division, Application Processing Branch 7435 Oakland Mills Road Columbia, MD 21048

Subject:

Affidavit

FCC ID: AEZSCP- PRO200

We hereby certify that transceiver FCC ID: AEZSCP-PRO200 manufactured by SANYO Electric Co., Ltd. complies with all requirements of Part 22 Subpart H of the FCC Rules.

Best Regards,

Akira lino

General Manager

SANYO Electric Co., Ltd. Personal Mobile Group Telecom Company International Mobile Phone Division

1-1, Sanyo-cho, Daito City, Osaka, 574-8534, Japan

TEL: +81-72-870-6156 FAX: +81-72-870-6028



Date: 31st August, 2007

Federal Communications Commission Equipment Approval Services 7435 Oakland Mills Road Columbia, MD 21046

Subject:

FCC E911 Requirements Per §22.921

FCC ID: AEZSCP- PRO200

To Whom It May Concern:

Sanyo Electric Co., Ltd. hereby certifies that the cellular telephone (FCC ID: AEZSCP-PRO200), using the Automatic A/B Roaming — Intelligent Retry method, meets the E911 requirements specified in Section 22.921 of the FCC Rules. This procedure recognizes when a "9-1-1" call is made and, at such time, will override any programming in the mobile unit that determines the handling of a non-911 call and permit the call to be handled by other analog carriers.

Best Regards,

Akira lino

General Manager

SANYO Electric Co., Ltd.
Personal Mobile Group
Telecom Company
International Mobile Phone Division

1-1, Sanyo-cho, Daito City, Osaka, 574-8534, Japan

TEL: +81-72-870-6156 FAX: +81-72-870-6028



Date: 31st August, 2007

Federal Communications Commission Equipment Authorization Division, Application Processing Branch 7435 Oakland Mills Road Columbia, MD 21048

Subject:

Affidavit for MEID Protection of Cellular Mobile Telephones

FCC ID: AEZSCP- PRO200

We hereby certify that the Handheld Portable Cellular Telephone, FCC ID: AEZSCP-PRO200 is so designed that it complies with all the requirements for MEID protection specified in Section 22.919.

- a) The transmitter in service has a unique MEID.
- b) The MEID host component is permanently attached to a main circuit board of the mobile transmitter and the integrity of the unit operating software cannot be altered. The MEID is plated from fraudulent contact and tampering. The MEID is encoded using multiplication by a polynomial and the MEID data programmed in the memory with other information.
- c) The MEID is factory-set and cannot be altered, transferred, removed or otherwise able to be manipulated. Cellular mobile equipment is specifically designed such that any attempt to remove, tamper with, or change the MEID chip, its logic system, or firmware originally programmed by the manufacturer will render the mobile transmitter inoperative.

Best Regards,

Akira lino

General Manager

SANYO Electric Co., Ltd.
Personal Mobile Group
Telecom Company
International Mobile Phone Division

1-1, Sanyo-cho, Daito City, Osaka, 574-8534, Japan

TEL: +81-72-870-6156 FAX: +81-72-870-6028