







SET LOCK

BAND

S.MW MW

VOL

PWR

SQL

V/MHz  
SCAN

M/CALL  
PRIO

TONE  
T-SCAN

LOW  
DUP

MONI  
DTMF







ICOM

IC-208  
DUO BAND TRANSCEIVER





**ご注意**

ケースは耐熱性樹脂を使用  
していますが、直射日光の  
当たる場所(ダッシュボードの上など)  
に設置しますと、高温のためケースが変形  
する恐れがありますのでご注意ください。  
**CAUTION:** Heat-resistant material is  
used for this casing. However, exposure to  
direct sunlight (such as on the dashboard  
of a vehicle) may cause  
deformation of the casing.














ICOM

IC-206H

FCC ID : AFJ 263300

ICOM Inc.  
MADE IN JAPAN


SERIAL NO 0000010



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:  
(1) This device may not cause harmful interference, and (2) this device must accept any interference that may cause undesired operation.

**WARNING : MODIFICATION OF THIS DEVICE TO RECEIVE CELLULAR RADIO/TELEPHONE SERVICE SIGNALS IS PROHIBITED UNDER FCC RULES AND FEDERAL LAW.**





ICOM

IC-208  
DUO BAND TRANSCEIVER








ICOM

IC-208H

FCC ID : AFJ 263300

Icom Inc.  
MADE IN JAPAN

SERIAL NO. 0000010



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

**WARNING :** MODIFICATION OF THIS DEVICE TO RECEIVE CELLULAR RADIOTELEPHONE SERVICE SIGNALS IS PROHIBITED UNDER FCC RULES AND FEDERAL LAW.