

Mode	802.11ac(VHT20)	Channel	100
------	-----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal		5424.15	39.73	19.39	59.12	74	-14.88	PK
		5458.45	28.37	19.56	47.93	54	-6.07	AVG
		5461.25	39.16	19.57	58.73	68.2	-9.47	PK
	@	5500	77.92	19.77	97.69	N/A	N/A	PK
	@	5500	68.66	19.77	88.43	N/A	N/A	AVG
	*	11000	28.84	18.41	47.25	74	-26.75	PK
Vertical		5440.6	40.18	19.47	59.65	74	-14.35	PK
		5454.95	28.63	19.54	48.17	54	-5.83	AVG
		5465.8	40.8	19.6	60.4	68.2	-7.8	PK
	@	5500	82.56	19.77	102.33	N/A	N/A	PK
	@	5500	72.56	19.77	92.33	N/A	N/A	AVG
	*	11000	30.21	18.41	48.62	74	-25.38	PK


**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX ) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ac(VHT20)	Channel	116
------	-----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal		5435.7	39.34	19.45	58.79	74	-15.21	PK
		5453.2	28.22	19.53	47.75	54	-6.25	AVG
		5468.6	39.2	19.61	58.81	68.2	-9.39	PK
	@	5580	78.32	19.76	98.08	N/A	N/A	PK
	@	5580	68.2	19.76	87.96	N/A	N/A	AVG
		5738.1	39.89	20.08	59.97	68.2	-8.23	PK
	*	11160	28.85	18.47	47.32	74	-26.68	PK
Vertical		5453.55	39.53	19.53	59.06	74	-14.94	PK
		5457.05	28.46	19.55	48.01	54	-5.99	AVG
		5463	38.67	19.58	58.25	68.2	-9.95	PK
	@	5580	81.59	19.76	101.35	N/A	N/A	PK
	@	5580	71.31	19.76	91.07	N/A	N/A	AVG
		5738.8	40.55	20.09	60.64	68.2	-7.56	PK
	*	11160	28.8	18.47	47.27	74	-26.73	PK







**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX ) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1

**TX, 802.11ac(VHT20) (Ch 116)**  
**Radiated Spurious Emission, Horizontal**

**TX, 802.11ac(VHT20) (Ch 116)**  
**Radiated Spurious Emission, Vertical**

**TX, 802.11ac(VHT20) (Ch 116)**  
**Band Edge (Average), Horizontal**

**TX, 802.11ac(VHT20) (Ch 116)**  
**Band Edge (Average), Vertical**

**TX, 802.11ac(VHT20) (Ch 116)**  
**Band Edge (Peak), Horizontal**

**TX, 802.11ac(VHT20) (Ch 116)**  
**Band Edge (Peak), Vertical**


Mode	802.11ac(VHT20)	Channel	140
------	-----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal		5458.1	28.1	19.56	47.66	54	-6.34	AVG
	@	5700	78.65	19.73	98.38	N/A	N/A	PK
	@	5700	69.5	19.73	89.23	N/A	N/A	AVG
	*	5725.85	43.1	19.97	63.07	68.2	-5.13	PK
Vertical		11400	28.61	18.85	47.46	74	-26.54	PK
		5458.1	28.21	19.56	47.77	54	-6.23	AVG
	@	5700	83.85	19.73	103.58	N/A	N/A	PK
	@	5700	76	19.73	95.73	N/A	N/A	AVG
		5748.95	40.16	20.19	60.35	68.2	-7.85	PK
	*	11400	29.2	18.85	48.05	74	-25.95	PK


**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000


Facsimile (FAX ) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ac(VHT20)	Channel	149
------	-----------------	---------	-----





Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal		5571	40.54	19.78	60.32	68.2	-7.88	PK
		5677	40.54	19.7	60.24	88.22	-27.98	PK
	@	5745	78.04	20.15	98.19	N/A	N/A	PK
	*	11490	29.5	19.33	48.83	74	-25.17	PK
Vertical		5590.5	40.96	19.73	60.69	68.2	-7.51	PK
		5669.5	40.39	19.69	60.08	82.67	-22.59	PK
	@	5745	80.48	20.15	100.63	N/A	N/A	PK
	*	11490	29.94	19.33	49.27	74	-24.73	PK






Mode	802.11ac(VHT20)	Channel	157
------	-----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	@	5554.5	39.86	19.82	59.68	68.2	-8.52	PK
		5680.5	40.51	19.7	60.21	90.81	-30.6	PK
		5785	75.16	20.45	95.61	N/A	N/A	PK
		5877	40.95	20.81	61.76	103.71	-41.95	PK
		5933.5	41.27	20.95	62.22	68.2	-5.98	PK
		* 11570	29.09	19.07	48.16	74	-25.84	PK
Vertical	@	5577	40.02	19.76	59.78	68.2	-8.42	PK
		5692	39.91	19.72	59.63	99.3	-39.67	PK
		5785	80.36	20.45	100.81	N/A	N/A	PK
		5898	40.63	20.96	61.59	88.14	-26.55	PK
		5928	40.39	20.95	61.34	68.2	-6.86	PK
		* 11570	29.21	19.07	48.28	74	-25.72	PK

**TX, 802.11ac(VHT20) (Ch 157)**
**Radiated Spurious Emission, Horizontal**

**TX, 802.11ac(VHT20) (Ch 157)**
**Radiated Spurious Emission, Vertical**

**TX, 802.11ac(VHT20) (Ch 157)**
**Band Edge (Peak), Horizontal**

**TX, 802.11ac(VHT20) (Ch 157)**
**Band Edge (Peak), Vertical**


Mode	802.11ac(VHT20)	Channel	165
------	-----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	@	5825	75.84	20.58	96.42	N/A	N/A	PK
		5888.5	40.01	20.9	60.91	95.18	-34.27	PK
		5961	40.11	20.96	61.07	68.2	-7.13	PK
	*	11650	27.83	18.83	46.66	74	-27.34	PK
Vertical	@	5825	81.01	20.58	101.59	N/A	N/A	PK
		5922	40.38	20.96	61.34	70.41	-9.07	PK
		5946	40.83	20.95	61.78	68.2	-6.42	PK
	*	11650	27.81	18.83	46.64	74	-27.36	PK



Mode	802.11ac(VHT40)	Channel	38
------	-----------------	---------	----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal		5116.9	30.27	19.43	49.7	54	-4.3	AVG
		5130.55	42.76	19.41	62.17	74	-11.83	PK
	@	5190	73.08	19.29	92.37	N/A	N/A	PK
	@	5190	62.1	19.29	81.39	N/A	N/A	AVG
	*	10380	29.11	17.61	46.72	68.2	-21.48	PK
Vertical		5032.9	42.08	18.93	61.01	74	-12.99	PK
		5094.15	30.4	19.39	49.79	54	-4.21	AVG
	@	5190	75.29	19.29	94.58	N/A	N/A	PK
	@	5190	64.96	19.29	84.25	N/A	N/A	AVG
	*	10380	27.72	17.61	45.33	68.2	-22.87	PK


**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ac(VHT40)	Channel	46
------	-----------------	---------	----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal		5098.7	30.41	19.43	49.84	54	-4.16	AVG
		5132.65	42.24	19.41	61.65	74	-12.35	PK
	@	5230	73.46	19.05	92.51	N/A	N/A	PK
	@	5230	63.05	19.05	82.1	N/A	N/A	AVG
	*	10460	29.3	17.87	47.17	68.2	-21.03	PK
Vertical		5064.4	42.51	19.19	61.7	74	-12.3	PK
		5101.15	30.31	19.44	49.75	54	-4.25	AVG
	@	5230	77.25	19.05	96.3	N/A	N/A	PK
	@	5230	66.47	19.05	85.52	N/A	N/A	AVG
	*	10460	29.9	17.87	47.77	68.2	-20.43	PK


**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX ) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ac(VHT40)	Channel	54
------	-----------------	---------	----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	@	5270	72.43	18.85	91.28	N/A	N/A	PK
	@	5270	62.42	18.85	81.27	N/A	N/A	AVG
		5426.4	40.75	19.4	60.15	74	-13.85	PK
		5459.7	28.39	19.57	47.96	54	-6.04	AVG
	*	10540	28.95	18.01	46.96	68.2	-21.24	PK
Vertical	@	5270	77	18.85	95.85	N/A	N/A	PK
	@	5270	67.02	18.85	85.87	N/A	N/A	AVG
		5402.1	40.23	19.28	59.51	74	-14.49	PK
		5454.3	28.4	19.54	47.94	54	-6.06	AVG
	*	10540	29.51	18.01	47.52	68.2	-20.68	PK


**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX ) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1





Mode	802.11ac(VHT40)	Channel	62
------	-----------------	---------	----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	@	5310	73.87	18.81	92.68	N/A	N/A	PK
	@	5310	62.61	18.81	81.42	N/A	N/A	AVG
		5431.2	40	19.42	59.42	74	-14.58	PK
		5445.3	28.77	19.5	48.27	54	-5.73	AVG
	*	10620	28.94	18.04	46.98	74	-27.02	PK
Vertical	@	5310	78.21	18.81	97.02	N/A	N/A	PK
	@	5310	67.15	18.81	85.96	N/A	N/A	AVG
		5434.8	40.59	19.44	60.03	74	-13.97	PK
		5457.9	28.61	19.56	48.17	54	-5.83	AVG
	*	10620	28.69	18.04	46.73	74	-27.27	PK


**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX ) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ac(VHT40)	Channel	102
------	-----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal		5417.85	39.54	19.35	58.89	74	-15.11	PK
		5457.75	28.67	19.55	48.22	54	-5.78	AVG
		5468.95	40.33	19.62	59.95	68.2	-8.25	PK
	@	5510	72.98	19.78	92.76	N/A	N/A	PK
	@	5510	63.69	19.78	83.47	N/A	N/A	AVG
	*	11020	29.73	18.42	48.15	74	-25.85	PK
Vertical		5426.95	39.52	19.4	58.92	74	-15.08	PK
		5454.6	28.7	19.54	48.24	54	-5.76	AVG
		5461.6	39.17	19.58	58.75	68.2	-9.45	PK
	@	5510	76.56	19.78	96.34	N/A	N/A	PK
	@	5510	67.42	19.78	87.2	N/A	N/A	AVG
	*	11020	28.75	18.42	47.17	74	-26.83	PK


**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ac(VHT40)	Channel	110
------	-----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal		5443.75	39.87	19.5	59.37	74	-14.63	PK
		5458.45	28.53	19.56	48.09	54	-5.91	AVG
		5470	39.2	19.62	58.82	68.2	-9.38	PK
	@	5550	73.98	19.83	93.81	N/A	N/A	PK
	@	5550	63.69	19.83	83.52	N/A	N/A	AVG
		5750	39.93	20.19	60.12	68.2	-8.08	PK
	*	11100	29.74	18.45	48.19	74	-25.81	PK
Vertical		5455.65	40.07	19.54	59.61	74	-14.39	PK
		5456	28.54	19.54	48.08	54	-5.92	AVG
		5460.2	38.86	19.57	58.43	68.2	-9.77	PK
	@	5550	75.72	19.83	95.55	N/A	N/A	PK
	@	5550	66.77	19.83	86.6	N/A	N/A	AVG
		5739.85	39.62	20.1	59.72	68.2	-8.48	PK
	*	11100	29.57	18.45	48.02	74	-25.98	PK


**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX ) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ac(VHT40)	Channel	134
------	-----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal		5458.1	28.7	19.56	48.26	54	-5.74	AVG
	@	5670	72.56	19.69	92.25	N/A	N/A	PK
	@	5670	61.83	19.69	81.52	N/A	N/A	AVG
	*	5734.6	40.03	20.06	60.09	68.2	-8.11	PK
Vertical		11340	28.85	18.58	47.43	74	-26.57	PK
		5456	28.63	19.54	48.17	54	-5.83	AVG
	@	5670	76.68	19.69	96.37	N/A	N/A	PK
	@	5670	65.47	19.69	85.16	N/A	N/A	AVG
	*	5733.55	39.96	20.04	60	68.2	-8.2	PK
	*	11340	28.22	18.58	46.8	74	-27.2	PK


**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX ) :+886-3-583-7948


Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1






Mode	802.11ac(VHT40)	Channel	151
------	-----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal		5617	40.07	19.69	59.76	68.2	-8.44	PK
		5670.5	40.92	19.7	60.62	83.41	-22.79	PK
	@	5755	71.27	20.22	91.49	N/A	N/A	PK
	*	11510	29.5	19.34	48.84	74	-25.16	PK
Vertical		5579.5	40.74	19.76	60.5	68.2	-7.7	PK
		5661.5	39.41	19.68	59.09	76.74	-17.65	PK
	@	5755	74.6	20.22	94.82	N/A	N/A	PK
	*	11510	28.81	19.34	48.15	74	-25.85	PK



Mode	802.11ac(VHT40)	Channel	159
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5795	71.22	20.52	91.74	N/A	N/A	PK
		5913	39.79	20.96	60.75	77.05	-16.3	PK
		5945.5	40.64	20.95	61.59	68.2	-6.61	PK
Vertical	*	11590	29.13	18.99	48.12	74	-25.88	PK
	@	5795	76.66	20.52	97.18	N/A	N/A	PK
		5893.5	40.22	20.93	61.15	91.47	-30.32	PK
		5978	41.17	20.97	62.14	68.2	-6.06	PK
	*	11590	30.04	18.99	49.03	74	-24.97	PK



Mode	802.11ac(VHT80)	Channel	42
------	-----------------	---------	----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal		5146.65	30.52	19.41	49.93	54	-4.07	AVG
		5149.8	42.7	19.4	62.1	74	-11.9	PK
	@	5210	72.41	19.18	91.59	N/A	N/A	PK
	@	5210	61.55	19.18	80.73	N/A	N/A	AVG
	*	10420	28.6	17.76	46.36	68.2	-21.84	PK
Vertical		5117.25	42.52	19.44	61.96	74	-12.04	PK
		5149.8	30.95	19.4	50.35	54	-3.65	AVG
	@	5210	74.83	19.18	94.01	N/A	N/A	PK
	@	5210	64.21	19.18	83.39	N/A	N/A	AVG
	*	10420	29.2	17.76	46.96	68.2	-21.24	PK


**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX ) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ac(VHT80)	Channel	58
------	-----------------	---------	----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	@	5290	73.5	18.79	92.29	N/A	N/A	PK
	@	5290	61.93	18.79	80.72	N/A	N/A	AVG
		5409	40.16	19.32	59.48	74	-14.52	PK
		5431.8	28.83	19.43	48.26	54	-5.74	AVG
	*	10580	29.12	18.04	47.16	68.2	-21.04	PK
Vertical	@	5290	76.44	18.79	95.23	N/A	N/A	PK
	@	5290	66.08	18.79	84.87	N/A	N/A	AVG
		5351.4	29.6	19.02	48.62	54	-5.38	AVG
		5453.7	39.54	19.53	59.07	74	-14.93	PK
	*	10580	29.62	18.04	47.66	68.2	-20.54	PK


**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX ) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ac(VHT80)	Channel	106
------	-----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal		5404.55	40.73	19.3	60.03	74	-13.97	PK
		5447.6	29.01	19.5	48.51	54	-5.49	AVG
		5463	39.86	19.58	59.44	68.2	-8.76	PK
	@	5530	70.53	19.81	90.34	N/A	N/A	PK
	@	5530	59.85	19.81	79.66	N/A	N/A	AVG
	*	11060	29.09	18.44	47.53	74	-26.47	PK
Vertical		5437.45	39.35	19.46	58.81	74	-15.19	PK
		5457.4	29.2	19.55	48.75	54	-5.25	AVG
		5467.9	40.13	19.61	59.74	68.2	-8.46	PK
	@	5530	73.66	19.81	93.47	N/A	N/A	PK
	@	5530	63.31	19.81	83.12	N/A	N/A	AVG
	*	11060	28.27	18.44	46.71	74	-27.29	PK


**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX ) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1





Mode	802.11ac(VHT80)	Channel	122
------	-----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal		5415.05	40.41	19.34	59.75	74	-14.25	PK
		5454.95	28.75	19.54	48.29	54	-5.71	AVG
		5468.25	39.16	19.61	58.77	68.2	-9.43	PK
	@	5610	71.04	19.69	90.73	N/A	N/A	PK
	@	5610	59.62	19.69	79.31	N/A	N/A	AVG
		5739.15	40.07	20.09	60.16	68.2	-8.04	PK
	*	11220	29.21	18.47	47.68	74	-26.32	PK
Vertical		5444.45	39.67	19.5	59.17	74	-14.83	PK
		5454.6	28.99	19.54	48.53	54	-5.47	AVG
		5467.55	38.96	19.61	58.57	68.2	-9.63	PK
	@	5610	73.2	19.69	92.89	N/A	N/A	PK
	@	5610	62.88	19.69	82.57	N/A	N/A	AVG
		5746.85	39.45	20.16	59.61	68.2	-8.59	PK
	*	11220	28.88	18.47	47.35	74	-26.65	PK

**Underwriters Laboratories Taiwan Co., Ltd.**

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX ) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1

