


Plot # 1 Emission Mask B Carrier Frequency: 146.05 MHz Power: 1 W Modulation: FM with 2.5 kHz Sine Wave




Plot # 2 Emission Mask B Carrier Frequency: 160.05 MHz Power: 1 W Modulation: FM with 2.5 kHz Sine Wave




Plot # 3 Emission Mask B Carrier Frequency: 173.95 MHz Power: 1 W Modulation: FM with 2.5 kHz Sine Wave




Plot # 4 Emission Mask B Carrier Frequency: 146.05 MHz Power: 5 W Modulation: FM with 2.5 kHz Sine Wave




Plot # 5 Emission Mask B Carrier Frequency: 160.05 MHz Power: 5 W Modulation: FM with 2.5 kHz Sine Wave




Plot # 6 Emission Mask B Carrier Frequency: 173.95 MHz Power: 5 W Modulation: FM with 2.5 kHz Sine Wave




Plot # 7 Emission Mask D Carrier Frequency: 146.05 MHz Power: 1 W Modulation: FM with 2.5 kHz Sine Wave




Plot # 8 Emission Mask D Carrier Frequency: 160.05 MHz Power: 1 W Modulation: FM with 2.5 kHz Sine Wave




Plot # 9 Emission Mask D Carrier Frequency: 173.95 MHz Power: 1 W Modulation: FM with 2.5 kHz Sine Wave




Plot # 10 Emission Mask D Carrier Frequency: 146.05 MHz Power: 5 W Modulation: FM with 2.5 kHz Sine Wave



Plot # 11 Emission Mask D Carrier Frequency: 160.05 MHz Power: 5 W Modulation: FM with 2.5 kHz Sine Wave




Plot # 12 Emission Mask D Carrier Frequency: 173.95 MHz Power: 5 W Modulation: FM with 2.5 kHz Sine Wave




Plot # 13 Spurious Emissions at Antenna Terminals Carrier Frequency: 146.05 MHz, WB (25 kHz Channel Spacing) Power: 1 W Modulation: FM with 2.5 kHz Sine Wave

10 15:28:	COM INCORPORA VHF-FM HAND HEL CARRIER FREQUENCY: MODULATION: FM WITH Ø7 23 MAN	Watts	Date: May 31 2001 Tested By: Wayne			
	dBm DFFST 2Ø.2	dB				No user Menu
LOG REF 5 1Ø dB/ ATN 4Ø dB	5Ø.Ø dBm					
VA SB SC FC CORR						
START 10.	Ø MHz 3W 1ØØ KHz	#AVG E	BW 1ØØ KHZ		3Ø.Ø MHz 6.Ø msec	


Plot # 14 Spurious Emissions at Antenna Terminals Carrier Frequency: 146.05 MHz, WB (25 kHz Channel Spacing) Power: 1 W Modulation: FM with 2.5 kHz Sine Wave




Plot # 15 Spurious Emissions at Antenna Terminals Carrier Frequency: 146.05 MHz, WB (25 kHz Channel Spacing) Power: 5 W Modulation: FM with 2.5 kHz Sine Wave




Plot # 16 Spurious Emissions at Antenna Terminals Carrier Frequency: 146.05 MHz, WB (25 kHz Channel Spacing) Power: 5 W Modulation: FM with 2.5 kHz Sine Wave




Plot #17 Spurious Emissions at Antenna Terminals Carrier Frequency: 160.05 MHz, WB (25 kHz Channel Spacing) Power: 1 W Modulation: FM with 2.5 kHz Sine Wave




Plot # 18 Spurious Emissions at Antenna Terminals Carrier Frequency: 160.05 MHz, WB (25 kHz Channel Spacing) Power: 1 W Modulation: FM with 2.5 kHz Sine Wave




Plot # 19 Spurious Emissions at Antenna Terminals Carrier Frequency: 160.05 MHz, WB (25 kHz Channel Spacing) Power: 5 W Modulation: FM with 2.5 kHz Sine Wave




Plot # 20 Spurious Emissions at Antenna Terminals Carrier Frequency: 160.05 MHz, WB (25 kHz Channel Spacing) Power: 5 W Modulation: FM with 2.5 kHz Sine Wave



Plot # 21 Spurious Emissions at Antenna Terminals Carrier Frequency: 173.95 MHz, WiB (25 kHz Channel Spacing) Power: 1 W Modulation: FM with 2.5 kHz Sine Wave




Plot # 22 Spurious Emissions at Antenna Terminals Carrier Frequency: 173.95 MHz, WB (25 kHz Channel Spacing) Power: 1 W Modulation: FM with 2.5 kHz Sine Wave




Plot # 23 Spurious Emissions at Antenna Terminals Carrier Frequency: 173.95 MHz, WiB (25 kHz Channel Spacing) Power: 5 W Modulation: FM with 2.5 kHz Sine Wave

1/1/	COM INCORPORATED, VHF-FM HAND HELD TF CARRIER FREQUENCY: [7] MODULATION: FM WITH 2.51 Ø7 23 MAY 2	RASNCEIVER	1997 (1999 (1997 (	Date: "lay > 8 200/ Tested By: Wayne			
Ultra och 5Ø.Ø	EVEL dBm			MKR	K K QP AVG 174.5 MHz 37.56 dBm	No user Menu	
	DFFST 2Ø.2 di	3					
VA SB SC FC CORR		mydnylmini			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
START 10.0	- var star an - ta		<u>1</u>		23Ø.Ø MHz 66.Ø msec		

Plot # 24 Spurious Emissions at Antenna Terminals Carrier Frequency: 173.95 MHz, WB (25 kHz Channel Spacing) Power: 5 W Modulation: FM with 2.5 kHz Sine Wave




Plot # 25 Transient Frequency Behavior Carrier Frequency: 146.05 MHz, NB (12.5 kHz Channel Spacing) Power: 5 W Modulation: Unmodulated Description: Carrier On Time



Plot # 26 Transient Frequency Behavior Carrier Frequency: 146.05 MHz, NB (12.5 kHz Channel Spacing) Power: 5 W Modulation: Unmodulated Description: Carrier Off Time




Plot # 27 Transient Frequency Behavior Carrier Frequency: 146.05 MHz, NB (12.5kHz Channel Spacing) Power: 5 W Modulation: FM with 2.5 kHz Sine Wave Description: Carrier On Time




Plot # 28 Transient Frequency Behavior Carrier Frequency: 146.05 MHz, NB (12.5 kHz Channel Spacing) Power: 5 W Modulation: FM with 2.5 kHz Sine Wave Description: Carrier Off Time




Plot # 29 Transient Frequency Behavior Carrier Frequency: 146.05 MHz, WB (25 kHz Channel Spacing) Power: 5 W Modulation: Unmodulated Description: Carrier On Time



Plot # 30 Transient Frequency Behavior Carrier Frequency: 146.05 MHz, WB (25 kHz Channel Spacing) Power: 5 W Modulation: Unmodulated Description: Carrier Off Time



Plot # 31 Transient Frequency Behavior Carrier Frequency: 146.05 MHz, WB (25 kHz Channel Spacing) Power: 5 W Modulation: FM with 2.5 kHz Sine Wave Description: Carrier On Time



Plot # 32 Transient Frequency Behavior Carrier Frequency: 146.05 MHz, WB (25 kHz Channel Spacing) Power: 5 W Modulation: FM with 2.5 kHz Sine Wave Description: Carrier Off Time

