




ICOM AMERICA INC.
UHF TRANSCEIVER, MODEL: IC-F221S
Channel: LOW, Tx Freq.: 440.05 MHz, Channel Spacing: 25 kHz, Output Power: 36.57 dBm
Modulation: FM Modulation with 2.5 kHz Sine Wave signal, Freq. Dev.: 4.5 kHz
EMISSION MASK B

Date: Oct. 24 2002
Tested by: Hung Trinh

Plot # 13






ICOM AMERICA INC.
UHF TRANSCEIVER, MODEL: IC-F221S
Channel: 44D, Tx Freq.: 465.054 MHz, Channel Spacing: 25 kHz, Output Power: 30.30 dBm
Modulation.: FM Modulation with 2.5 kHz Sine Wave signal, Freq. Dev.: 4.5 kHz
EMISSION MASK B

Date: Oct. 24 2002
Tested by: Hung Trinh

PLOT # 14






ICOM AMERICA INC.
UHF TRANSCEIVER, MODEL: IC-F221S
Channel: H1 Chan Tx Freq: 489.95 MHz, Channel Spacing: 2.5 kHz, Output Power 36.0 dBm
Modulation: FM Modulation with 2.5 kHz Sine Wave signal, Freq. Dev: 2.5 kHz
EMISSION MASK B

Date: Oct. 24 2002
Tested by: Hung Trinh

PLOT # 15






ICOM AMERICA INC.
UHF TRANSCEIVER, MODEL: IC-F221S
Channel: LOVA, Tx Freq: 440.05 MHz, Channel Spacing: 25 kHz, Output Power: 40.5 dBm
Modulation: FM Modulation with 2.5 kHz Sine Wave signal, Freq. Dev.: 4.5 kHz
EMISSION MASK B

Date: Oct. 24 2002
Tested by: Hung Trinh

PLOT # 16






ICOM AMERICA INC.
UHF TRANSCEIVER, MODEL: IC-F221S
Channel: 465.0502 Tx Freq.: 465.0502 MHz, Channel Spacing: 25 kHz, Output Power: 46.31 dBm
Modulation: FM Modulation with 2.5 kHz Sine Wave signal, Freq. Dev.: 4.5 kHz
EMISSION MASK B

Date: Oct. 24 2002
Tested by: Hung Trinh

PLOT # 17





ICOM AMERICA INC.
UHF TRANSCEIVER, MODEL: IC-F221S
Channel: 489.9496 Tx Freq: 489.9496 MHz, Channel Spacing: 25 kHz, Output Power: 45.38 dBm
Modulation.: FM Modulation with 2.5 kHz Sine Wave signal, Freq. Dev.: 4.5 kHz
EMISSION MASK B

Date: Oct. 24 2002
Tested by: Hung Trinh

PLOT # 18

