

ANNEX 1 - PLOTS OF MEASUREMENTS
Mobile VHF FM Transceiver, Models IC-F520


Plot # 1
FCC ID: AFJIC-F520

99% OCCUPIED BANDWIDTH



ICOM AMERICA INC.
VHF TRANSCEIVER, MODEL: IC-F520
Channel: 1, Tx Freq: 136.1000 MHz, Output Power: 20.0 W, Channel Spacing: 12.5 kHz
Modulation: FM Modulation with 2.5 kHz Sine Wave signal, Freq. Dev: 2.5 kHz
99% OBW

Date: Jan 24, 2002
Tested by: Hung Trinh
PLOT # 1



ANNEX 1 - PLOTS OF MEASUREMENTS
Mobile VHF FM Transceiver, Models IC-F520

Plot # 2
FCC ID: AFJIC-F520


99% OCCUPIED BANDWIDTH



ICOM AMERICA INC.
VHF TRANSCEIVER, MODEL: IC-F520
Channel: 2, Tx Freq: 155.1 MHz, Output Power: 20.3 W, Channel Spacing: 12.5 kHz
Modulation: FM Modulation with 2.5 kHz Sine Wave signal, Freq. Dev: 2.5 kHz
99 % OBW

Date: Jan 24, 2002
Tested by: Hung Trinh

PLOT # 2



ANNEX 1 - PLOTS OF MEASUREMENTS
Mobile VHF FM Transceiver, Models IC-F520

Plot # 3
FCC ID: AFJIC-F520


99% OCCUPIED BANDWIDTH



ICOM AMERICA INC.
VHF TRANSCEIVER, MODEL: IC-F520
Channel: 3 Tx Freq: 173.0 MHz, Output Power: 5W Channel Spacing: 12.5 kHz
Modulation: FM Modulation with 2.5 kHz Sine Wave signal, Freq. Dev: 2.5 kHz
99% OBW

Date: Jan 24, 2002
Tested by: Hung Trinh

PLOT # 3



ANNEX 1 - PLOTS OF MEASUREMENTS
Mobile VHF FM Transceiver, Models IC-F520


Plot # 4
FCC ID: AFJIC-F520

99% OCCUPIED BANDWIDTH



ICOM AMERICA INC.
VHF TRANSCEIVER, MODEL: IC-F520
Channel: 12.80, Tx Freq: 136.1000 MHz, Output Power: 20.0 W, Channel Spacing: 12.5 kHz
Modulation: FM Modulation with 2.5 kHz Sine Wave signal, Freq. Dev: 5.0 kHz
99 % OBW


Date: Jan 24, 2002
Tested by: Hung Trinh
PLOT # 4



ANNEX 1 - PLOTS OF MEASUREMENTS
Mobile VHF FM Transceiver, Models IC-F520

Plot # 5
FCC ID: AFJIC-F520

99% OCCUPIED BANDWIDTH



ANNEX 1 - PLOTS OF MEASUREMENTS
Mobile VHF FM Transceiver, Models IC-F520

Plot # 6
FCC ID: AFJIC-F520

99% OCCUPIED BANDWIDTH

