


EMISSION MASK D



ICOM AMERICA INC.
UHF TRANSCIVER, MODEL: IC-F620-1
Channel: 1, Tx Freq: 400.04986 MHz, Output Power: 43.34 dBm, Channel Spacing: 12.5 kHz
Modulation: FM Modulation with 2.5 kHz Sine Wave signal, Freq. Dev.: 2.5 kHz
EMISSION MASK D

Date: April 22 2002
Tested by: Hung Trinh

PLOT # 7




EMISSION MASK D



ICOM AMERICA INC.
UHF TRANSCEIVER, MODEL: IC-F620-1
Channel: 1, Tx Freq: 415.05 MHz, Output Power: 10 dBm, Channel Spacing: 12.5 kHz
Modulation: FM Modulation with 2.5 kHz Sine Wave signal, Freq. Dev: 2.5 kHz
EMISSION MASK D

Date: April 22 2002
Tested by: Hung Trinh

PLOT # 8




EMISSION MASK D



ICOM AMERICA INC.
UHF TRANSCEIVER, MODEL: IC-F620-1
Channel: 3, Tx Freq: 429.9512 MHz, Output Power: 44.1 dBm, Channel Spacing: 12.5 kHz
Modulation: FM Modulation with 2.5 kHz Sine Wave signal, Freq. Dev.: 2.5 kHz
EMISSION MASK D

Date: April 2002
Tested by: Hung Trinh

PLOT # 9




EMISSION MASK D



ICOM AMERICA INC.
UHF TRANSCEIVER, MODEL: IC-F620-1
Channel: 7, Tx Freq: 400.04986 MHz, Output Power: 33.61 dBm, Channel Spacing: 12.5 kHz
Modulation: FM Modulation with 2.5 kHz Sine Wave signal, Freq. Dev.: 8.4 kHz
EMISSION MASK D

Date: April 22, 2002
Tested by: Hung Trinh

PLOT #10




EMISSION MASK D



ICOM AMERICA INC.
UHF TRANSCEIVER, MODEL: IC-F620-1
Channel: 8, Tx Freq: 415.0493 MHz, Output Power: 39.2 dBm, Channel Spacing: 12.5 kHz
Modulation: FM Modulation with 2.5 kHz Sine Wave signal, Freq. Dev: 2.5 kHz
EMISSION MASK D

Date: April 22, 2002
Tested by: Hung Trinh

PLOT # 11



EMISSION MASK D



ICOM AMERICA INC.
UHF TRANSCEIVER, MODEL: IC-F620-1
Channel: D, Tx Freq: 429.95 MHz, Output Power: 37.7 dBm, Channel Spacing: 12.5 kHz
Modulation: FM Modulation with 2.5 kHz Sine Wave signal, Freq. Dev.: 0.4 kHz
EMISSION MASK D

Date: April 22 2002
Tested by: Hung Trinh

PLOT #12

