


TRANSMITTER RF CONDUCTED EMISSIONS @ RF ANTENNA PORT




TRANSMITTER RF CONDUCTED EMISSIONS @ RF ANTENNA PORT



ICOM AMERICA INC.
UHF TRANSCEIVER, MODEL: IC-F620-1
Channel: 1, Tx Freq: 440.65 MHz, Output Power: 24.1 dBm, Channel Spacing: 12.5 kHz
Modulation: FM Modulation with 2.5 kHz Sine Wave signal, Freq. Dev: 5.4 kHz
TRANSMITTER ANTENNA POWER CONDUCTED EMISSIONS

Date: April 19 2002
Tested by: Hung Trinh

PLOT # 20



*** Multi Marker List ***

No.	Freq	Power	Unit
No. 1:	802 MHz	-43.56 dBm	A
No. 2:	1.201 GHz	-50.34 dBm	A
No. 3:	3.997 GHz	-50.78 dBm	A
No. 4:			
No. 5:			
No. 6:			
No. 7:			
No. 8:			
Δ:			


TRANSMITTER RF CONDUCTED EMISSIONS @ RF ANTENNA PORT



ICOM AMERICA INC.
UHF TRANSCEIVER, MODEL: IC-F620-1
Channel: 2, Tx Freq: 415.45 MHz, Output Power: 40 dBm, Channel Spacing: 12.5 kHz
Modulation: FM Modulation with 2.5 kHz Sine Wave signal, Freq. Dev: 2.5 kHz
TRANSMITTER ANTENNA POWER CONDUCTED EMISSIONS

Date: April 19, 2002
Tested by: Hung Trinh

PLOT # 21




TRANSMITTER RF CONDUCTED EMISSIONS @ RF ANTENNA PORT



ICOM AMERICA INC.
UHF TRANSCEIVER, MODEL: IC-F620-1
Channel: 8, Tx Freq: 3.329 MHz, Output Power: 100 dBm, Channel Spacing: 12.5 kHz
Modulation: FM Modulation with 2.5 kHz Sine Wave signal, Freq. Dev.: 2.5 kHz
TRANSMITTER ANTENNA POWER CONDUCTED EMISSIONS

Date: April 19 2002
Tested by: Hung Trinh

PLOT # 22



*** Multi Marker List ***

No. 1:	834 MHz	-43.34 dBm	A
No. 2:	1.246 GHz	-48.97 dBm	A
No. 3:	3.329 GHz	-41.66 dBm	A
No. 4:			
No. 5:			
No. 6:			
No. 7:			
No. 8:			
Δ:			


TRANSMITTER RF CONDUCTED EMISSIONS @ RF ANTENNA PORT



ICOM AMERICA INC.
UHF TRANSCEIVER, MODEL: IC-F620-1
Channel: 3, Tx Freq: 429.95 MHz, Output Power: 1 dBm, Channel Spacing: 12.5 kHz
Modulation: FM Modulation with 2.5 kHz Sine Wave signal, Freq. Dev.: 2.5 kHz
TRANSMITTER ANTENNA POWER CONDUCTED EMISSIONS

Date: April 19, 2002
Tested by: Hung Trinh

PLOT # 23




TRANSMITTER RF CONDUCTED EMISSIONS @ RF ANTENNA PORT



ICOM AMERICA INC.
UHF TRANSCEIVER, MODEL: IC-F620-1
Channel: 3, Tx Freq: 439.950 MHz, Output Power: 40.1 dBm, Channel Spacing: 12.5 kHz
Modulation: FM Modulation with 2.5 kHz Sine Wave signal, Freq. Dev: 3.4 kHz
TRANSMITTER ANTENNA POWER CONDUCTED EMISSIONS

Date: April 10 2002
Tested by: Hung Trinh

PLOT # 24



*** Multi Marker List ***

No. 1:	860 MHz	-42.53 dBm	A
No. 2:	1.297 GHz	-48.16 dBm	A
No. 3:	3.444 GHz	-42.88 dBm	A
No. 4:			
No. 5:			
No. 6:			
No. 7:			
No. 8:			
Δ:			


TRANSMITTER RF CONDUCTED EMISSIONS @ RF ANTENNA PORT



ICOM AMERICA INC.
UHF TRANSCEIVER, MODEL: IC-F620-1
Channel: 7, Tx Freq.: 400.0 MHz, Output Power: 30.0 dBm, Channel Spacing: 12.5 kHz
Modulation: FM Modulation with 2.5 kHz Sine Wave signal, Freq. Dev.: 2.5 kHz
TRANSMITTER ANTENNA POWER CONDUCTED EMISSIONS

Date: April 19, 2002
Tested by: Hung Trinh

PLOT # 25




TRANSMITTER RF CONDUCTED EMISSIONS @ RF ANTENNA PORT



ICOM AMERICA INC.
UHF TRANSCEIVER, MODEL: IC-F620-1
Channel: 7, Tx Freq: 3.586 MHz, Output Power: 50 dBm, Channel Spacing: 12.5 kHz
Modulation: FM Modulation with 2.5 kHz Sine Wave signal, Freq. Dev: 2.5 kHz
TRANSMITTER ANTENNA POWER CONDUCTED EMISSIONS

Date: April 19, 2002
Tested by: Hung Trinh

PLOT # 26




TRANSMITTER RF CONDUCTED EMISSIONS @ RF ANTENNA PORT



ICOM AMERICA INC.
UHF TRANSCEIVER, MODEL: IC-F620-1
Channel: 9, Tx Freq: 414.6 MHz, Output Power: 33.72 dBm, Channel Spacing: 12.5 kHz
Modulation: FM Modulation with 2.5 kHz Sine Wave signal, Freq. Dev.: 2.5 kHz
TRANSMITTER ANTENNA POWER CONDUCTED EMISSIONS

Date: April 19 2002
Tested by: Hung Trinh

PLOT # 27




TRANSMITTER RF CONDUCTED EMISSIONS @ RF ANTENNA PORT



ICOM AMERICA INC.
UHF TRANSCEIVER, MODEL: IC-F620-1
Channel: 8, Tx Freq: 445.8 MHz, Output Power: 20.2 dBm, Channel Spacing: 12.5 kHz
Modulation: FM Modulation with 2.5 kHz Sine Wave signal, Freq. Dev: 2.4 kHz
TRANSMITTER ANTENNA POWER CONDUCTED EMISSIONS

Date: April 19, 2002
Tested by: Hung Trinh

PLOT # 28




TRANSMITTER RF CONDUCTED EMISSIONS @ RF ANTENNA PORT



ICOM AMERICA INC.
UHF TRANSCEIVER, MODEL: IC-F620-1
Channel: 9, Tx Freq: 429.3 MHz, Output Power: 33.94 dBm, Channel Spacing: 12.5 kHz
Modulation: FM Modulation with 2.5 kHz Sine Wave signal, Freq. Dev.: 3.4 kHz
TRANSMITTER ANTENNA POWER CONDUCTED EMISSIONS

Date: April 19, 2002
Tested by: Hung Trinh

PLOT # 29



TRANSMITTER RF CONDUCTED EMISSIONS @ RF ANTENNA PORT



ICOM AMERICA INC.
UHF TRANSCEIVER, MODEL: IC-F620-1
Channel: 9, Tx Freq: 462.92 MHz, Output Power: 34.8 dBm, Channel Spacing: 25 kHz
Modulation: FM Modulation with 2.5 kHz Sine Wave signal, Freq. Dev.: 4.4 kHz
TRANSMITTER ANTENNA POWER CONDUCTED EMISSIONS

Date: April 19, 2002
Tested by: Hung Trinh

PLOT # 30

