



ICOM IC-V8000

PWR

M/CALL
PRIO

TONE
T-SCAN

LOW
DUP

V/MHz
SCAN

MONI
ANM

SET
LOCK

MW
S.MW

BANK
OPT









ICOM IC-V8000
FCC ID: AFJ IC-V8000
ICOM INC. MADE IN JAPAN
SERIAL NO. 00015
DC13.8V SP ANT

The diagram shows a DC13.8V power source connected to a speaker (SP) and an antenna (ANT). The antenna connection is shown as a BNC connector.





iCOM

IC-V8000


FCC ID:AFJ IC-V8000

Icom Inc.

MADE IN JAPAN

SERIAL NO.

00015



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

WARNING: MODIFICATION OF THIS DEVICE TO RECEIVE CELLULAR RADIOTELEPHONE SERVICE SIGNALS IS PROHIBITED UNDER FCC RULES AND FEDERAL LAW.

ICOM

IC-V8000


FCC ID:AFJ IC-V8000

Icom Inc.

MADE IN JAPAN

SERIAL NO.

00015



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

WARNING: MODIFICATION OF THIS DEVICE TO RECEIVE CELLULAR RADIOTELEPHONE SERVICE SIGNALS IS PROHIBITED UNDER FCC RULES AND FEDERAL LAW.