



9F., No. 105,
Xicheng Rd.,
Banqiao City,
Taipei County,
220, Taiwan.

TEL : +886-2-2686-5912


FAX : +886-2-2686-2937

WEB : WWW.BRITO.COM.TW

Embedded Antenna Test Report


1. Antenna spec

Model Name : SN-KF-04




2. Reference

RETURN LOSS





VSWR



3. Chamber Test

Set-up



Efficiency

Test Date	2016/07/15		
Trade Name			
App.No	-		
Model Name			
Test Mode Free Space & Talking Position	ETS Standards		
Communication System	ISM band		
Channel	2400	2450	2500
Note			
Ant. Port Input Pwr. (dBm)	0	0	0
Tot. Rad. Pwr. (dBm)	-2.93214	-2.57225	-2.55787
Peak EIRP (dBm)	0.903581	1.59387	2.04078
Directivity (dBi)	3.83572	4.16613	4.59865
Efficiency (dB)	-2.93214	-2.57225	-2.55787
Efficiency (%)	50.908	55.3063	55.4898


Job No.:160715-Dbii-2400

Date:2016-07-15

Time:14:10

Tested by: John

Center freq.(MHz): : 2400



Tot. Rad. Pwr. (dBm) : -2.93214 dBm

Efficiency (%) : 50.908

Gain (dBi) : 0.903581


Job No.:160715- Dbii-2450

Date:2016-07-15

Time:14:10

Tested by: John

Center freq.(MHz): : 2450



Tot. Rad. Pwr. (dBm) : -2.57225 dBm

Efficiency (%) : 55.3063

Gain (dBi) : 1.59387


Job No.:160715- Dbii-2500

Date:2016-07-15

Time:14:10

Tested by: John

Center freq.(MHz): : 2500



Tot. Rad. Pwr. (dBm) : -2.55787 dBm

Efficiency (%) : 55.4898

Gain (dBi) : 2.04078