

TYPE OF EXHIBIT: FCC DATA LABEL

FCC PART: 2.1033 (c)(11)

MANUFACTURER: RITRON, INC.
505 West Carmel Drive
Carmel, IN 46032

MODEL: SST-442

TYPE OF UNIT: UHF-FM Handheld Transceiver

FCC ID: AIERIT13-442


DATE: April 11, 2001

The following drawing specifies the FCC Label for the SST-442. The label is placed on the SST-442 case back into a recessed area molded into the case back. A photograph is included to indicate the position of the label on the case back. Each serial number is recorded along with the date of manufacture and is kept on file at RITRON, Inc.


The FCC data label will be made of a "tamper proof" destructive, .002" thick silver mylar material laminated to .003" Lexan film with Hi-Tack adhesive backing. The label background will be black with all graphics in silver. The area containing the FCC ID designator will be silver with black graphics. A 2nd small label of the same material will contain the manufacture date.

Serialization will begin with the serial number A1234. The combined size of the serial label and manufacturing date label is 2.979" x 0.980".

Signed:



Michael A. Pickard - Project Engineer





TYPE SPECIFICATIONS:

- "FCC ID: AIERIT13-442" AND "FREQ: 460-470 MHz" Black characters, bold helvetica type style (font), 5 point type size, aligned left in silver box. Allow space between box border and text as shown.
- "FOR BEST PERFORMANCE . . . OF SERVICE" Silver characters, helvetica type style, 5 point type size, centered horizontally in the right half of the label as shown.
- "OPERATING INSTRUCTIONS . . . HOLD FOR OFF" Silver characters, bold helvetica type style, 3 point type size, aligned left in the box. Allow space between box border and text as shown.
- "MADE IN THE USA BY RITRON, INC." and " PH: 317-846-1201" are silver characters, bold helvetica type style, 5 point type size. Align left as shown.
- "SST-442" is silver characters, bold helvetica type style, 9 point type size. Align as shown.
- "www.ritron.com" is silver characters, helvetica type style, 7 point type size, centered horizontally in the left half of the label as shown.

NOTES:

- MATERIAL - .010 thick clear lexan film (#8 B35) with velvet/matte finish.
- ADHESIVE - Part to have .002 thick "tamper proof" destructive adhesive (Scotch #467 or Engineering approved equivalent) with an easy to remove liner.
- GRAPHICS - To be subsurface printed on the matte side. To be per Ritron art work definition (see type specifications at left). To be registered to the part edge as shown in View A.
- The area designated for the SERIAL NUMBER will be silver, and is 0.55" x 0.14". Serial number characters are black, 8 point type size. Serial number to be centered within the silver area.
- NUMBER SERIALIZATION to use hot stamp process on .0015" silver compucal material with bold black print.
- PATRIOT SST Logo provided on stat sheet. Logo dimensions are 0.805" x 0.23", represented in View A by the box outline. (Box is for sizing only and will not appear.) Logo is silver. Center the logo horizontally, in the left half of the label as shown.

TOLERANCES (EXCEPT AS NOTED)		REVISIONS			RITRON, INC.		
DECIMAL		NO.	DATE	BY	505 West Carmel Drive Carmel, IN 46032		
FRACTIONAL		1			SST-442 FCC / MODEL LABEL		
ANGULAR		2					
		3			DRAWN BY	SCALE	MATERIAL
		4			CHK'D	DATE	DRAWING NO.
		5			TRACED	APP'D	
					MAP	2 : 1	
						4/10/01	
							14200100



TYPE SPECIFICATIONS:

"MFG DATE" will be silver characters, bold helvetica type style, 5 point type size. Align left as shown.

NOTES:

1. MATERIAL - .002 thick silver mylar, laminated to .003 thick Lexan film (#8B35) with velvet/matte finish.
2. ADHESIVE - Part to have .002 thick adhesive (Scotch #9471 or engineering approved equivalent) with an easy to remove liner.
3. GRAPHICS - To be per Ritron art work definition. To be registered to the part edge as shown in view A. Background color to be black.
4. The area designated for the date will be silver, and is $0.385'' \times 0.13''$. Characters will be 8 point type size. Date to be centered within the silver area.
5. Date to use hot stamp process on .002" silver mylar material with bold black print.

TOLERANCES (EXCEPT AS NOTED)	REVISIONS			RITRON, INC.		
	NO.	DATE	BY	505 West Carmel Drive Carmel, IN 46032		
DECIMAL \pm	1			SST/JMX FCC LABEL - MFG DATE		
FRACTIONAL \pm	2					
ANGULAR \pm	3			DRAWN BY	DHD	SCALE 2 : 1
	4			CHK'D		DATE 06/21/95
	5			TRACED		APP'D
				MATERIAL		
				DRAWING NO.		
				14200037		



FCC ID: AIE RYT1-452
FREQ: 460-470
FOR BEST PERFORMANCE REPLACE
BATTERY PACK AFTER A MAXIMUM
OF 18 MONTHS OF SERVICE.

Jobcom
JUL 2004

MADE IN THE U.S.A. BY RITRON, INC.
MODEL: JMX-452

DO NOT RETURN TO DEALER
FOR SERVICE, RETURN PRODUCT DIRECTLY TO:
RITRON, INC.
505 WEST CARMEL DR.
CARMEL, IN 46033
OR CALL 1-800-USA-1-USA

www.jobcom.com
A 2412

MFG DATE 03/09