

TYPE OF EXHIBIT: FCC DATA LABEL

FCC PART: 2.1033 (c)(11)

MANUFACTURER: RITRON, INC.
505 West Carmel Drive
Carmel, IN 46032

MODELS: RQX-156, RQX-156-XT

FCC ID: AIERIT18-156

DATE: November 6, 2003

IC STANDARDS:	RSP-100, Issue 8, Section 4 RSP-100, Issue 8, Section 5.1(g) RSS-119, Issue 6, Section 5.1
INDUSTRY CANADA:	1084A-RIT18156
MODELS:	RQX-156-CANADA, RQX-156-XT-CANADA, RQX-156-BC, RQX-156-BC-XT

The following drawing specifies the FCC Label for the RQX-156 and RQX-156-XT. Photographs are included to indicate the position of the label on each model's case. Each serial number is recorded along with the date of manufacture and is kept on file at RITRON, Inc.

Serialization will begin with the serial number 12345. The size of the serial label is 1.50" x 0.625".

Signed:



Kevin G. Matson - Project Engineer



EXHIBIT: RQX-156 case bottom showing location of FCC ID Label
(photo is for location only, actual label is per attached drawing)

FCC ID: AIERIT18-156

IC: 1084A-RIT18156





EXHIBIT: RQX-156-XT with faceplate removed to show location of FCC ID Label
(photo is for location only, actual label is per attached drawing)

FCC ID: AIERIT18-156

IC: 1084A-RIT18156



TYPE SPECIFICATIONS:

- All characters black, Helvetica, 6 point, 90% width except where noted below
- "Telephone: ", "FCC ID:", "IC:", "Model:", and "SN:" Black characters, Helvetica Bold, 6 point, 90% width.
- "FCC ID: AIERIT18-156" will be enclosed in a box border (bold/black) centered around the text.
- All lines of text centered horizontally on the label.

MATERIAL SPECIFICATIONS:

- MATERIAL** - Topcoated metallized silver polyester. (FLEXmark MM 200 Silver TC-249 L-23 spec 50K/Q-8)
- ADHESIVE** - A permanent Acrylic adhesive appx. 0.8-0.9 mils thick with a Kraft Release Liner 3.1 mils thk.
- GRAPHICS** - Indoor/Outdoor Smudge and Abrasion resistant images.
- DURABILITY** - Service temperature of -40 F to 200 F
- OVERLAMINATION** - Clear Matte film with acrylic adhesive.

NOTES:

- Number Serialization to start with 12345 with number incremented by one on each label.
- The FCC/Model label for the RQX-156 will use the above materials/specifications or a RITRON approved equivalent.
- Vendor will supply photoproofs for RITRON Engineering approval prior to manufacturing production labels.
- No changes to label without RITRON engineering approval.

* FLEXmark is a registered trademark of FLEXcon Company, Inc.

TOLERANCES (EXCEPT AS NOTED)	REVISIONS				RITRON, INC. 505 West Carmel Drive Carmel, IN 46032				
	NO.	DATE	BY						
DECIMAL —	1	03/08/04	MAP		RQX-156 FCC/MODEL LABEL				
FRACTIONAL —	2								
	3				DRAWN BY	MAP	SCALE	2 : 1	MATERIAL
ANGULAR —	4				CHECKED		DATE	02/26/04	DRAWING NUMBER
	5				TRACED		APPROVED		14200142