

VHF FM TRANSCEIVER
FCO ID. AIRRIT21-150
SNo.:

Restricted to occupational use to satisfy
FCC RF energy exposure limits.

See user manual for awareness and control info.

SCALE: 2:1

SCALE: 1:1



SCALE: 4:1



SCALE: 4:1

TYPE SPECIFICATIONS:

- 1. "VHF FM TRANSCEIVER", "FCC ID: AIERIT21-150", "S/No.:" Silver characters, Helvetica, 4 point, left align.
- "Restricted to occupational use.....control info."
 Silver characters, Helvetica, 4 point, center align within box outline area.
- "Built to Ritron, Inc. specification Carmel, IN USA"
 Silver characters, Helvetica, 3.5 point, left align below box outline.
- "Assembled in Korea" Silver characters, Helvetica, 3.5 point, right align below box outline.

MATERIAL SPECIFICATIONS:

- 1. MATERIAL .010 thick clear Lexan film (#8B35) with velvet/matte finish.
- 2. ADHESIVE Part to have .002 thick "tamper proof" destructive adhesive (Scotch #467 or Engineering approved equivalent) with an easy to remove liner.
- **3. GRAPHICS** To be sub-surface printed on the matte side per Ritron art work definition (see type specifications above), registered to the part edge as shown in View A. Background color to be black.
- 4. The area designated for the SERIAL NUMBER will be silver, and is 0.55" x 0.10". Serial number characters are black, 8 point size. Serial number to be centered within the silver area.
- **5.** The box ouline area for the FCC RF Notice is 1.43" x 0.20", 0.25 pt. silver line. A vertical silver line, 0.25 pt., is located 0.275" from the left edge of the box to seperate the NOTICE! symbol and the FCC RF warning text.
- **6. NUMBER SERIALIZATION** to use hot stamp process on .0015" silver compucal material with bold black print.
- 7. NOTICE! symbol and RITRON logo provided on stat sheet, silver graphics.

NOTES:

- 1. Number Serialization to start with 12345 with number incremented by one on each label.
- 2. Serial number box and RF warning box to be right aligned.
- **3.** The FCC/Model label for the SLX-100 will use the above materials/specifications or a RITRON approved equivalent.
- **4.** Vendor will suppy photoproofs for RITRON Engineering approval prior to manufacturing production labels.
- 5. No changes to label without RITRON engineering approval.

^{*} FLEXmark is a registered trademark of FLEXcon Company, Inc.

TOLERANCES (EXCEPT AS NOTED)	REVISIONS			RITRON, INC.				
,	NO.	DATE	BY	505 West Carmel Drive Carmel, IN 46032				
DECIMAL -	1			SLX-100 FCC/MODEL LABEL				
FRACTIONAL -	2							
	3			DRAWN BY	MAP	SCALE	2:1	MATERIAL
ANGULAR -	4			CHECKED		DATE	03/28/05	DRAWING NUMBER
	5			TRACED		APPROVED		14200151