

RF Exposure / SAR Statement

No. : 30CE0242-YK-01-A

Applicant : PIONEER CORPORATION
Type of Equipment : MEDIA CENTER RECEIVER
Model No. : MVH-P8200BT
FCC ID : AJDK029

PIONEER CORPORATION declares that Model : MEDIA CENTER RECEIVER complies with FCC radiation exposure requirement specified in the FCC Rules 2.1091. The "MVH-P8200BT" has 1.13 mW of conducted Peak Output power and 0.95 mW of EIRP. This equipment is considered as a mobile device so that SAR testing is excluded. The Following calculation is the reference data for 20cm distance.

RF Exposure Calculations:

The following information provides the minimum separation distance for the highest gain antenna provided with the "MVH-P8200BT" as calculated from FCC OET Bulletin 65 Appendix A, Table (B) Limits for General Population / Uncontrolled Exposure. This calculation is based on the highest EIRP possible from the system, considering maximum power and antenna gain, and considering a 1.0mW/cm² uncontrolled exposure limit. The Friis formula used was:

$$S = (P * G) / (4 * \pi * r^2)$$

Where

P = 1.13 mW (Maximum peak output power)
G = 0.84 Numerical Antenna gain; equal -0.75 dBi
r = 20.0 cm

For: MVH-P8200BT

$$S = 0.00019 \text{ mW/cm}^2$$

UL Japan, Inc.

YAMAKITA EMC LAB.

907 Kawanishi, Yamakita-machi, Ashigarakami-gun, Kanagawa-ken, 258-0124 JAPAN

Telephone: +81 465 77 1011 Facsimile: +81 465 77 2112