FCC TEST REPORT

For

RDS AV RECEIVER

Model Number: DMH-1770NEX、DMH-1700NEX、DMH-160BT

FCC ID: AJDK116

Report Number : WT208002464

Test Laboratory	:	Shenzhen Academy of Metrology and Quality Inspection
Site Location	:	NETC Building, No.4 Tongfa Rd., Xili, Nanshan, Shenzhen, China
Tel	:	0086-755-86928965
Fax	:	0086-755-86009898-31396
Web E-mail	:	www.smq.com.cn emcrf@smq.com.cn

TEST REPORT DECLARATION

Applicant	:	PIONEER CORPORATION
Address	:	28-8, Honkomagome 2-Chome, Bunkyo-ku, Tokyo 113-0021, Japan
Manufacturer	:	PIONEER CORPORATION
Address	:	28-8, Honkomagome 2-Chome, Bunkyo-ku, Tokyo 113-0021, Japan
EUT Description	:	RDS AV RECEIVER
Model No	:	DMH-1770NEX、DMH-1700NEX、DMH-160BT
Trade mark	:	Pioneer
FCC ID	:	AJDK116

Test Standards: FCC Part 2.1091 (2018)

The EUT described above is tested by Shenzhen Academy of Metrology and Quality Inspection EMC Laboratory to determine the maximum emissions from the EUT. Shenzhen Academy of Metrology and Quality Inspection EMC Laboratory is assumed full responsibility for the accuracy of the test results.

The test report is valid for above tested sample only and shall not be reproduced in part without written approval of the laboratory.

Project Engineer:	牟芳氏	Date:	Oct.26,2020
	(Mou Fangdi 牟芳氏)		
Checked by:	Him Him	_ Date:	Oct.26,2020
	(Lin Yi Xiang 林奕翔)		
Approved by:	7203	Date:	Oct.26,2020
	(Lin Bin 林斌)		

TABLE OF CONTENTS

TEST	REPO	RT DECLARATION	2
1.	TEST	RESULTS SUMMARY	4
2.	GENE	ERAL INFORMATION	5
	2.1.	Report information	5
	2.2.	Laboratory Accreditation and Relationship to Customer	5
3.	PRO	DUCT DESCRIPTION	6
	3.1.	EUT Description	6
4.	RF I	EXPOSURE	7
	4.1.	LIMIT FOR MAXIMUM PERMISSIBLE EXPOSURE(MPE)	7
	4.2.	MPE Calculation Method	7
	4.3.	CALCULATED RESULT	8

1. TEST RESULTS SUMMARY

Table 1 Test Results Summary

Test Items	Test Results
RF Exposure	Pass

2. GENERAL INFORMATION

2.1. Report information

This report is not a certificate of quality; it only applies to the sample of the specific product/equipment given at the time of its testing. The results are not used to indicate or imply that they are application to the similar items. In addition, such results must not be used to indicate or imply that SMQ approves recommends or endorses the manufacture, supplier or use of such product/equipment, or that SMQ in any way guarantees the later performance of the product/equipment.

The sample/s mentioned in this report is/are supplied by Applicant, SMQ therefore assumes no responsibility for the accuracy of information on the brand name, model number, origin of manufacture or any information supplied.

Additional copies of the report are available to the Applicant at an additional fee. No third part can obtain a copy of this report through SMQ, unless the applicant has authorized SMQ in writing to do so.

The lab will not be liable for any loss or damage resulting for false, inaccurate, inappropriate or incomplete product information provided by the applicant/manufacturer.

2.2. Laboratory Accreditation and Relationship to Customer

The testing report were performed by the Shenzhen Academy of Metrology and quality Inspection EMC Laboratory (Guangdong EMC compliance testing center), in their facilities located at NETC Building, No.4 Tongfa Rd., Xili, Nanshan, Shenzhen, China. At the time of testing, Laboratory is a ccredited by the following organizations:

China National Accreditation Service for Conformity Assessment (CNAS) accredits the Laboratory for conformance to FCC standards, EMC international standards and EN standards. The Registra tion Number is CNAS L0579.

The Laboratory is Accredited Testing Laboratory of FCC with Designation number

CN1165 and Site registration number 582918.

The Laboratory is registered to perform emission tests with Innovation, Science and

Economic Development (ISED), and the registration number is 11177A.

The Laboratory is registered to perform emission tests with VCCI, and the registration number are C-20048, G20076, R-20077, R-20078 and T-20047.

The Laboratory is Accredited Testing Laboratory of American Association for Laboratory Accredita tion (A2LA) and certificate number is 3292.01.

3. PRODUCT DESCRIPTION

3.1. EUT Description

Table 2 Specification of the Equipment under Test		
Product Type:	RDS AV RECEIVER	
Hardware Version:	1.0.0	
Software Version :	2.0.0	
FCC ID:	AJDK116	
Frequency:	BT: 2402MHz~2480MHz	
Type(s) of Modulation:	: Bluetooth : GFSK, π/4-DQPSK, 8DPSK	
Antenna Type:	PIFA	
Operating voltage: 10.8V (Low)/14V (Nominal)/ 15.1V (Max)		
	All models are identical except model number, package and	
Domark	accessory, and only the model DMH-1770NEX has a remote	
Remark	controller. Unless otherwise specified, the model DMH-1770NEX	
	was chosen as representative model to perform all the tests.	

4. RF EXPOSURE

4.1.LIMIT FOR MAXIMUM PERMISSIBLE EXPOSURE (MPE)

This product can be classified as mobile device, so the 20cm separation distance warning is required. In this section, the power density at 20cm location is calculated to examine if it is lower than the limit.

(B) Limits for General Population/Uncontrolled Exposure					
Frequency Range (MHz)	Electric Field Strength (V/m)	Magnetic Field Strength (A/m)	Power Density (mW/cm ²)	Averaging Time (minutes)	
0.3-1.34	614	1.63	*(100)	30	
1.34-30	824/f	2.19/f	*(180/f ²)	30	
30-300	27.5	0.073	0.2	30	
300-1500	7	1	£/1500	30	
1500-100,000	/	L	1.0	30	

4.2. MPE Calculation Method

Power Density: Pd(Mw/cm²)=P*G /4Pid²

P=Peak RF output power (mW)

G=EUT Antenna numeric gain (numeric)

Pi=3.14

d=Separation distance between radiator and human body (cm)

4.3. CALCULATED RESULT

ΒT

P=0.95dBm (max: 1.245mW)

G=1dBi (numeric:1.26)

d=20cm

Pd=1.245*1.26/4*3.14*400=0.0003<1

-----END------