## SONY

Sony Group Corporation 1-7-1 Konan Minato-Ku Tokyo, 108-0075 Japan

## Request for Modular/Limited Modular Approval

Date: July 30, 2021					
Subject: Manufacturer's Declaration for	<ul><li>□ - Modular Approval</li><li>⊠ - Limited Modular Approval</li></ul>	☐ - Split Modula☐ - Limited Spli		approval	
Confidentiality Request for: AK	8-WE8853S				
8 Basic Requirements – FCC Part 15.212(a)(1) For Items Marked "NO(*)", the Limited Module Description Must be Filled Out on the Following Pages					
	pproval Requirement			ment Met	
1. The modular transmitter must have its own RF shielding. This is intended to ensure that the module does not have to rely upon the shielding provided by the device into which it is installed in order for all modular transmitter emissions to comply with FCC limits. It is also intended to prevent coupling between the RF circuitry of the module and any wires or circuits in the device into which the module is installed. Such coupling may result in non-compliant operation. The physical crystal and tuning capacitors may be located external to the shielded radio elements. 15.212(a)(1)(i)		⊠ - YES	□ - NO(*)		
Details: <example contains<br="" module="" the="" –="">the top of the board next to antenna conne</example>		nponents and circuite	y. The shield	is located on	
2. The modular transmitter must have buffered ensure that the module will comply with FC over-modulation. 15.212(a)(1)(ii)			⊠ - YES	□ - NO(*)	
Details: <example application="" data="" modulation="" the="" to="" –=""></example>	on circuit is buffered as described in the	e operational descript	tion provided	with the	
3. The modular transmitter must have its own ensure that the module will comply with FC supplying circuitry in the device into which	CC requirements regardless of the design	of the power	⊠ - YES	□ - NO(*)	
Details: <example contains<="" module="" td="" the="" –=""><td>its own power supply regulation. Pleas</td><td>se refer to schematic</td><td>filed with this</td><td>application&gt;</td></example>	its own power supply regulation. Pleas	se refer to schematic	filed with this	application>	
4. The modular transmitter must comply with \$\\$ 15.203, 15.204(b), 15.204(c), 15.212(a), attached or employ a "unique" antenna co antenna, including the cable). The "profess to modules but can apply to limited modular	and 2.929(b). The antenna must either bupler (at all connections between the monitorial installation" provision of § 15.203	be permanently dule and the is not applicable	⊠ - YES	□ - NO(*)	
Details: <example a="" a<="" and="" antennas="" connector.="" connects="" list="" module="" of="" td="" tested="" the="" –=""><td></td><td></td><td></td><td></td></example>					
5. The modular transmitter must be tested in a inside another device during testing. This is complying with Part 15 emission limits reg Unless the transmitter module will be batte requirements found in Section 15.207. AC the module must not contain ferrites, unless 15.27(a)). The length of these lines shall be least 10 centimeters to insure that there is n equipment. Any accessories, peripherals, or shall be unmodified or commercially availated.	s intended to demonstrate that the module ardless of the device into which it is ever ry powered, it must comply with the AC or DC power lines and data input/output is they will be marketed with the module to length typical of actual use or, if that ler o coupling between the case of the module is support equipment connected to the mo	e is capable of ntually installed. line conducted lines connected to (see Section ngth is unknown, at alle and supporting dule during testing	□ - YES	⊠ - NO(*)	
Details: <example module="" td="" teste<="" the="" was="" –=""><td>ed stand-alone as shown in test setup ph</td><td>otographs filed with</td><td>this applicatio</td><td>on&gt;</td></example>	ed stand-alone as shown in test setup ph	otographs filed with	this applicatio	on>	

## SONY

Sony Group Corporation 1-7-1 Konan Minato-Ku Tokyo, 108-0075 Japan

	36 11 A 1D	D	4.3.4.4	
-	Modular Approval Requirement  The modular transmitter must be labeled with its own FCC ID number, or use an electron display (see	Require	ment Met	
0.	KDB Publication 784748).  If using a permanently affixed label with its own FCC ID number, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains Transmitter Module FCC ID: XYZMODEL1" or "Contains FCC ID: XYZMODEL1." Any similar wording that expresses the same meaning may be used. The Grantee may either provide such a label, an example of which must be included in the application for equipment authorization, or, must provide adequate instructions along with the module which explain this requirement. In the latter case, a copy of these instructions must be included in the application for equipment authorization.  If the modular transmitter uses an electronic display of the FCC identification number, the information must be readily accessible and visible on the modular transmitter or on the device in which it is installed. If the module is installed inside another device, then the outside of the device into which the module is installed must display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains FCC certified transmitter module(s)." Any similar wording that expresses the same meaning may be used. The user manual must include instructions on how to access the electronic display. A copy of these instructions must be included in the application for	⊠ - YES	□ - NO(*)	
	equipment authorization. 15.212(a)(1)(vi)  Details: <example -="" a="" application.="" are="" as="" exhibit="" filed="" host="" in="" installation="" instructions="" is="" label="" labeling="" manual="" module="" on="" shown="" specific="" the="" there="" this="" with=""></example>			
7.	The modular transmitter must comply with all specific rule or operating requirements applicable to the transmitter, including all the conditions provided in the integration instructions by the grantee. A copy of these instructions must be included in the application for equipment authorization. For example, there are very strict operational and timing requirements that must be met before a transmitter is authorized for operation under Section 15.231. For instance, data transmission is prohibited, except for operation under Section 15.231(e), in which case there are separate field strength level and timing requirements. Compliance with these requirements must be assured. 15.212(a)(1)(vii)	⊠ - YES	□ - NO(*)	
	Details: <example 15c="" application.="" complies="" fcc="" filed="" installation="" instructions="" manual="" module="" oem="" part="" requirements.="" the="" this="" to="" with="" –=""></example>	1 installer are	provided in	
8.	The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental evaluation for RF Exposure to demonstrate compliance. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure compliance in accordance with Section 15.247(b)(4). Modular transmitters approved under other Sections of Part 15, when necessary, may also need to address certain RF Exposure concerns, typically by providing specific installation and operating instructions for users, installers and other interested parties to ensure compliance. 15.212(a)(1)(viii)	⊠ - YES	□ - NO(*)	
	Details: <example application.="" as="" exclusion="" exposure="" filed="" in="" information="" levels="" meets="" module="" portable="" rf="" shown="" the="" this="" with="" –=""></example>			
* If a module does NOT meet one or more of the above 8 requirements, the applicant may request Limited Modular Approval (LMA).				

\* If a module does NOT meet one or more of the above 8 requirements, the applicant may request Limited Modular Approval (LMA). This Limited Modular Approval (LMA) is applied with the understanding that the applicant will demonstrate and will retain control over the final installation of the device, such that compliance of the end product is always assured. The operating condition(s) for the LMA; the module is only approved for use when installed in devices produced by grantee. A description regarding how control of the end product, into which the module will be installed, will be maintained by the applicant/manufacturer, such that full compliance of the end product is always ensured should be provided here.

Details: <example - N/A>



Sony Group Corporation 1-7-1 Konan Minato-Ku Tokyo, 108-0075 Japan

Software Considerations – KDB 594280 / KDB 442812 (One of the following 2 items must be applied)						
1 For non Software Defined Badi	Requirement	oftername is used to ansume	Requirer	nent Met		
			☐ - Provided in Sep Cover Letter	arate		
Details: <example a="" adjusted="" application.="" as="" be="" by="" can="" cover="" described="" device="" end="" filed="" firmware="" in="" letter="" modified="" not="" of="" or="" separate="" the="" this="" user="" with="" –=""></example>						
For <u>Software Defined Radio (SDR)</u> devices, transmitter module applications must provide a software security description; see KDB Publication 442812.		☐ - Provided in Sep Cover Letter	arate 🗵 - N/A			
Details: <example -n="" a=""></example>						
		r Requirements				
1 For split modular transmitters, s	Requirement	communications	Provided i	n Manual		
			☐ - Provided in Sep Cover Letter	arate		
Details: <example a="" n="" –=""></example>						
OF	M Integration Manual Guid	lance – KDB 996369 D03	Section 2			
Clear and Specific Instructions Describing the Conditions, Limitations, and Procedures for third-parties to use and/or integrate the module into a host device.						
Requirement						
•			⊠ - No,			
Is this module intended for sale to third parties?	□ - YES	make the following deta to be basic integratio information below description. If the appl this will require a sepa module is not for separate	f No, and LMA applies, the applicant can optionally choose to not make the following detailed info public. However there still needs to be basic integration instructions for a users manual and the information below must still be included in the operational description. If the applicant wishes to keep this info confidential, this will require a separate statement cover letter explaining the module is not for sale to third parties and that integration			
Itam	instructions are internal confidential documents.					
Items required to be in the manual – See KDB 996369 D03, Section 2  As of May 1, 2019, the FCC requires ALL the following information to be in the installation manual. Modular transmitter applicants should include information in their instructions for all these items indicating clearly when they are not applicable. For example information on trace antenna design could indicate "Not Applicable". Also if a module is limited to only a grantees own products and not intended for sale to third parties, the user instructions may not need to be detailed and the following items can be placed in the operational description, but this should include a cover letter as cited above.						
1. List of applicable FCC rules. KDB 996369 D03, Section 2.2				- All Items shown to		
a. Only list rules related to the transmitter.  2. Summarize the specific operational use conditions. KDB 996369 D03, Section 2.3				e left are provided in		
a. Conditions such as limits on antennas, cable loss, reduction of power for point to point				Modular Integration		
systems, professional installation info			- Gu	ide (or UM) for Full dular Approval (MA)		
3. Limited Module Procedures. KDB 996369 D03, Section 2.4						
a. Describe alternative means that the grantee uses to verify the host meets the necessary limiting conditions						
b. When RF exposure evaluation is necessary, state how control will be maintained such				- An LMA applies		
that compliance is ensured, such as Class II for new hosts, etc.				d is approved ONLY use by the grantee in		
<ol> <li>Trace antenna designs. KDB 996369 D03, Section 2.5</li> <li>Layout of trace design, parts list, antenna, connectors, isolation requirements, tests for</li> </ol>				ir own products, and		
design verification, and production test procedures for ensuring compliance. If						

## SONY

Sony Group Corporation

1-7-1 Konan Minato-Ku Tokyo, 108-0075 Japan

	confidential, the method used to keep confidential must be identified and information	3 <sup>rd</sup> parties as provided in
	provided in the operational description.	a separate cover letter.
<ol><li>RF exposure</li></ol>	considerations. KDB 996369 D03, Section 2.6	Therefore the
a.	Clearly and explicitly state conditions that allow host manufacturers to use the module.	information shown to the
	Two types of instructions are necessary: first to the host manufacturer to define	left is found in the
	conditions (mobile, portable – xx cm from body) and second additional text needed to be	theory of operation.
	provided to the end user in the host product manuals.	
<ol><li>Antennas. KI</li></ol>	DB 996369 D03, Section 2.7	
a.	List of antennas included in the application and all applicable professional installer	
	instructions when applicable. The antenna list shall also identify the antenna types	
	(monopole, PIFA, dipole, etc – note that "omni-directional" is not considered a type)	
<ol><li>Label and cor</li></ol>	npliance information. KDB 996369 D03, Section 2.8	
a.	Advice to host integrators that they need to provide a physical or e-label stating	
	"Contains FCC ID: " with their finished product	
<ol><li>Information of</li></ol>	on test modes and additional testing requirements. KDB 996369 D03, Section 2.9	
a.	Test modes that should be taken into consideration by host integrators including	
	clarifications necessary for stand-alone and simultaneous configurations.	
b.	Provide information on how to configure test modes for evaluation	
9. Additional testing, Part 15 Subpart B disclaimer. KDB 996369 D03, Section 2.10		

Takeshi Kobayashi

Sincerely,

By:

Product Safety Manager
Product Compliance Section
Quality Assurance Department
Sony Corporation.

**Tel:** +81-050-3750-6543 **Fax:** +81-050-3750-6573

070920-02b