RF Exposure / SAR Statement

 $\overline{\text{No.}: 110147}60\text{S-AC}$

Applicant : Sony Corporation

Type of Equipment: Wireless Transceiver Module

Model No. : BNSY25 FCC ID : AK8BNSY25

Sony Corporation declares that Model: BNSY25 complies with FCC radiation exposure requirement specified in the FCC Rules 2.1091.

RF Exposure Calculations:

The following information provides the minimum separation distance for the highest gain antenna provided with the "BNSY25" as calculated

 $from\ FCC\ Part\ 1,\ \S 1.1310,\ TABLE\ 1\ (B)\ Limits\ for\ General\ Population\ /\ Uncontrolled\ Exposure.$

This calculation is based on the highest EIRP possible from the system,

considering maximum power and antenna gain, and considering a $1.0 \, mW/cm^2$ uncontrolled exposure limit. The Friis formula used was:

$$S = (P * G) / (4* \pi * r^2)$$

Where

P = 16.12 mW (Maximum average output power)

G = 1.64 Numerical Antenna gain; equal to 2.15 dBi

r = 20.0 cm

For: BNSY25 $S = 0.00526 \text{ mW/cm}^2$

Even taking into account the tolerance, this device can be satisfied with the limits.

UL Japan, Inc.

Shonan EMC Lab.

1-22-3 Megumigaoka, Hiratsuka-shi, Kanagawa-ken, 259-1220 JAPAN

Telephone : +81 463 50 6400 Facsimile : +81 463 50 6401