

APPENDIX 3: Photographs of test setup

Radiated Spurious Emission



Photo 1




Photo 2

Worst Case Position (Horizontal: Z-axis/ Vertical:Y-axis)

X-axis




Y-axis



Z-axis



Configuration and peripherals



*Cabling and setup were taken into consideration and test data was taken under worse case conditions.

Description of EUT and Support equipment

No.	Item	Model number	Serial number	Manufacturer	Remarks
A	WIRELESS CONTROLLER	CECHZC2U A	21 for AT 22 for RE	Sony Computer Entertainment	- EUT - MSU_VX7_0.04 PWB
B	Laptop PC	2372-EJ1	LV-ZA849	IBM	-
C	AC Adapter	02K6810	11S02K6808Z1Z89H 44M252	IBM	-
D	Mouse	M-UB48	LZE02650788	Logitech	-

*AT: Antenna Terminal Conducted test, RE: Radiated Emission test

List of cables used

No.	Name	Length (m)	Shield		Remarks
			Cable	Connector	
1	USB Cable	1.4	Shielded	Shielded	-
2	DC Cable	1.8	Shielded	Shielded	-
3	AC Cable	1.0	Unshielded	Unshielded	-
4	USB Cable	0.8	Shielded	Shielded	-

End of Report