



APPENDIX 1: Photographs of test setup

Conducted Emission

Front




Side




Spurious Emission (Radiated)

Front



Rear



Worst Case Position (Horizontal: X-axis/ Vertical:Z-axis)

X-axis




Y-axis



Z-axis



Configuration and peripherals



* Cabling and setup were taken into consideration and test data was taken under worse case conditions.

Description of EUT and Support equipment

| No. | Item | Model number | Serial number | Manufacturer | Remarks |
|-----|----------------------|-----------------------|---------------------------------|-----------------------------------|---------|
| A | PSP | PSP-3001 | 03-TSP1300H-0000254-PSPXXXX *1) | Sony Computer Entertainment | EUT |
| | | | 03-TSP1300H-0000259-PSPXXXX *2) | | |
| B | Memory Stick Duo | MSX-M256S | - | SONY | - |
| C | Battery Pack | PSP-S110 | 00010061 | SONY | - |
| D | Note PC | 2371-4WJ | KV-04455 | IBM | - |
| E | AC Adaptor | 02K6808 | 11S02K680Z1Z89H4BJ6YB | IBM | - |
| F | Hub | FX-05Mini | 37GC00419A | PLANEX | - |
| G | Adaptor for Hub | RHF-050080-1 | 0709G | PLANEX | - |
| H | HP Remote Controller | PSP-S120 | - | MITSUMI | - |
| I | Headphones | PSP-130 | - | SONY | - |
| J | AC Adaptor | PSP-380 (ACC-155) *3) | 08056000072A | SONY | EUT |
| | | PSP-100 (ADP-624SR) | 07128004963DB | MITSUMI | |

*1) Used for Conducted Emission and Radiated Emission tests

*2) Used for Antenna Terminal Conducted tests

*3) Used for Antenna Terminal Conducted tests as a representative.

List of cables used

| No. | Name | Length (m) | Shield | |
|-----|----------------------|------------|------------|------------|
| | | | Cable | Connector |
| 1 | USB Cable | 0.5 | Shielded | Shielded |
| 2 | HP Remote Controller | 0.8 | Unshielded | Unshielded |
| 3 | Headphones Cable | 1.1 | Unshielded | Unshielded |
| 4 | DC Cable | 1.0 *4) | Unshielded | Unshielded |
| | | 1.5 *5) | | |
| 5 | AC Cable | 1.5 | Unshielded | Unshielded |
| 6 | LAN Cable | 3.0 | Unshielded | Unshielded |
| 7 | DC Cable | 1.7 | Unshielded | Unshielded |
| 8 | DC Cable | 1.8 | Unshielded | Unshielded |
| 9 | AC Cable | 1.0 | Unshielded | Unshielded |

*4) Used for the J: AC Adaptor (PSP-380: ACC-155).

*5) Used for the J: AC Adaptor (PSP-100: ADP-624SR).

UL Japan, Inc.

Head Office EMC Lab.

4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Telephone : +81 596 24 8116

Facsimile : +81 596 24 8124