




RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 27.FEB.2012 11:36:27

Ctrl No.:



Report No.: HK11121097
Model: XLC2D
Mode: ringing (with headset)
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
1 Quasi Peak	289.5 kHz	38.47	N gnd	-22.06
1 Quasi Peak	348 kHz	40.40	L1 gnd	-18.60
2 CISPR Average	357 kHz	34.38	L1 gnd	-14.41
1 Quasi Peak	478.5 kHz	36.70	N gnd	-19.65
2 CISPR Average	577.5 kHz	25.56	L1 gnd	-20.43
1 Quasi Peak	721.5 kHz	33.79	N gnd	-22.20
1 Quasi Peak	1.077 MHz	32.65	N gnd	-23.34
1 Quasi Peak	1.1805 MHz	33.30	L1 gnd	-22.69
1 Quasi Peak	1.653 MHz	32.56	L1 gnd	-23.43
1 Quasi Peak	2.499 MHz	32.18	L1 gnd	-23.81
1 Quasi Peak	3.1155 MHz	34.75	L1 gnd	-21.24
2 CISPR Average	4.938 MHz	27.38	L1 gnd	-18.61
1 Quasi Peak	5.082 MHz	39.35	N gnd	-20.64
1 Quasi Peak	6.0675 MHz	50.07	N gnd	-9.92
2 CISPR Average	6.0675 MHz	35.39	N gnd	-14.60
2 CISPR Average	7.998 MHz	34.08	N gnd	-15.91
1 Quasi Peak	8.007 MHz	40.85	N gnd	-19.14


Date: 27.FEB.2012 11:36:09

Ctrl No.:



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 27.FEB.2012 11:45:04

Ctrl No.:



Report No.: HK11121097
Model: XLC2D
Mode: talk
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
TRACE	FREQUENCY	LEVEL			DELTA LIMIT
1	Quasi Peak	253.5 kHz	36.06	L1 gnd	-25.57
1	Quasi Peak	357 kHz	40.42	N gnd	-18.37
2	CISPR Average	357 kHz	32.44	L1 gnd	-16.35
1	Quasi Peak	505.5 kHz	36.95	N gnd	-19.04
2	CISPR Average	510 kHz	28.69	L1 gnd	-17.30
1	Quasi Peak	645 kHz	34.20	L1 gnd	-21.79
2	CISPR Average	865.5 kHz	26.44	N gnd	-19.55
1	Quasi Peak	987 kHz	33.37	L1 gnd	-22.62
1	Quasi Peak	1.3515 MHz	32.12	N gnd	-23.87
1	Quasi Peak	1.725 MHz	32.61	L1 gnd	-23.38
1	Quasi Peak	2.76 MHz	33.10	L1 gnd	-22.89
1	Quasi Peak	4.11 MHz	34.04	L1 gnd	-21.95
2	CISPR Average	4.11 MHz	24.77	L1 gnd	-21.22
2	CISPR Average	5.649 MHz	31.86	N gnd	-18.13
1	Quasi Peak	5.685 MHz	47.91	N gnd	-12.08
2	CISPR Average	5.9145 MHz	34.18	N gnd	-15.81
1	Quasi Peak	5.9865 MHz	51.25	N gnd	-8.74
2	CISPR Average	7.98 MHz	34.23	N gnd	-15.76
1	Quasi Peak	8.016 MHz	41.14	N gnd	-18.85


Date: 27.FEB.2012 11:44:45

Ctrl No.:



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 27.FEB.2012 11:50:14

Ctrl No.:



Report No.: HK11121097
Model: XLC2D
Mode: handset (with headset)
charging in base unit
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
TRACE	FREQUENCY	LEVEL dB μ V		DELTA	LIMIT dB
1	Quasi Peak 289.5 kHz	33.13	N gnd	-27.40	
2	CISPR Average 339 kHz	33.64	L1 gnd	-15.57	
1	Quasi Peak 348 kHz	41.56	L1 gnd	-17.45	
2	CISPR Average 465 kHz	29.62	L1 gnd	-16.97	
1	Quasi Peak 474 kHz	39.84	N gnd	-16.60	
1	Quasi Peak 753 kHz	35.95	L1 gnd	-20.05	
1	Quasi Peak 820.5 kHz	36.57	L1 gnd	-19.42	
1	Quasi Peak 1.311 MHz	35.34	N gnd	-20.65	
1	Quasi Peak 1.617 MHz	34.98	L1 gnd	-21.01	
1	Quasi Peak 2.7915 MHz	34.55	L1 gnd	-21.44	
2	CISPR Average 3.129 MHz	24.87	L1 gnd	-21.12	
1	Quasi Peak 3.1785 MHz	37.08	L1 gnd	-18.91	
1	Quasi Peak 5.658 MHz	48.77	L1 gnd	-11.22	
2	CISPR Average 5.7255 MHz	33.19	N gnd	-16.81	
1	Quasi Peak 5.9595 MHz	51.16	L1 gnd	-8.83	
2	CISPR Average 7.8315 MHz	35.72	N gnd	-14.27	
1	Quasi Peak 7.98 MHz	41.71	L1 gnd	-18.28	
2	CISPR Average 8.0025 MHz	33.20	N gnd	-16.79	


Date: 27.FEB.2012 11:49:57

Ctrl No.:



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 7.MAR.2012 11:01:01

Ctrl No.:



Report No.:HK11121097
Model: XLC2D
Mode: ringing (with neckloop)
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
TRACE	FREQUENCY	LEVEL dBμV		DELTA	LIMIT dB
1 Quasi Peak	276 kHz	34.19	L1 gnd	-26.74	
1 Quasi Peak	343.5 kHz	40.34	L1 gnd	-18.76	
2 CISPR Average	352.5 kHz	31.46	L1 gnd	-17.43	
1 Quasi Peak	469.5 kHz	38.19	L1 gnd	-18.32	
2 CISPR Average	478.5 kHz	26.08	L1 gnd	-20.27	
1 Quasi Peak	712.5 kHz	37.83	N gnd	-18.16	
2 CISPR Average	847.5 kHz	22.66	L1 gnd	-23.33	
1 Quasi Peak	996 kHz	38.43	L1 gnd	-17.56	
1 Quasi Peak	1.185 MHz	37.11	L1 gnd	-18.88	
1 Quasi Peak	1.7115 MHz	37.17	L1 gnd	-18.82	
1 Quasi Peak	2.4495 MHz	36.94	L1 gnd	-19.05	
2 CISPR Average	3.732 MHz	24.30	L1 gnd	-21.69	
1 Quasi Peak	3.75 MHz	35.32	N gnd	-20.67	
2 CISPR Average	4.9695 MHz	28.41	N gnd	-17.59	
1 Quasi Peak	5.4825 MHz	49.53	N gnd	-10.46	
1 Quasi Peak	5.7525 MHz	46.47	N gnd	-13.52	
2 CISPR Average	6.7605 MHz	33.62	L1 gnd	-16.38	
1 Quasi Peak	10.6395 MHz	34.23	L1 gnd	-25.76	


Date: 7.MAR.2012 11:00:36

Ctrl No.:



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 7.MAR.2012 11:06:41

Ctrl No.:



Report No.:HK11121097
Model: XLC2D
Mode: handset (with neckloop)
charging in base unit
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1:		CF15MQP			
Trace2:		CF15MAV			
Trace3:		---			
	TRACE	FREQUENCY	LEVEL dBμV		DELTA LIMIT dB
1	Quasi Peak	289.5 kHz	37.68	L1 gnd	-22.85
1	Quasi Peak	348 kHz	41.58	L1 gnd	-17.42
2	CISPR Average	352.5 kHz	32.03	L1 gnd	-16.87
2	CISPR Average	478.5 kHz	25.14	L1 gnd	-21.22
1	Quasi Peak	519 kHz	37.74	L1 gnd	-18.25
1	Quasi Peak	775.5 kHz	35.16	N gnd	-20.83
1	Quasi Peak	816 kHz	35.58	L1 gnd	-20.41
1	Quasi Peak	1.1265 MHz	34.42	L1 gnd	-21.57
1	Quasi Peak	2.4765 MHz	32.42	L1 gnd	-23.57
1	Quasi Peak	3.9975 MHz	33.83	L1 gnd	-22.16
1	Quasi Peak	5.4735 MHz	48.14	L1 gnd	-11.85
2	CISPR Average	5.631 MHz	31.50	L1 gnd	-18.50
1	Quasi Peak	5.7345 MHz	45.54	L1 gnd	-14.45
2	CISPR Average	6.6615 MHz	31.73	L1 gnd	-18.26
1	Quasi Peak	10.743 MHz	34.10	L1 gnd	-25.89

Date: 7.MAR.2012 11:06:23


Ctrl No.:



Report No.: HK11121097
Model: XLC3.4D
Mode: standby
AC Mains



RBW 9 kHz Marker 1 [T1]
MT 1 s 33.94 dBuV
Att 10 dB AUTO PREAMP OFF 150.00000000 kHz



Date: 1.MAR.2012 19:09:26

Ctrl No.:



Report No.: HK11121097
Model: XLC3.4D
Mode: standby
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1:		CF15MQP		
Trace2:		CF15MAV		
Trace3:		---		
	TRACE	FREQUENCY	LEVEL dB μ V	DELTA LIMIT dB
1	Quasi Peak	330 kHz	38.57 L1 gnd	-20.87
2	CISPR Average	330 kHz	35.47 L1 gnd	-13.97
2	CISPR Average	600 kHz	26.98 L1 gnd	-19.01
1	Quasi Peak	2.8365 MHz	30.73 L1 gnd	-25.26
1	Quasi Peak	4.1055 MHz	34.00 L1 gnd	-21.99
2	CISPR Average	4.9785 MHz	25.60 L1 gnd	-20.39
1	Quasi Peak	5.361 MHz	44.69 L1 gnd	-15.30
1	Quasi Peak	5.7705 MHz	39.41 L1 gnd	-20.58

Date: 1.MAR.2012 19:09:01


Ctrl No.:



Report No.: HK11121097
Model: XLC3.4D
Mode: ringing (with headset)
AC Mains



RBW 9 kHz Marker 1 [T1]
MT 1 s 38.91 dBuV
Att 10 dB AUTO PREAMP OFF 150.00000000 kHz



Date: 1.MAR.2012 19:21:14

Ctrl No.:




Report No.: HK11121097
Model: XLC3.4D
Mode: ringing (with headset)
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1:		CF15MQP			
Trace2:		CF15MAV			
Trace3:		---			
	TRACE	FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
1	Quasi Peak	348 kHz	39.33	L1 gnd	-19.67
2	CISPR Average	361.5 kHz	32.05	L1 gnd	-16.64
1	Quasi Peak	492 kHz	33.31	L1 gnd	-22.81
2	CISPR Average	582 kHz	26.36	L1 gnd	-19.63
1	Quasi Peak	712.5 kHz	32.46	N gnd	-23.53
1	Quasi Peak	1.0815 MHz	31.76	N gnd	-24.23
1	Quasi Peak	1.3875 MHz	31.49	N gnd	-24.50
1	Quasi Peak	2.2605 MHz	29.84	N gnd	-26.15
1	Quasi Peak	3.7725 MHz	33.81	L1 gnd	-22.18
2	CISPR Average	3.804 MHz	24.92	L1 gnd	-21.08
1	Quasi Peak	4.9425 MHz	43.46	L1 gnd	-12.53
2	CISPR Average	4.9425 MHz	28.93	L1 gnd	-17.06
1	Quasi Peak	6.5445 MHz	38.96	N gnd	-21.03
2	CISPR Average	6.5445 MHz	30.25	N gnd	-19.74
1	Quasi Peak	28.9995 MHz	36.46	L1 gnd	-23.53

Date: 1.MAR.2012 19:21:00

Ctrl No.:



Date: 1.MAR.2012 19:15:42

Ctrl No.:



Report No.: HK11121097
Model: XLC3.4D
Mode: talk
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
TRACE	FREQUENCY	LEVEL dBμV		DELTA	LIMIT dB
1	Quasi Peak 348 kHz	38.30	L1 gnd	-20.70	
2	CISPR Average 361.5 kHz	32.67	L1 gnd	-16.01	
1	Quasi Peak 519 kHz	34.26	L1 gnd	-21.73	
2	CISPR Average 523.5 kHz	28.25	L1 gnd	-17.74	
1	Quasi Peak 735 kHz	28.46	L1 gnd	-27.53	
1	Quasi Peak 1.0185 MHz	29.82	L1 gnd	-26.18	
1	Quasi Peak 1.1085 MHz	28.71	L1 gnd	-27.28	
1	Quasi Peak 1.9095 MHz	29.06	L1 gnd	-26.93	
1	Quasi Peak 2.9445 MHz	33.50	L1 gnd	-22.49	
2	CISPR Average 3.0705 MHz	25.49	L1 gnd	-20.50	
1	Quasi Peak 4.0965 MHz	35.65	L1 gnd	-20.34	
2	CISPR Average 4.9965 MHz	29.18	L1 gnd	-16.81	
1	Quasi Peak 5.244 MHz	48.05	L1 gnd	-11.94	
1	Quasi Peak 5.739 MHz	42.09	L1 gnd	-17.91	
2	CISPR Average 7.0755 MHz	32.48	L1 gnd	-17.51	
1	Quasi Peak 28.9995 MHz	38.08	L1 gnd	-21.91	

Date: 1.MAR.2012 19:15:23


Ctrl No.:



Report No.: HK11121097
Model: XLC3.4D
Mode: handset (with headset)
charging in base unit
AC Mains



RBW 9 kHz Marker 1 [T1]
MT 1 s 36.67 dBuV
Att 10 dB AUTO PREAMP OFF 150.00000000 kHz



Date: 1.MAR.2012 19:32:02

Ctrl No.:



Report No.: HK11121097
Model: XLC3.4D
Mode: handset (with headset)
charging in base unit
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
TRACE	FREQUENCY	LEVEL dBμV		DELTA	LIMIT dB
2	CISPR Average 348 kHz	32.53	L1 gnd	-16.47	
1	Quasi Peak 370.5 kHz	34.25	L1 gnd	-24.23	
1	Quasi Peak 478.5 kHz	35.34	L1 gnd	-21.02	
2	CISPR Average 478.5 kHz	29.41	L1 gnd	-16.95	
1	Quasi Peak 744 kHz	34.56	L1 gnd	-21.43	
2	CISPR Average 753 kHz	25.25	L1 gnd	-20.74	
2	CISPR Average 798 kHz	26.03	L1 gnd	-19.96	
1	Quasi Peak 1.059 MHz	33.18	L1 gnd	-22.81	
1	Quasi Peak 1.1085 MHz	33.23	L1 gnd	-22.76	
2	CISPR Average 1.41 MHz	24.14	L1 gnd	-21.85	
1	Quasi Peak 2.112 MHz	31.77	L1 gnd	-24.22	
1	Quasi Peak 2.8545 MHz	33.39	L1 gnd	-22.60	
1	Quasi Peak 3.975 MHz	35.87	L1 gnd	-20.12	
2	CISPR Average 4.9875 MHz	29.23	L1 gnd	-16.77	
1	Quasi Peak 5.2935 MHz	48.71	L1 gnd	-11.28	
1	Quasi Peak 5.7345 MHz	42.00	L1 gnd	-17.99	
2	CISPR Average 6.9315 MHz	32.87	L1 gnd	-17.13	


Date: 1.MAR.2012 19:31:48

Ctrl No.:



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 7.MAR.2012 11:16:11

Ctrl No.:



Report No.:HK11121097
Model: XLC3.4D
Mode: ringing (with neckloop)
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1: CF15MQP					
Trace2: CF15MAV					
Trace3: ---					
	TRACE	FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
1	Quasi Peak	348 kHz	42.50	L1 gnd	-16.50
2	CISPR Average	352.5 kHz	32.38	L1 gnd	-16.52
1	Quasi Peak	474 kHz	40.15	L1 gnd	-16.28
2	CISPR Average	478.5 kHz	29.12	L1 gnd	-17.24
2	CISPR Average	739.5 kHz	25.34	L1 gnd	-20.65
1	Quasi Peak	775.5 kHz	38.09	L1 gnd	-17.90
1	Quasi Peak	834 kHz	36.11	L1 gnd	-19.88
2	CISPR Average	1.0995 MHz	24.32	L1 gnd	-21.67
1	Quasi Peak	1.131 MHz	34.88	N gnd	-21.12
1	Quasi Peak	1.8015 MHz	33.96	L1 gnd	-22.04
1	Quasi Peak	2.8275 MHz	35.91	L1 gnd	-20.08
2	CISPR Average	3.9795 MHz	24.58	L1 gnd	-21.42
1	Quasi Peak	4.0515 MHz	35.99	L1 gnd	-20.00
1	Quasi Peak	5.5005 MHz	49.01	L1 gnd	-10.98
2	CISPR Average	5.5995 MHz	32.23	L1 gnd	-17.76
1	Quasi Peak	5.775 MHz	44.83	L1 gnd	-15.16
2	CISPR Average	6.6885 MHz	33.03	L1 gnd	-16.96
1	Quasi Peak	10.5495 MHz	35.33	L1 gnd	-24.66


Date: 7.MAR.2012 11:15:53

Ctrl No.:



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 7.MAR.2012 11:22:38

Ctrl No.:



Report No.:HK11121097
Model: XLC3.4D
Mode: handset (with neckloop)
charging in base unit
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
TRACE	FREQUENCY	LEVEL dB μ V		DELTA	LIMIT dB
1 Quasi Peak	231 kHz	39.39	L1 gnd	-23.01	
2 CISPR Average	321 kHz	27.20	L1 gnd	-22.47	
1 Quasi Peak	402 kHz	40.83	N gnd	-16.98	
1 Quasi Peak	465 kHz	39.16	L1 gnd	-17.43	
2 CISPR Average	469.5 kHz	24.37	L1 gnd	-22.14	
1 Quasi Peak	744 kHz	39.64	L1 gnd	-16.35	
2 CISPR Average	775.5 kHz	25.14	L1 gnd	-20.86	
1 Quasi Peak	811.5 kHz	38.23	N gnd	-17.76	
2 CISPR Average	1.0815 MHz	24.06	L1 gnd	-21.93	
1 Quasi Peak	1.1085 MHz	38.65	N gnd	-17.34	
2 CISPR Average	1.338 MHz	24.72	L1 gnd	-21.27	
1 Quasi Peak	1.86 MHz	36.93	L1 gnd	-19.07	
2 CISPR Average	1.905 MHz	25.40	L1 gnd	-20.59	
2 CISPR Average	2.895 MHz	26.92	L1 gnd	-19.07	
1 Quasi Peak	2.9085 MHz	38.28	L1 gnd	-17.71	
2 CISPR Average	2.985 MHz	25.63	L1 gnd	-20.36	
1 Quasi Peak	3.057 MHz	37.86	N gnd	-18.13	
2 CISPR Average	5.559 MHz	35.61	N gnd	-14.38	
1 Quasi Peak	5.5725 MHz	50.82	N gnd	-9.17	
2 CISPR Average	5.739 MHz	34.52	L1 gnd	-15.47	

Date: 7.MAR.2012 11:22:09

Ctrl No.:



Report No.:HK11121097
Model: XLC3.4D
Mode: handset (with neckloop)
charging in base unit
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
TRACE		FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
1	Quasi Peak	5.7435 MHz	48.09	L1 gnd	-11.91
1	Quasi Peak	10.428 MHz	35.04	L1 gnd	-24.95

Date: 7.MAR.2012 11:22:24

Ctrl No.: