



3356 N. San Marcos Pl., Suite 107  
Chandler, Arizona 85225-7176  
(480) 926-3100, FAX: -3598  
general@mflom.com  
www.mflom.com

August 7th, 2000

FEDERAL COMMUNICATIONS COMMISSION  
via Electronic Filing

Applicant: KENWOOD COMMUNICATIONS CORP.  
Equipment: FCC ID: ALH29383210 EA97615 (Models TK-860/862HG-1)  
Correspondence STEVE DAYHOFF 15415 August 4, 2000  
ERROL CHANG 14220 May 24th, 2000

Gentlemen:

Since Corres. 14220 referenced different items than Corres.15415 we will reply separately.

Corresp. 14220:

Item 1. Please find revised analysis indicating a distance of 0.7m (28in) which should satisfy the item in the Manuals of safe distance of 2-3 feet.

Item 2. Applicant advises that the antenna installation is performed by the Dealer, who is advised to follow these instructions.

Item 3. Antenna type is 1/4 wave rubber duck, with gain of unity (0dBd).

Corresp. 15415

- 1(a): Antenna gain equals unity, 0dBd
- 1(b): See Item 2 above
- 1(c): See revised analysis which uses 50% D.F.

1(d): The following cautionary statement will be added to User Manual or as a separate insert:

"WARNING!: To comply with FCC R.F. Exposure requirements, this device must be installed to provide a separation distance shown (or more) between its antenna and persons.

MINIMUM SEPARATION DISTANCE = 70cm (28 inches).

- 1(e): See (d) above
- 1(f): See (d) above

We trust this is the information requested.

Sincerely,

mf;mgf/enc.

cc: Applicant: Joel E. Berger

MORTON FLOM, P. Eng.