



## **APPENDIX F: LABEL INFORMATION**

Please refer to the following pages.

1	2	3	4
TOLERANCE (C)	SYMBOL	REVISION NO.	CORD
~ 6 ±0.15	-	△ x -	-
6 ~ 30 ±0.20			
30 ~ 80 ±0.30			
80 ~ 250 ±0.40			
250~500 ±0.55			



LETTERS	TYPEFACE	HEIGHT (mm)
<b>KENWOOD</b>	ORIGINAL LOGO STANDARD	2
TK-8100 -1	HELVETICA MEDIUM	1.75
UHF FM TRANSCEIVER	HELVETICA MEDIUM	1.25
DC13.6V == 8A	HELVETICA MEDIUM	1.25
MADE IN SINGAPORE	HELVETICA MEDIUM	1
FCC ID: ALH36033110	HELVETICA MEDIUM	1
THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO THE CONDITION THAT THIS DEVICE DOES NOT CAUSE HARMFUL INTERFERENCE.	HELVETICA MEDIUM	1
KENWOOD CORPORATION	HELVETICA MEDIUM	1.25
22390	HELVETICA MEDIUM	1
LINE	THICKNESS	0.3
S/No:	HELVETICA MEDIUM	1



1:1

-	-	-	TE LABEL (VOID) 10.05 FROSTED SILVER	SEAL PRINTING, STRONG TACKIFIER	Y51-4970-14	-
NO.	PART NUMBER	NOTE	MATERIAL	FINISH	MODEL	QTY.
SCALE	2:1	DESIGNED	CHECKED	APPROVED	PART NAME	
UNIT	: mm				MODEL NAME PLATE	
	DATE	2003-07-31	DRAWING NUMBER			
JIS Z8310-84	<b>KENWOOD</b>		KENWOOD CORPORATION	PART NO.		SHEET NO. REL.
				B72-2239-04	1/1	00

DRWN. DATE 2003-08-21


#

Model: TK-8100-1  
FCC ID: ALH36033110



Bottom View

1	2	3	4
TOLERANCE (C)	SYMBOL	REVISION NO.	CORD ISSUED DATE
~ 6 ±0.15	$\Delta$ x -	-	-
6 ~ 30 ±0.20			
30 ~ 80 ±0.30			
80 ~ 250 ±0.40			
250 ~ 500 ±0.55			



LETTERS	TYPEFACE	HEIGHT (mm)
CAUTION: Restricted to occupational use to satisfy FCC RF exposure limits. See user manual for operating requirements.	HELVETICA MEDIUM	1.25
71610	HELVETICA MEDIUM	1

CAUTION: Restricted to occupational use to satisfy FCC RF exposure limits. See user manual for operating requirements. 71610

1 : 1

NOTES:

- Must be printed with film.
- Printing film to be produced by supplier.
- Colors shall be as follows:  
Letters: Black, Background: Silver
- Pressure sensitive adhesive must not caused discoloration.
- Other details shall conformed to 3 approved samples.
- Per sheet: 10PCS.

-	-	-	-	AL EVAPORATION PLATE 10.1 FROSTED SILVER	SEAL PRINTING STRONG TACKIFIER LAMINATE (FROSTING)	-
NO.	PART NUMBER	NOTE	MATERIAL	FINISH	MODEL	QTY.
SCALE	2 : 1	DESIGNED	CHECKED	APPROVED	PART NAME	-
UNIT	: mm					-
		DATE			DRAWING NUMBER	-
					PART NO.	-
					SHEET NO.	-
					REL.	-
JIS Z8310-84	<b>KENWOOD</b>		KENWOOD CORPORATION			S

Model: TK-8100-1  
FCC ID: ALH36033110

