



1	2	3	4
TOLERANCE (C)	MMV	SYMBOL	REVISION NO. CODE ISSUED DATE
~ 6 ±0.15	-	△ X -	- - 200 - -
6 ~ 30 ±0.20			
30 ~ 80 ±0.30			
80 ~ 250 ±0.40			
250 ~ 500 ±0.55			



(1:1)

-	-	-	-	アルミ蒸着板 t0.1 銀艶消し AL EVAPORATION PLATE t0.1 FROSTED SILVER	シール印刷, 強粘着剤, ラミネート(艶消し) SEAL PRINTING, STRONG TACKIFIER, LAMINATE(FROSTING)	Y50-5870-10	-
NO.	PART NUMBER	NOTE	MATERIAL	FINISH	MODEL	QTY.	
SCALE	2:1	DESIGNED	CHECKED	APPROVED	PART NAME	機種銘板	-
UNIT	: mm				MODEL NAME	PLATE	-
		DATE	2004-02-27		DRAWING NUMBER	MMV -	-
					PART NO.	SHEET NO.	REL.
JIS Z8310-84	<b>KENWOOD</b>		KENWOOD CORPORATION		B72-2196-04	1/1	00
							S



1	2	3	4
TOLERANCE (C)	MMV	SYMBOL	REVISION NO. CODE ISSUED DATE
~ 6 ±0.15	-	△ X -	- - 200 - -
6 ~ 30 ±0.20			
30 ~ 80 ±0.30			
80 ~ 250 ±0.40			
250 ~ 500 ±0.55			



(1:1)

-	-	-	-	アルミ蒸着板 t0.1 銀艶消し AL EVAPORATION PLATE t0.1 FROSTED SILVER	シール印刷, 強粘着剤, ラミネート(艶消し) SEAL PRINTING, STRONG TACKIFIER, LAMINATE(FROSTING)	Y50-5870-11	-
NO.	PART NUMBER	NOTE	MATERIAL	FINISH	MODEL	QTY.	
SCALE	2:1	DESIGNED	CHECKED	APPROVED	PART NAME	-	
UNIT	mm				機種銘板	-	
					MODEL NAME PLATE	-	
		DATE	2004-02-27	DRAWING NUMBER	MMV -	-	
				PART NO.	SHEET NO. REL.	-	
JIS Z8310-84	<b>KENWOOD</b>		KENWOOD CORPORATION	B72-2197-04	1/1 00	S	

1	2	3	4
TOLERANCE(C)	MMV	SYMBOL	REVISION NO. CODE ISSUED DATE
~ 6 ±0.15	-	△ XALL	- NEW ADDITION R.OTSUKA 2004-03-01
6 ~ 30 ±0.20			
30 ~ 80 ±0.30			
80 ~ 250 ±0.40			
250 ~ 500 ±0.55			



(1:1)

-	-	-	-	アルミ蒸着板 t0.1 銀艶消し AL EVAPORATION PLATE t0.1 FROSTED SILVER	シール印刷, 強粘着剤, ラミネート(艶消し) SEAL PRINTING, STRONG TACKIFIER, LAMINATE(FROSTING)	Y50-5870-10	-
NO.	PART NUMBER	NOTE	MATERIAL	FINISH	MODEL	QTY.	
SCALE	2:1	DESIGNED	CHECKED	APPROVED	PART NAME	-	
UNIT	: mm				規格銘板 STANDARD LABEL	-	
		DATE	2004-03-01		DRAWING NUMBER	-	
					PART NO.	-	
					SHEET NO.	REL.	
JIS Z8310-84	<b>KENWOOD</b>		KENWOOD CORPORATION	B42-7163-04	1/1	00	



