



	<u>Date(s) of Evaluation</u> June 13, 2007	<u>Test Report Serial No.</u> 061207ALH-T836-S90U	<u>Report Revision No.</u> Revision 1.0	
	<u>Test Report Issue Date</u> June 20, 2007	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

**APPENDIX D - SAR TEST SETUP & DUT PHOTOGRAPHS**

<b>Company:</b>	<b>Kenwood USA Corporation</b>	<b>Model(s):</b>	<b>TK-3230-K</b>	<b>FCC ID:</b>	<b>ALH383200</b>	
<b>DUT Type:</b>	<b>Portable FM UHF PTT Radio Transceiver</b>	<b>Transmit Frequency Range:</b>		<b>460 - 470 MHz</b>		
2007 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 34 of 43




**FACE-HELD SAR TEST SETUP PHOTOGRAPHS**  
2.5 cm Spacing from Front of DUT to Planar Phantom



<b>Company:</b>	<b>Kenwood USA Corporation</b>	<b>Model(s):</b>	<b>TK-3230-K</b>	<b>FCC ID:</b>	<b>ALH383200</b>	<b>KENWOOD</b>
<b>DUT Type:</b>	<b>Portable FM UHF PTT Radio Transceiver</b>	<b>Transmit Frequency Range:</b>	<b>460 - 470 MHz</b>			
2007 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 35 of 43





**BODY-WORN SAR TEST SETUP PHOTOGRAPHS**  
1.5 cm Belt-Clip Spacing from Back of DUT to Planar Phantom  
DUT with Speaker-Microphone (P/N: KMC-17) Audio Accessory



<b>Company:</b>	Kenwood USA Corporation	<b>Model(s):</b>	TK-3230-K	<b>FCC ID:</b>	ALH383200	<b>KENWOOD</b>
<b>DUT Type:</b>	Portable FM UHF PTT Radio Transceiver	<b>Transmit Frequency Range:</b>	460 - 470 MHz			
2007 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 36 of 43



**BODY-WORN SAR TEST SETUP PHOTOGRAPHS**  
0.5 cm Belt-Pouch Spacing from Back of DUT to Planar Phantom  
DUT with Speaker-Microphone (P/N: KMC-17) Audio Accessory



<b>Company:</b>	Kenwood USA Corporation	<b>Model(s):</b>	TK-3230-K	<b>FCC ID:</b>	ALH383200	<b>KENWOOD</b>
<b>DUT Type:</b>	Portable FM UHF PTT Radio Transceiver	<b>Transmit Frequency Range:</b>	460 - 470 MHz			
2007 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 37 of 43



**DUT PHOTOGRAPHS**



Front of DUT



Back of DUT



Back of DUT with Belt-Clip



Top end of DUT



Bottom end of DUT

<b>Company:</b>	Kenwood USA Corporation	<b>Model(s):</b>	TK-3230-K	<b>FCC ID:</b>	ALH383200	<b>KENWOOD</b>
<b>DUT Type:</b>	Portable FM UHF PTT Radio Transceiver	<b>Transmit Frequency Range:</b>	460 - 470 MHz			
2007 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 38 of 43



**DUT PHOTOGRAPHS**



Left Side of DUT with Belt-Clip




Right Side of DUT with Belt-Clip



Plastic Belt-Clip with Metal Spring (P/N: J29-0736-XX)



Plastic Belt-Clip with Metal Spring (P/N: J29-0736-XX)



<b>Company:</b>	Kenwood USA Corporation	<b>Model(s):</b>	TK-3230-K	<b>FCC ID:</b>	ALH383200	<b>KENWOOD</b>
<b>DUT Type:</b>	Portable FM UHF PTT Radio Transceiver	<b>Transmit Frequency Range:</b>	460 - 470 MHz			
2007 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 39 of 43



**DUT PHOTOGRAPHS**



Front of DUT with Belt-Pouch



Back of DUT with Belt-Pouch



Back of Nylon Belt-Pouch  
(P/N: KLH-113)



Front of Nylon Belt-Pouch  
(P/N: KLH-113)



<b>Company:</b>	Kenwood USA Corporation	<b>Model(s):</b>	TK-3230-K	<b>FCC ID:</b>	ALH383200	<b>KENWOOD</b>
<b>DUT Type:</b>	Portable FM UHF PTT Radio Transceiver	<b>Transmit Frequency Range:</b>	460 - 470 MHz			
2007 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 40 of 43



**DUT PHOTOGRAPHS**



**DUT Battery Housing & Lithium-ion Battery (P/N: KNB-46L)**



**DUT with Speaker-Microphone Audio Accessory (P/N: KMC-17)**

<b>Company:</b>	Kenwood USA Corporation	<b>Model(s):</b>	TK-3230-K	<b>FCC ID:</b>	ALH383200	<b>KENWOOD</b>
<b>DUT Type:</b>	Portable FM UHF PTT Radio Transceiver	<b>Transmit Frequency Range:</b>	460 - 470 MHz			
2007 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 41 of 43