



(2:1)




(1:1)

	DESIGN	DATE 2006-08-03	MODEL
		<b>KENWOOD</b>	B72-2421-04




(2:1)




(1:1)

	DESIGN	DATE 2006-08-03	MODEL
		KENWOOD	B72-2422-04





(2:1)



(1:1)

	DESIGN	DATE 2006-08-03	MODEL
		<b>KENWOOD</b>	B72-2423-04

MMV	SYMBOL	REVISION NO.	CORD	ISSUED	DATE
-	 XALL	42232	NEW ADDITION		2001-03-14




CAUTION:  
Device must be restricted to occupational use to satisfy FCC RF exposure. See instruction manual for specific operating requirements.  
18410

(2:1)

NOTES:

MUST BE PRINTED WITH FILM.

-	-	-	-	AL EVAPORATION SHEET 10.1 FROSTED SILVER	SEAL PRINTING, STRONG TACKFIER, LAMINATE(FROSTING)	Y50-5130-12	-
NO.	PART NUMBER	NOTE	MATERIAL	FINISH	MODEL	QTY.	
SCALE	1:1	DESIGNED	CHECKED	APPROVED	PART NAME		-
UNIT	mm				CAUTION LABEL		-
	DATE	2001-03-14			DRAWING NUMBER	MMV-	-
JIS Z8310-84	<b>KENWOOD</b>	KENWOOD CORPORATION	B41-1841-04	1/1	SHEET NO.	REL.	-
							S



TK-5310-K4



TK-5310-K5



TK-5310-K6