
	<u>Date(s) of Evaluation</u> October 14-15, 2009	<u>Test Report Serial No.</u> 100909ALH-T985-S90U	<u>Test Report Revision No.</u> Rev. 1.0 (Initial Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> October 28, 2009	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

BODY-WORN SAR TEST SETUP PHOTOGRAPHS





DUT with Speaker-Microphone Audio Accessory (P/N: KMC-45)




DUT with Headset Boom-Microphone Audio Accessory (P/N: KHS-21)


Applicant:	Kenwood USA Corporation	Model(s):	TK-3360-K, TK-3360-X	FCC ID:	ALH415100	KENWOOD
DUT Type:	Portable FM UHF Push-To-Talk Radio Transceiver	Transmit Frequency Range:	450-512 MHz			
2009 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 54 of 66

	Date(s) of Evaluation October 14-15, 2009	Test Report Serial No. 100909ALH-T985-S90U	Test Report Revision No. Rev. 1.0 (Initial Release)	 Test Lab Certificate No. 2470.01
	Test Report Issue Date October 28, 2009	Description of Test(s) Specific Absorption Rate	RF Exposure Category Occupational (Controlled)	

BODY-WORN SAR TEST SETUP PHOTOGRAPHS





DUT with Ni-MH Battery P/N: KNB-56N & Antenna P/N: KRA-23M/M2




DUT with Ni-MH Battery P/N: KNB-56N & Antenna P/N: KRA-27M/M2


Applicant:	Kenwood USA Corporation	Model(s):	TK-3360-K, TK-3360-X	FCC ID:	ALH415100	KENWOOD
DUT Type:	Portable FM UHF Push-To-Talk Radio Transceiver	Transmit Frequency Range:	450-512 MHz			
2009 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 55 of 66

	<u>Date(s) of Evaluation</u> October 14-15, 2009	<u>Test Report Serial No.</u> 100909ALH-T985-S90U	<u>Test Report Revision No.</u> Rev. 1.0 (Initial Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> October 28, 2009	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

BODY-WORN SAR TEST SETUP PHOTOGRAPHS



DUT with Li-ion Battery P/N: KNB-55L & Antenna P/N: KRA-27M/M2



DUT with Li-ion Battery P/N: KNB-57L & Antenna P/N: KRA-27M/M2

Applicant:	Kenwood USA Corporation	Model(s):	TK-3360-K, TK-3360-X	FCC ID:	ALH415100	KENWOOD
DUT Type:	Portable FM UHF Push-To-Talk Radio Transceiver	Transmit Frequency Range:	450-512 MHz			
2009 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 56 of 66