



	<u>Date(s) of Evaluation</u> Jan. 4,6,26-28,31, 2011	<u>Test Report Serial No.</u> 121510ALH-T1070-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> March 24, 2011	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

**DUT PHOTOGRAPHS**



Swivel Belt-Loop measurement distance from Back of DUT & Antenna Base – KNB-57L Li-ion “Battery a”




Swivel Belt-Loop measurement distance from Back of DUT & Antenna Base – KNB-55L Li-ion “Battery b”


<b>Applicant:</b>	Kenwood USA Corporation	<b>FCC ID:</b>	ALH431000	<b>DUT Model:</b>	NX-320-K3	<b>KENWOOD</b>
<b>DUT Type:</b>	Portable UHF-H PTT Radio Transceiver	<b>Transmitter Frequency Range:</b>		450.0 - 512.0 MHz		
2011 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 229 of 253

	<u>Date(s) of Evaluation</u> Jan. 4,6,26-28,31, 2011	<u>Test Report Serial No.</u> 121510ALH-T1070-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> March 24, 2011	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

## DUT PHOTOGRAPHS



Swivel Belt-Loop measurement distance from Back of DUT & Antenna Base – KNB-56N Ni-MH “Battery c”



Swivel Belt-Loop measurement distance from Back of DUT & Antenna Base – KBP-5 Alkaline Case “Battery d”

<b>Applicant:</b>	Kenwood USA Corporation	<b>FCC ID:</b>	ALH431000	<b>DUT Model:</b>	NX-320-K3	<b>KENWOOD</b>
<b>DUT Type:</b>	Portable UHF-H PTT Radio Transceiver	<b>Transmitter Frequency Range:</b>		450.0 - 512.0 MHz		
2011 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 230 of 253



	<u>Date(s) of Evaluation</u> Jan. 4,6,26-28,31, 2011	<u>Test Report Serial No.</u> 121510ALH-T1070-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> March 24, 2011	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

**DUT PHOTOGRAPHS**



Back of DUT with Battery Removed



Belt-Clip Accessory Assembly P/N: KBH-12 (contains metal)

<b>Applicant:</b>	Kenwood USA Corporation	<b>FCC ID:</b>	ALH431000	<b>DUT Model:</b>	NX-320-K3	<b>KENWOOD</b>
<b>DUT Type:</b>	Portable UHF-H PTT Radio Transceiver	<b>Transmitter Frequency Range:</b>	450.0 - 512.0 MHz			
2011 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 231 of 253

	<u>Date(s) of Evaluation</u> Jan. 4,6,26-28,31, 2011	<u>Test Report Serial No.</u> 121510ALH-T1070-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> March 24, 2011	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

**DUT PHOTOGRAPHS**



Swivel Belt-Loop Accessory Assembly P/N: KBH-13DS (contains metal)

<b>Applicant:</b>	<b>Kenwood USA Corporation</b>	<b>FCC ID:</b>	<b>ALH431000</b>	<b>DUT Model:</b>	<b>NX-320-K3</b>	<b>KENWOOD</b>
<b>DUT Type:</b>	<b>Portable UHF-H PTT Radio Transceiver</b>	<b>Transmitter Frequency Range:</b>		<b>450.0 - 512.0 MHz</b>		
2011 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 232 of 253



	<u>Date(s) of Evaluation</u> Jan. 4,6,26-28,31, 2011	<u>Test Report Serial No.</u> 121510ALH-T1070-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> March 24, 2011	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

**DUT PHOTOGRAPHS**



KNB-57L Li-Ion "Battery a" - Front



KNB-57L Li-Ion "Battery a" - Back



KNB-55L Li-Ion "Battery b" - Front



KNB-55L Li-Ion "Battery b" - Back


<b>Applicant:</b>	Kenwood USA Corporation	<b>FCC ID:</b>	ALH431000	<b>DUT Model:</b>	NX-320-K3	<b>KENWOOD</b>
<b>DUT Type:</b>	Portable UHF-H PTT Radio Transceiver	<b>Transmitter Frequency Range:</b>	450.0 - 512.0 MHz			
2011 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 233 of 253

	<u>Date(s) of Evaluation</u> Jan. 4,6,26-28,31, 2011	<u>Test Report Serial No.</u> 121510ALH-T1070-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> March 24, 2011	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

**DUT PHOTOGRAPHS**




**KNB-56N Ni-MH "Battery c" - Front**



**KNB-56N Ni-MH "Battery c" - Back**





**KBP-5 Alkaline Case "Battery d" - Front**



**KBP-5 Alkaline Case "Battery d" - Back**

<b>Applicant:</b>	<b>Kenwood USA Corporation</b>	<b>FCC ID:</b>	<b>ALH431000</b>	<b>DUT Model:</b>	<b>NX-320-K3</b>	<b>KENWOOD</b>
<b>DUT Type:</b>	<b>Portable UHF-H PTT Radio Transceiver</b>	<b>Transmitter Frequency Range:</b>		<b>450.0 - 512.0 MHz</b>		
2011 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 234 of 253

	<u>Date(s) of Evaluation</u> Jan. 4,6,26-28,31, 2011	<u>Test Report Serial No.</u> 121510ALH-T1070-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> March 24, 2011	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

**DUT PHOTOGRAPHS**

**KENWOOD HEADSET - AUDIO ACCESSORY CATEGORY #1 (DEFAULT AUDIO ACCESSORY)**



**Noise Reduction Headset (Behind-the-Head) (P/N: KHS-10-BH)**

<b>Applicant:</b>	<b>Kenwood USA Corporation</b>	<b>FCC ID:</b>	<b>ALH431000</b>	<b>DUT Model:</b>	<b>NX-320-K3</b>	<b>KENWOOD</b>
<b>DUT Type:</b>	<b>Portable UHF-H PTT Radio Transceiver</b>	<b>Transmitter Frequency Range:</b>		<b>450.0 - 512.0 MHz</b>		
2011 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 235 of 253



	<u>Date(s) of Evaluation</u> Jan. 4,6,26-28,31, 2011	<u>Test Report Serial No.</u> 121510ALH-T1070-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> March 24, 2011	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

**DUT PHOTOGRAPHS**

**KENWOOD HEADSET - AUDIO ACCESSORY CATEGORY #1**



**Noise Reduction Headset (Over-the-Head) (P/N: KHS-10-OH)**

<b>Applicant:</b>	<b>Kenwood USA Corporation</b>	<b>FCC ID:</b>	<b>ALH431000</b>	<b>DUT Model:</b>	<b>NX-320-K3</b>	<b>KENWOOD</b>
<b>DUT Type:</b>	<b>Portable UHF-H PTT Radio Transceiver</b>	<b>Transmitter Frequency Range:</b>		<b>450.0 - 512.0 MHz</b>		
2011 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 236 of 253



	<u>Date(s) of Evaluation</u> Jan. 4,6,26-28,31, 2011	<u>Test Report Serial No.</u> 121510ALH-T1070-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> March 24, 2011	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

**DUT PHOTOGRAPHS**

**KENWOOD HEADSET - AUDIO ACCESSORY CATEGORY #1**



**Lightweight Headset - no VOX or PTT Controls (P/N: KHS-21)**

<b>Applicant:</b>	<b>Kenwood USA Corporation</b>	<b>FCC ID:</b>	<b>ALH431000</b>	<b>DUT Model:</b>	<b>NX-320-K3</b>	<b>KENWOOD</b>
<b>DUT Type:</b>	<b>Portable UHF-H PTT Radio Transceiver</b>	<b>Transmitter Frequency Range:</b>		<b>450.0 - 512.0 MHz</b>		
2011 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 237 of 253

	<u>Date(s) of Evaluation</u> Jan. 4,6,26-28,31, 2011	<u>Test Report Serial No.</u> 121510ALH-T1070-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> March 24, 2011	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

**DUT PHOTOGRAPHS**

**KENWOOD HEADSET - AUDIO ACCESSORY CATEGORY #1**



**Behind-the-Head Headset w/ Boom Mic & PTT (P/N: KHS-22)**

<b>Applicant:</b>	<b>Kenwood USA Corporation</b>	<b>FCC ID:</b>	<b>ALH431000</b>	<b>DUT Model:</b>	<b>NX-320-K3</b>	<b>KENWOOD</b>
<b>DUT Type:</b>	<b>Portable UHF-H PTT Radio Transceiver</b>	<b>Transmitter Frequency Range:</b>		<b>450.0 - 512.0 MHz</b>		
2011 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 238 of 253



	<u>Date(s) of Evaluation</u> Jan. 4,6,26-28,31, 2011	<u>Test Report Serial No.</u> 121510ALH-T1070-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> March 24, 2011	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

**DUT PHOTOGRAPHS**

**KENWOOD HEADSET - AUDIO ACCESSORY CATEGORY #1**



**Single Muff Headset w/ Boom Mic (P/N: KHS-7)**

<b>Applicant:</b>	<b>Kenwood USA Corporation</b>	<b>FCC ID:</b>	<b>ALH431000</b>	<b>DUT Model:</b>	<b>NX-320-K3</b>	<b>KENWOOD</b>
<b>DUT Type:</b>	<b>Portable UHF-H PTT Radio Transceiver</b>	<b>Transmitter Frequency Range:</b>		<b>450.0 - 512.0 MHz</b>		
2011 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 239 of 253

	<u>Date(s) of Evaluation</u> Jan. 4,6,26-28,31, 2011	<u>Test Report Serial No.</u> 121510ALH-T1070-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> March 24, 2011	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

**DUT PHOTOGRAPHS**

**KENWOOD HEADSET - AUDIO ACCESSORY CATEGORY #1**



**Single Muff Headset w/ Boom Mic & PTT (P/N: KHS-7A)**


<b>Applicant:</b>	<b>Kenwood USA Corporation</b>	<b>FCC ID:</b>	<b>ALH431000</b>	<b>DUT Model:</b>	<b>NX-320-K3</b>	<b>KENWOOD</b>
<b>DUT Type:</b>	<b>Portable UHF-H PTT Radio Transceiver</b>	<b>Transmitter Frequency Range:</b>		<b>450.0 - 512.0 MHz</b>		
2011 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 240 of 253



	<u>Date(s) of Evaluation</u> Jan. 4,6,26-28,31, 2011	<u>Test Report Serial No.</u> 121510ALH-T1070-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> March 24, 2011	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

**DUT PHOTOGRAPHS**

**KENWOOD EARPIECE - AUDIO ACCESSORY CATEGORY #2**




**2-Wire Ear-bud w/ Mic/PTT - VOX Ready (P/N: KHS-23)**

<b>Applicant:</b>	<b>Kenwood USA Corporation</b>	<b>FCC ID:</b>	<b>ALH431000</b>	<b>DUT Model:</b>	<b>NX-320-K3</b>	<b>KENWOOD</b>
<b>DUT Type:</b>	<b>Portable UHF-H PTT Radio Transceiver</b>	<b>Transmitter Frequency Range:</b>		<b>450.0 - 512.0 MHz</b>		
2011 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 241 of 253

	<u>Date(s) of Evaluation</u> Jan. 4,6,26-28,31, 2011	<u>Test Report Serial No.</u> 121510ALH-T1070-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> March 24, 2011	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

**DUT PHOTOGRAPHS**

**KENWOOD EARPIECE - AUDIO ACCESSORY CATEGORY #2**



**Earhook w/ Mini Boom Mic (P/N: KHS-25)**

<b>Applicant:</b>	<b>Kenwood USA Corporation</b>	<b>FCC ID:</b>	<b>ALH431000</b>	<b>DUT Model:</b>	<b>NX-320-K3</b>	<b>KENWOOD</b>
<b>DUT Type:</b>	<b>Portable UHF-H PTT Radio Transceiver</b>	<b>Transmitter Frequency Range:</b>		<b>450.0 - 512.0 MHz</b>		
2011 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 242 of 253



	<u>Date(s) of Evaluation</u> Jan. 4,6,26-28,31, 2011	<u>Test Report Serial No.</u> 121510ALH-T1070-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> March 24, 2011	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

**DUT PHOTOGRAPHS**

**KENWOOD EARPIECE - AUDIO ACCESSORY CATEGORY #2**



**Clip Mic w/ Earphone (P/N: KHS-26)**

<b>Applicant:</b>	<b>Kenwood USA Corporation</b>	<b>FCC ID:</b>	<b>ALH431000</b>	<b>DUT Model:</b>	<b>NX-320-K3</b>	<b>KENWOOD</b>
<b>DUT Type:</b>	<b>Portable UHF-H PTT Radio Transceiver</b>	<b>Transmitter Frequency Range:</b>		<b>450.0 - 512.0 MHz</b>		
2011 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 243 of 253

	<u>Date(s) of Evaluation</u> Jan. 4,6,26-28,31, 2011	<u>Test Report Serial No.</u> 121510ALH-T1070-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> March 24, 2011	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

**DUT PHOTOGRAPHS**

**KENWOOD EARPIECE - AUDIO ACCESSORY CATEGORY #2 (DEFAULT AUDIO ACCESSORY CAT. 2)**



**D-Ring Ear Hanger w/ PTT & Mic (P/N: KHS-27)**

<b>Applicant:</b>	<b>Kenwood USA Corporation</b>	<b>FCC ID:</b>	<b>ALH431000</b>	<b>DUT Model:</b>	<b>NX-320-K3</b>	<b>KENWOOD</b>
<b>DUT Type:</b>	<b>Portable UHF-H PTT Radio Transceiver</b>	<b>Transmitter Frequency Range:</b>		<b>450.0 - 512.0 MHz</b>		
2011 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 244 of 253



	<u>Date(s) of Evaluation</u> Jan. 4,6,26-28,31, 2011	<u>Test Report Serial No.</u> 121510ALH-T1070-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> March 24, 2011	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

**DUT PHOTOGRAPHS**

**KENWOOD PALM-MICROPHONE KIT - AUDIO ACCESSORY CATEGORY #3**



**2-Wire Palm Mic w/ Earphone (P/N: KHS-8BL)**

<b>Applicant:</b>	<b>Kenwood USA Corporation</b>	<b>FCC ID:</b>	<b>ALH431000</b>	<b>DUT Model:</b>	<b>NX-320-K3</b>	<b>KENWOOD</b>
<b>DUT Type:</b>	<b>Portable UHF-H PTT Radio Transceiver</b>	<b>Transmitter Frequency Range:</b>		<b>450.0 - 512.0 MHz</b>		
2011 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 245 of 253

	<u>Date(s) of Evaluation</u> Jan. 4,6,26-28,31, 2011	<u>Test Report Serial No.</u> 121510ALH-T1070-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> March 24, 2011	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	



**DUT PHOTOGRAPHS**

**KENWOOD PALM-MICROPHONE KIT - AUDIO ACCESSORY CATEGORY #3 (DEFAULT AUDIO ACCESSORY CAT. 3)**



**3-Wire Lapel Microphone w/ Earpiece (P/N: KHS-9BL)**

<b>Applicant:</b>	<b>Kenwood USA Corporation</b>	<b>FCC ID:</b>	<b>ALH431000</b>	<b>DUT Model:</b>	<b>NX-320-K3</b>	<b>KENWOOD</b>
<b>DUT Type:</b>	<b>Portable UHF-H PTT Radio Transceiver</b>	<b>Transmitter Frequency Range:</b>		<b>450.0 - 512.0 MHz</b>		
2011 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 246 of 253

	<u>Date(s) of Evaluation</u> Jan. 4,6,26-28,31, 2011	<u>Test Report Serial No.</u> 121510ALH-T1070-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> March 24, 2011	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

**DUT PHOTOGRAPHS**

**KENWOOD SPEAKER-MICROPHONE - AUDIO ACCESSORY CATEGORY #4 (DEFAULT AUDIO ACCESORY CAT. 4)**



**Speaker Microphone w/ Integral GPS Unit (P/N: KMC-48GPS)**

<b>Applicant:</b>	<b>Kenwood USA Corporation</b>	<b>FCC ID:</b>	<b>ALH431000</b>	<b>DUT Model:</b>	<b>NX-320-K3</b>	<b>KENWOOD</b>
<b>DUT Type:</b>	<b>Portable UHF-H PTT Radio Transceiver</b>	<b>Transmitter Frequency Range:</b>		<b>450.0 - 512.0 MHz</b>		
2011 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 247 of 253



	<u>Date(s) of Evaluation</u> Jan. 4,6,26-28,31, 2011	<u>Test Report Serial No.</u> 121510ALH-T1070-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> March 24, 2011	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

**DUT PHOTOGRAPHS**

**KENWOOD SPEAKER-MICROPHONE - AUDIO ACCESSORY CATEGORY #4**



**Slim-Line Speaker-Microphone (P/N: KMC-21)**

<b>Applicant:</b>	<b>Kenwood USA Corporation</b>	<b>FCC ID:</b>	<b>ALH431000</b>	<b>DUT Model:</b>	<b>NX-320-K3</b>	<b>KENWOOD</b>
<b>DUT Type:</b>	<b>Portable UHF-H PTT Radio Transceiver</b>	<b>Transmitter Frequency Range:</b>		<b>450.0 - 512.0 MHz</b>		
2011 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 248 of 253

	<u>Date(s) of Evaluation</u> Jan. 4,6,26-28,31, 2011	<u>Test Report Serial No.</u> 121510ALH-T1070-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> March 24, 2011	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	



**DUT PHOTOGRAPHS**

**KENWOOD SPEAKER-MICROPHONE - AUDIO ACCESSORY CATEGORY #4**




**Heavy Duty Speaker-Microphone (P/N: KMC-45)**

<b>Applicant:</b>	<b>Kenwood USA Corporation</b>	<b>FCC ID:</b>	<b>ALH431000</b>	<b>DUT Model:</b>	<b>NX-320-K3</b>	<b>KENWOOD</b>
<b>DUT Type:</b>	<b>Portable UHF-H PTT Radio Transceiver</b>	<b>Transmitter Frequency Range:</b>		<b>450.0 - 512.0 MHz</b>		
2011 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 249 of 253

	<u>Date(s) of Evaluation</u> Jan. 4,6,26-28,31, 2011	<u>Test Report Serial No.</u> 121510ALH-T1070-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> March 24, 2011	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

**DUT PHOTOGRAPHS**

**EARPIECE FOR KENWOOD SPEAKER-MICROPHONE - AUDIO ACCESSORY CATEGORY #4**



**Earphone Kit P/N: KEP-2 (for use w/ KMC-21 & KMC-45 Speaker-Microphones)**

<b>Applicant:</b>	<b>Kenwood USA Corporation</b>	<b>FCC ID:</b>	<b>ALH431000</b>	<b>DUT Model:</b>	<b>NX-320-K3</b>	<b>KENWOOD</b>
<b>DUT Type:</b>	<b>Portable UHF-H PTT Radio Transceiver</b>	<b>Transmitter Frequency Range:</b>		<b>450.0 - 512.0 MHz</b>		
2011 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 250 of 253