


NX-320-K4, NX-320-K5, NX-320-K6
FCC ID: ALH431001
IC: 282D-431001




NX-320-K4 Display Unit

NX-320-K4, NX-320-K5, NX-320-K6
FCC ID: ALH431001
IC: 282D-431001



NX-320-K4 Display Unit

NX-320-K4, NX-320-K5, NX-320-K6
FCC ID: ALH431001
IC: 282D-431001



NX-320-K4 Display Unit

A vertical stainless steel ruler with a scale from 10 to 150 mm. The ruler is marked in millimeters and has the text "STAINLESS HARDENED" and "JIS 13242" printed on it. The ruler is shown against a white background.




NX-320-K4, NX-320-K5, NX-320-K6
FCC ID: ALH431001
IC: 282D-431001




NX-320-K5 Display Unit

NX-320-K4, NX-320-K5, NX-320-K6
FCC ID: ALH431001
IC: 282D-431001




NX-320-K5 Display Unit

NX-320-K4, NX-320-K5, NX-320-K6
FCC ID: ALH431001
IC: 282D-431001



NX-320-K5 Display Unit

NX-320-K4, NX-320-K5, NX-320-K6
FCC ID: ALH431001
IC: 282D-431001



NX-320-K5 Display Unit

NX-320-K4, NX-320-K5, NX-320-K6
FCC ID: ALH431001
IC: 282D-431001



NX-320-K6 Display Unit

NX-320-K4, NX-320-K5, NX-320-K6
FCC ID: ALH431001
IC: 282D-431001



NX-320-K6 Display Unit

NX-320-K4, NX-320-K5, NX-320-K6
FCC ID: ALH431001
IC: 282D-431001



NX-320-K6 Display Unit

NX-320-K4, NX-320-K5, NX-320-K6
FCC ID: ALH431001
IC: 282D-431001



NX-320-K6 Display Unit

NX-320-K4, NX-320-K5, NX-320-K6
FCC ID: ALH431001
IC: 282D-431001



NX-320-K4, NX-320-K5, NX-320-K6 Key

NX-320-K4, NX-320-K5, NX-320-K6
FCC ID: ALH431001
IC: 282D-431001



NX-320-K4, NX-320-K5, NX-320-K6 Key

NX-320-K4, NX-320-K5, NX-320-K6
FCC ID: ALH431001
IC: 282D-431001




NX-320-K4, NX-320-K5, NX-320-K6 Key

NX-320-K4, NX-320-K5, NX-320-K6
FCC ID: ALH431001
IC: 282D-431001




NX-320-K4, NX-320-K5, NX-320-K6 TXRX Unit

NX-320-K4, NX-320-K5, NX-320-K6
FCC ID: ALH431001
IC: 282D-431001



NX-320-K4, NX-320-K5, NX-320-K6 TXRX Unit

NX-320-K4, NX-320-K5, NX-320-K6
FCC ID: ALH431001
IC: 282D-431001



NX-320-K4, NX-320-K5, NX-320-K6 TXRX Unit