C2PC Cross Reference Table for FCC ID: ALH443801

Test Description	FCC Part Section(s)	Original Report Page	C2PC Report Page (06/10/2014)	C2PC Report Page (02/18/2015)	Test Condition	Test Result
Carrier RF Output Power	§2.1046, §22.565, §74.461, §90.205(i)	Page 8	-	Page 8	Conducted	PASS
Unwanted Emissions	§2.1051, §2.1057, §22.359, §74.462(c), §74.535, §90.210	Page 9 - 15	-	Page 9 - 12		PASS
Carrier Frequency Stability	§2.1055, §22.355, §74.464, §90.213	Page 34	-	-		PASS
Audio Frequency Response	§2.1047(a), §90.242(b)(8)	Page 32	-	-		PASS
Audio Low Pass Filter	§2.1047(a), §90.242(b)(8)	Page 31	-	-		PASS
Modulation Limiting	§2.1047(b), §74.463, §90.210	Page 33	-	-		PASS
Transient Frequency Behavior	§74.462(c), §90.214	Page 29 – 30	-	Page 23 – 24		PASS

Test Description	FCC Part Section(s)	Original Report Page	C2PC Report Page (06/10/2014)	C2PC Report Page (02/18/2015)	Test Condition	Test Result
Emission Mask	§2.1049, §22.359, §74.462(c),	Page 19 - 28		Page 13 - 22	Conducted	PASS
	§74.535, §90.210	rage 19 - 20	_	rage 13 - 22	Conducted	rA33
Field Strength of Spurious Radiation	§2.1051, §2.1053, §2.1057, §22.359, §74.462(c), §74.535, §90.210	Page 16 - 18	Page 8 - 10	-	Radiated	PASS
Necessary Bandwidth	§2.202(g)	Page 35 - 36	-	Page 25 - 26	-	-

Note:

1. Original Report:

- FCC ID: ALH443801

- Test Report No.: p1390004_FCC_Part90_Rev 1.0

2. Class II permissive change:

- Test Report No.: p1410015_FCC_Part90_Rev 2.0

- Final Action Date: 06/10/2014

- Changed the Antenna, Battery and Accessory:
 - Add KRA-42M UHF Stubby Antenna (440-490M)
 - Add KRA-42M3 UHF Stubby Antenna (400-450M)
 - Add KRA-23M UHF Low Profile Helical Antenna (440-490M)
 - Add KRA-23M3 UHF Low Profile Helical Antenna (400-450)
 - Add KNB-69L Li-ion Battery
 - Add KNB-29N NI-MH Battery
 - Add KMC-21 Compact Low-Profile Speaker Microphone
 - Add KEP-2 2.5mm Earphone Kit
 - Add KHS-10-BH Heavy-duty noise reduction behind-the-headset w/ noise cancelling boom mic & in-line PTT
 - Add KHS-10-OH Heavy-duty noise reduction over-the-headset w/ noise cancelling boom mic & in-line PTT
 - Add KHS-7 Single Muff Headset

- Add KHS-7A Single Muff Headset w/ In-Line PTT
- Add KHS-8BL 2-Wire Pal Mic. w/ Earphone
- Add KHS-9BL 3-Wire Lapel Mic. w/ Earphone
- Add KHS-22 Behind-the-Head Lightweight
- Add KHS-23 2-Wire Earbud Clip and PTT Palm Mic.
- Add KHS-25 D-Ring Ear Hanger w/ PTT & Boom Mic.

3. Class II permissive change:

- Test Report No. : p14b0028_FCC_Part90_Rev 2.0

- Final Action Date: 02/18/2015

- Added the Emission Designator : 16K0F3E, 8K30F1E, 8K30F1D, 8K30F7W