



(2:1)




(1:1)

	DESIGN	MODEL	TK-5410D-K2
		JVCKENWOOD Corporation	MODEL NAME PLATE




(2:1)



(1:1)

	DESIGN		MODEL
		JVCKENWOOD Corporation	TK-5410D-K3 MODEL NAME PLATE

MMV	SYMBOL	REVISION NO.	CORD	ISSUED	DATE
-	△ XALL	42232	NEW ADDITION		2001-03-14



CAUTION:  
Device must be restricted to occupational use to satisfy FCC RF exposure. See instruction manual for specific operating requirements.  
18410

(2:1)

NOTES:

MUST BE PRINTED WITH FILM.

-	-	-	-	AL EVAPORATION SHEET 10.1 FROSTED SILVER	SEAL PRINTING, STRONG TACKFIER, LAMINATE(FROSTING)	Y50-5130-12	-
NO.	PART NUMBER	NOTE	MATERIAL	FINISH	MODEL	QTY.	
SCALE	1:1	DESIGNED	CHECKED	APPROVED	PART NAME		-
UNIT	mm				CAUTION LABEL		-
		DATE	2001-03-14	DRAWING NUMBER	MMV-	SHEET NO.	REL.
JIS Z8310-84	<b>KENWOOD</b>	KENWOOD CORPORATION	B41-1841-04	1/1	00		

TK-5410D-K2, TK-5410D-K3  
FCC ID: ALH468800  
IC: 282D-468800



TK-5410D-K2

TK-5410D-K2, TK-5410D-K3  
FCC ID: ALH468800  
IC: 282D-468800



TK-5410D-K3