



FCC RF Test Report

APPLICANT : Locus Solutions,LLC
EQUIPMENT : GO Tracker 1.5
BRAND NAME : Emerson
MODEL NAME : GO Tracker 1.5
FCC ID : AMH101011
STANDARD : 47 CFR Part 2, 22(H), 24(E), 27(L), 27(F), 27(H)
CLASSIFICATION : PCS Licensed Transmitter (PCB)

The product was installed a module during the test: Quectel BG96 Module (Model name: BG96, FCC ID: XMR201707BG96).

The product was received on Nov. 12, 2019 and completely tested on Dec. 31, 2019. We, Sporton International (ShenZhen) Inc., would like to declare that the tested sample has been evaluated in accordance with the procedures given in ANSI C63.26-2015 and shown compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of Sporton International (ShenZhen) Inc., the test report shall not be reproduced except in full.

Reviewed by: Derreck Chen / Supervisor

Approved by: Eric Shih / Manager



Sporton International (ShenZhen) Inc.

1/F, 2/F, Bldg 5, Shiling Industrial Zone, Xinwei Village, Xili, Nanshan, Shenzhen, 518055
People's Republic of China



TABLE OF CONTENTS

REVISION HISTORY	3
SUMMARY OF TEST RESULT	4
1 GENERAL DESCRIPTION	6
1.1 Applicant	6
1.2 Manufacturer	6
1.3 Product Feature of Equipment Under Test	6
1.4 Product Specification of Equipment Under Test	7
1.5 Modification of EUT	8
1.6 Maximum ERP/EIRP Power	9
1.7 Testing Location	12
1.8 Test Software	12
1.9 Applicable Standards	12
2 TEST CONFIGURATION OF EQUIPMENT UNDER TEST	13
2.1 Test Mode	13
2.2 Connection Diagram of Test System	15
2.3 Support Unit used in test configuration and system	15
2.4 Measurement Results Explanation Example	15
2.5 Frequency List of Low/Middle/High Channels	16
3 CONDUCTED TEST ITEMS	20
3.1 Measuring Instruments	20
3.2 Test Setup	20
3.3 Test Result of Conducted Test	20
3.4 Conducted Output Power and ERP/EIRP	21
3.5 Peak-to-Average Ratio	22
3.6 Occupied Bandwidth	23
3.7 Conducted Band Edge	24
3.8 Conducted Spurious Emission	25
3.9 Frequency Stability	26
4 RADIATED TEST ITEMS	27
4.1 Measuring Instruments	27
4.2 Test Setup	27
4.3 Test Result of Radiated Test	27
4.4 Radiated Spurious Emission	28
5 LIST OF MEASURING EQUIPMENT	29
6 UNCERTAINTY OF EVALUATION	30
APPENDIX A. TEST RESULTS OF CONDUCTED TEST	
APPENDIX B. TEST RESULTS OF RADIATED TEST	
APPENDIX C. TEST SETUP PHOTOGRAPHS	



REVISION HISTORY

REPORT NO.	VERSION	DESCRIPTION	ISSUED DATE
FG9N1204B	Rev. 01	Initial issue of report	Jan. 08, 2020

SUMMARY OF TEST RESULT

Report Section	FCC Rule	Description	Limit	Result	Remark
3.4	§2.1046	Conducted Output Power	Reporting Only	PASS	-
	§22.913(a)(5)	Effective Radiated Power (Band 5) (Band 26)	ERP < 7 Watt	PASS	-
	§27.50(b)(10) §27.50(c)(10)	Effective Radiated Power (Band 12) (Band 13)	ERP < 3 Watt	PASS	-
	§24.232(c)	Equivalent Isotropic Radiated Power (Band 2)	EIRP < 2Watt	PASS	-
	§27.50(d)(4)	Equivalent Isotropic Radiated Power (Band 4)	EIRP < 1Watt	PASS	-
3.5	§24.232(d)	Peak-to-Average Ratio	<13 dB	PASS	1/2/3
3.6	§2.1049	Occupied Bandwidth	Reporting Only	PASS	1/2/3
3.7	§2.1051 §22.917(a) §24.238(a) §27.53(c)(2)(4) §27.53(g) §27.53(h)	Conducted Band Edge Measurement (Band 2) (Band 4) (Band 5) (Band 12) (Band 13) (Band 26)	< 43+10log10(P[Watts])	PASS	1/2/3
3.8	§2.1051 §22.917(a) §24.238(a) §27.53(c)(2) §27.53(g) §27.53(h)	Conducted Spurious Emission (Band 2) (Band 4) (Band 5) (Band 12) (Band 13) (Band 26)	< 43+10log10(P[Watts])	PASS	1/2/3
3.9	§2.1055 §22.355	Frequency Stability Temperature & Voltage	< 2.5 ppm for Part 22H	PASS	1/2/3
	§2.1055 §24.235 §27.54		Within Authorized Band		



Report Section	FCC Rule	Description	Limit	Result	Remark
4.4	§2.1053 §22.917(a) §24.238(a) §27.53(c)(2) §27.53(f) §27.53(g) §27.53(h)	Radiated Spurious Emission (Band 2) (Band 4) (Band 5) (Band 12) (Band 13) (Band 26)	$< 43 + 10 \log_{10}(P[\text{Watts}])$	PASS	Under limit 22.17 dB at 1564.500 MHz

Remark 1: For LTE Category M1, the conducted test items were leverage from module RF report which can refer to Report No. "RXA1706-0199RF01R1" for Band 5 , Band 26, Report No. "RXA1706-0199RF02R1" for Band 2, and Report No. "RXA1706-0199RF03R1" for Band 4, Band 12, Band 13.

Remark 2: For NB-IOT Category NB1, the conducted test items were leverage from module RF report which can refer to Report No. "RXA1706-0199RF05" for Band 5 , Band 26, Report No. "RXA1706-0199RF06" for Band 2, and Report No. "RXA1706-0199RF07" for Band 12, Band 13.

Remark 3: For NB-IOT Category NB1 Band 4, the conducted test items to full test.

Declaration of Conformity:

The test results with all measurement uncertainty excluded are presented in accordance with the regulation limits or requirements declared by manufacturers.

Comments and Explanations:

The declared of product specification for EUT presented in the report are provided by the manufacturer, and the manufacturer takes all the responsibilities for the accuracy of product specification.



1 General Description

1.1 Applicant

Locus Solutions,LLC

7121 Fairway Dr. Suite #400 | Palm Beach Gardens, FL 33418 USA

1.2 Manufacturer

Queclink Wireless Solutions Co., Ltd.

3 Floor, Building 2, No.717 Yishan Road, Xuhui District, shanghai, China 200233

1.3 Product Feature of Equipment Under Test

Product Feature	
Equipment	GO Tracker 1.5
Brand Name	Emerson
Model Name	GO Tracker 1.5
FCC ID	AMH101011
EUT supports Radios application	GSM/LTE Category M1/NB-IOT Category NB1
IMEI Code	Conducted: 862061041480590 Radiation: 862061041481382 for Sample 1 862061041480590 for Sample 2
HW Version	V1.03
SW Version	R00A01V19
EUT Stage	Production Unit

Remark: There are two types of EUT: sample 1 with a battery of 1800mAh capacity and sample 2 with a battery of 4000mAh capacity.

1.4 Product Specification of Equipment Under Test

Standards-related Product Specification	
Tx Frequency	LTE Category M1: LTE Band 2 : 1850.7 MHz ~ 1909.3 MHz LTE Band 4 : 1710.7 MHz ~ 1754.3 MHz LTE Band 5 : 824.7 MHz ~ 848.3 MHz LTE Band 12 : 699.7 MHz ~ 715.3 MHz LTE Band 13 : 779.5 MHz ~ 784.5 MHz LTE Band 26 : 824.7 MHz ~ 848.3 MHz NB-IOT Category NB1 : Band 2 : 1850.1 MHz ~ 1909.9 MHz Band 4 : 1710.1 MHz ~ 1754.9 MHz Band 5 : 824.1 MHz ~ 848.9 MHz Band 12 : 699.1 MHz ~ 715.9 MHz Band 13 : 777.1 MHz ~ 786.9 MHz Band 26 : 824.1 MHz ~ 848.9 MHz
Rx Frequency	LTE Category M1: LTE Band 2 : 1930.7 MHz ~ 1989.3 MHz LTE Band 4 : 2110.7 MHz ~ 2154.3 MHz LTE Band 5 : 869.7 MHz ~ 893.3 MHz LTE Band 12 : 729.7 MHz ~ 745.3 MHz LTE Band 13 : 748.5 MHz ~ 753.5 MHz LTE Band 26 : 869.7 MHz ~ 893.3 MHz NB-IOT Category NB1 : Band 2 : 1930.1 MHz ~ 1989.9 MHz Band 4 : 2110.1 MHz ~ 2154.9 MHz Band 5 : 869.1 MHz ~ 893.9 MHz Band 12 : 729.1 MHz ~ 745.9 MHz Band 13 : 746.1 MHz ~ 755.9 MHz Band 26 : 869.1 MHz ~ 893.9 MHz
Bandwidth	LTE Category M1: LTE Band 2 : 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz / 20MHz LTE Band 4 : 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz / 20MHz LTE Band 5 : 1.4MHz / 3MHz / 5MHz / 10MHz LTE Band 12 : 1.4MHz / 3MHz / 5MHz / 10MHz LTE Band 13 : 5MHz / 10MHz LTE Band 26 : 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz NB-IOT Category NB1 : 200KHz
Sub-carrier Spacing	NB-IOT Category NB1 : LTE Band 2 : 3.75KHz / 15KHz LTE Band 4 : 3.75KHz / 15KHz LTE Band 5 : 3.75KHz / 15KHz LTE Band 12 : 3.75KHz / 15KHz LTE Band 13 : 3.75KHz / 15KHz LTE Band 26 : 3.75KHz / 15KHz
Maximum Output Power to Antenna	LTE Category M1: LTE Band 2 : 23.93 dBm LTE Band 4 : 22.34 dBm LTE Band 5 : 23.05 dBm LTE Band 12 : 23.62 dBm

	LTE Band 13 : 23.88 dBm LTE Band 26 : 22.69 dBm NB-IOT Category NB1: LTE Band 2 : 22.87 dBm LTE Band 4 : 22.28 dBm LTE Band 5 : 22.53 dBm LTE Band 12 : 23.55 dBm LTE Band 13 : 22.98 dBm LTE Band 26 : 23.11 dBm
Antenna Gain	LTE Band 2 : -4.12 dBi LTE Band 4 : -4.11 dBi LTE Band 5 : -5.51 dBi LTE Band 12 : -7.41 dBi LTE Band 13 : -10.34 dBi LTE Band 26 : -5.51 dBi
Type of Modulation	LTE Category M1: QPSK / 16QAM NB-IOT Category NB1 : BPSK / QPSK

1.5 Modification of EUT

No modifications are made to the EUT during all test items.



1.6 Maximum ERP/EIRP Power

LTE Category M1

LTE Band 2		QPSK			16QAM		
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)
1.4	1850.7 ~ 1909.3	-	-	0.0918	-	-	0.0951
3	1851.5 ~ 1908.5	-	-	0.0940	-	-	0.0955
5	1852.5 ~ 1907.5	-	-	0.0944	-	-	0.0953
10	1855.0 ~ 1905.0	-	-	0.0953	-	-	0.0953
15	1857.5 ~ 1902.5	-	-	0.0938	-	-	0.0944
20	1860.0 ~ 1900.0	-	-	0.0912	-	-	0.0957
LTE Band 4		QPSK			16QAM		
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)
1.4	1710.7 ~ 1754.3	-	-	0.0656	-	-	0.0633
3	1711.5 ~ 1753.5	-	-	0.0650	-	-	0.0631
5	1712.5 ~ 1752.5	-	-	0.0645	-	-	0.0636
10	1715.0 ~ 1750.0	-	-	0.0653	-	-	0.0635
15	1717.5 ~ 1747.5	-	-	0.0665	-	-	0.0644
20	1720.0 ~ 1745.0	-	-	0.0659	-	-	0.0641
LTE Band 5		QPSK			16QAM		
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)
1.4	824.7 ~ 848.3	-	-	0.0332	-	-	0.0344
3	825.5 ~ 847.5	-	-	0.0338	-	-	0.0341
5	826.5 ~ 846.5	-	-	0.0335	-	-	0.0345
10	829.0 ~ 844.0	-	-	0.0331	-	-	0.0346
LTE Band 12		QPSK			16QAM		
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)
1.4	699.7 ~ 715.3	-	-	0.0252	-	-	0.0245
3	700.5 ~ 714.5	-	-	0.0249	-	-	0.0251
5	701.5 ~ 713.5	-	-	0.0250	-	-	0.0252
10	704.0 ~ 711.0	-	-	0.0255	-	-	0.0254



LTE Band 13		QPSK			16QAM		
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)
5	779.5 ~ 784.5	-	-	0.0138	-	-	0.0129
10	782.0	-	-	0.0134	-	-	0.0123
LTE Band 26		QPSK			16QAM		
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)
1.4	824.7 ~ 848.3	-	-	0.0310	-	-	0.0317
3	825.5 ~ 847.5	-	-	0.0310	-	-	0.0304
5	826.5 ~ 846.5	-	-	0.0313	-	-	0.0307
10	829.0 ~ 844.0	-	-	0.0316	-	-	0.0310
15	831.5 ~ 841.5	-	-	0.0318	-	-	0.0316
CH26765	821.5	-	-	0.0321	-	-	0.0318



NB-IOT Category NB1

LTE Band 2		BPSK			QPSK		
Sub-carrier Spacing (KHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)
3.75	1850.1 ~ 1909.9	-	-	0.0540	-	-	0.0541
15	1850.1 ~ 1909.9	-	-	0.0750	-	-	0.0741
LTE Band 4		BPSK			QPSK		
Sub-carrier Spacing (KHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)
3.75	1710.1 ~ 1754.9	5K76F1D	-	0.0476	5K74G7D	-	0.0476
15	1710.1 ~ 1754.9	21K9F1D	-	0.0656	190KG7D	0.0019	0.0641
LTE Band 5		BPSK			QPSK		
Sub-carrier Spacing (KHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)
3.75	824.1 ~ 848.9	-	-	0.0285	-	-	0.0286
15	824.1 ~ 848.9	-	-	0.0303	-	-	0.0307
LTE Band 12		BPSK			QPSK		
Sub-carrier Spacing (KHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)
3.75	699.1 ~ 715.9	-	-	0.0199	-	-	0.0200
15	699.1 ~ 715.9	-	-	0.0240	-	-	0.0251
LTE Band 13		BPSK			QPSK		
Sub-carrier Spacing (KHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)
3.75	777.1 ~ 786.9	-	-	0.0096	-	-	0.0093
15	777.1 ~ 786.9	-	-	0.0108	-	-	0.0112
LTE Band 26		BPSK			QPSK		
Sub-carrier Spacing (KHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)
3.75	824.1 ~ 848.9	-	-	0.0310	-	-	0.0313
15	824.1 ~ 848.9	-	-	0.0348	-	-	0.0351

1.7 Testing Location

Sporton International (Shenzhen) Inc. is accredited to ISO/IEC 17025:2017 by American Association for Laboratory Accreditation with Certificate Number 5145.01.

Test Firm	Sporton International (Shenzhen) Inc.		
Test Site Location	1/F, 2/F, Bldg 5, Shiling Industrial Zone, Xinwei Village, Xili, Nanshan, Shenzhen, 518055 People's Republic of China TEL: +86-755-86379589 FAX: +86-755-86379595		
Test Site No.	Sporton Site No.	FCC Designation No.	FCC Test Firm Registration No.
	TH01-SZ	CN1256	421272

Test Firm	Sporton International (Shenzhen) Inc.		
Test Site Location	No. 3 Bldg the third floor of south, Shahe River west, Fengzeyuan Warehouse, Nanshan Shenzhen, 518055 People's Republic of China TEL: +86-755-33202398		
Test Site No.	Sporton Site No.	FCC Designation No.	FCC Test Firm Registration No.
	03CH04-SZ	CN1256	421272

1.8 Test Software

Item	Site	Manufacture	Name	Version
1.	03CH04-SZ	AUDIX	E3	6.2009-8-24

1.9 Applicable Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- 47 CFR Part 2, 22(H), 24(E), 27(L), 27(F), 27(H)
- ANSI C63.26-2015
- FCC KDB 971168 D01 Power Meas License Digital Systems v03r01
- FCC KDB 412172 D01 Determining ERP and EIRP v01r01

Remark:

1. All test items were verified and recorded according to the standards and without any deviation during the test.
2. This EUT has also been tested and complied with the requirements of FCC Part 15, Subpart B, recorded in a separate test report.



2 Test Configuration of Equipment Under Test

2.1 Test Mode

Antenna port conducted and radiated test items listed below are performed according to KDB 971168 D01 Power Meas License Digital Systems v03r01 with maximum output power.

Radiated measurements are performed by rotating the EUT in three different orthogonal test planes to find the maximum emission.

LTE Category M1:


Test Items	Band	Bandwidth (MHz)						Modulation			RB #			Test Channel		
		1.4	3	5	10	15	20	QPSK	16QAM	64QAM	1	Half	Full	L	M	H
Max. Output Power	2	v	v	v	v	v	v	v	v	-	v	v	v	v	v	v
	4	v	v	v	v	v	v	v	v	-	v	v	v	v	v	v
	5	v	v	v	v	-	-	v	v	-	v	v	v	v	v	v
	12	v	v	v	v	-	-	v	v	-	v	v	v	v	v	v
	13	-	-	v		-	-	v	v	-	v	v	v	v	v	v
		-	-		v	-	-	v	v	-	v	v	v		v	
	26	v	v	v	v	v	-	v	v	-	v	v	v	v	v	v
E.R.P / E.I.R.P	2	v	v	v	v	v	v	v	v	-	v			v	v	v
	4	v	v	v	v	v	v	v	v	-	v			v	v	v
	5	v	v	v	v	-	-	v	v	-	v			v	v	v
	12	v	v	v	v	-	-	v	v	-	v			v	v	v
	13	-	-	v		-	-	v	v	-	v			v	v	v
		-	-		v	-	-	v	v	-	v				v	
	26	v	v	v	v	v	-	v	v	-	v			v	v	v
Radiated Spurious Emission	2	v	v	v	v	v	v	v		-	v			v	v	v
	4	v	v	v	v	v	v	v		-	v			v	v	v
	5	v	v	v	v	-	-	v		-	v			v	v	v
	12	v	v	v	v	-	-	v		-	v			v	v	v
	13	-	-	v		-	-	v		-	v			v	v	v
		-	-		v	-	-	v		-	v				v	
	26	v	v	v	v	v	-	v		-	v			v	v	v
Note	- The mark "v" means that this configuration is chosen for testing - The mark "-" means that this bandwidth is not supported. - The device is investigated from 30MHz to 10 times of fundamental signal for radiated spurious emission test under different RB size/offset and modulations in exploratory test. Subsequently, only the worst case emissions are reported.															



NB-IOT Category NB1 :

Test Items	Band	Sub-carrier Spacing (KHz)		Modulation				Tones #			Test Channel		
		3.75	15	BPSK	QPSK	16QAM	64QAM	1	-	12	L	M	H
Max. Output Power	2	v	v	v	v	-	-	v	-	v	v	v	v
	4	v	v	v	v	-	-	v	-	v	v	v	v
	5	v	v	v	v	-	-	v	-	v	v	v	v
	12	v	v	v	v	-	-	v	-	v	v	v	v
	13	v	v	v	v	-	-	v	-	v	v	v	v
	26	v	v	v	v	-	-	v	-	v	v	v	v
Peak-to-Average Ratio	4	v	v	v	v	-	-	v	-	v	v	v	v
26dB and 99% Bandwidth	4	v	v	v	v	-	-	v	-	v	v	v	v
Conducted Band Edge	4	v	v	v	v	-	-	v	-	v	v		v
Conducted Spurious Emission	4	v	v	v	v	-	-	v	-		v	v	v
Frequency Stability	4	v	v		v	-	-		-	v		v	
E.R.P / E.I.R.P	2	v	v	v	v	-	-	v	-		v	v	v
	4	v	v	v	v	-	-	v	-		v	v	v
	5	v	v	v	v	-	-	v	-		v	v	v
	12	v	v	v	v	-	-	v	-		v	v	v
	13	v	v	v	v	-	-	v	-		v	v	v
	26	v	v	v	v	-	-	v	-		v	v	v
Radiated Spurious Emission	2	Worst case									v	v	v
	4	Worst case									v	v	v
	5	Worst case									v	v	v
	12	Worst case									v	v	v
	13	Worst case									v	v	v
	26	Worst case									v	v	v
Note	1. The mark “v ” means that this configuration is chosen for testing 2. The mark “-” means that this bandwidth is not supported. 3. The device is investigated from 30MHz to 10 times of fundamental signal for radiated spurious emission test under different RB size/offset and modulations in exploratory test. Subsequently, only the worst case emissions are reported.												

2.2 Connection Diagram of Test System



2.3 Support Unit used in test configuration and system

Item	Equipment	Trade Name	Model No.	FCC ID	Data Cable	Power Cord
1.	Power Supply	GWINSTEK	PSS-2002	N/A	N/A	Unshielded, 1.8 m
2.	LTE Base Station	Anritsu	MT8820C	N/A	N/A	Unshielded, 1.8 m

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuator factor between EUT conducted output port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly the EUT RF output level.

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Offset = RF cable loss + attenuator factor.

Following shows an offset computation example with cable loss 4.5 dB and 10dB attenuator.

Example :

$$\begin{aligned}
 \text{Offset(dB)} &= \text{RF cable loss(dB)} + \text{attenuator factor(dB)} \\
 &= 4.5 + 10 = 14.5 \text{ (dB)}
 \end{aligned}$$



2.5 Frequency List of Low/Middle/High Channels

LTE Category M1:

LTE Band 2 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	18700	18900	19100
	Frequency	1860	1880	1900
15	Channel	18675	18900	19125
	Frequency	1857.5	1880	1902.5
10	Channel	18650	18900	19150
	Frequency	1855	1880	1905
5	Channel	18625	18900	19175
	Frequency	1852.5	1880	1907.5
3	Channel	18615	18900	19185
	Frequency	1851.5	1880	1908.5
1.4	Channel	18607	18900	19193
	Frequency	1850.7	1880	1909.3

LTE Band 4 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	20050	20175	20300
	Frequency	1720	1732.5	1745
15	Channel	20025	20175	20325
	Frequency	1717.5	1732.5	1747.5
10	Channel	20000	20175	20350
	Frequency	1715	1732.5	1750
5	Channel	19975	20175	20375
	Frequency	1712.5	1732.5	1752.5
3	Channel	19965	20175	20385
	Frequency	1711.5	1732.5	1753.5
1.4	Channel	19957	20175	20393
	Frequency	1710.7	1732.5	1754.3



LTE Band 5 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	20450	20525	20600
	Frequency	829	836.5	844
5	Channel	20425	20525	20625
	Frequency	826.5	836.5	846.5
3	Channel	20415	20525	20635
	Frequency	825.5	836.5	847.5
1.4	Channel	20407	20525	20643
	Frequency	824.7	836.5	848.3

LTE Band 12 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	23060	23095	23130
	Frequency	704	707.5	711
5	Channel	23035	23095	23155
	Frequency	701.5	707.5	713.5
3	Channel	23025	23095	23165
	Frequency	700.5	707.5	714.5
1.4	Channel	23017	23095	23173
	Frequency	699.7	707.5	715.3

LTE Band 13 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	-	23230	-
	Frequency	-	782	-
5	Channel	23205	23230	23255
	Frequency	779.5	782	784.5



LTE Band 26 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
15	Channel	26865	26915	26965
	Frequency	831.5	836.5	841.5
10	Channel	26840	26915	26990
	Frequency	829	836.5	844
5	Channel	26815	26915	27015
	Frequency	826.5	836.5	846.5
3	Channel	26805	26915	27025
	Frequency	825.5	836.5	847.5
1.4	Channel	26797	26915	27033
	Frequency	824.7	836.5	848.3

NB-IOT Category NB1:

LTE Band 2 Channel and Frequency List				
Sub-carrier Speacing (KHz)	Channel / Frequency (MHz)	Lowest	Middle	Highest
3.75	Channel	18601	18900	19199
	Frequency	1850.1	1880	1909.9
15	Channel	18601	18900	19199
	Frequency	1850.1	1880	1909.9

LTE Band 4 Channel and Frequency List				
Sub-carrier Speacing (KHz)	Channel / Frequency (MHz)	Lowest	Middle	Highest
3.75	Channel	19951	20170	20399
	Frequency	1710.1	1733	1754.9
15	Channel	19951	20170	20399
	Frequency	1710.1	1733	1754.9



LTE Band 5 Channel and Frequency List				
Sub-carrier Speacing (KHz)	Channel / Frequency (MHz)	Lowest	Middle	Highest
3.75	Channel	20410	20525	20649
	Frequency	824.1	836.5	848.9
15	Channel	20410	20525	20649
	Frequency	824.1	836.5	848.9

LTE Band 12 Channel and Frequency List				
Sub-carrier Speacing (KHz)	Channel / Frequency (MHz)	Lowest	Middle	Highest
3.75	Channel	23011	23095	23179
	Frequency	699.1	707.5	715.9
15	Channel	23011	23095	23179
	Frequency	699.1	707.5	715.9

LTE Band 13 Channel and Frequency List				
Sub-carrier Speacing (KHz)	Channel / Frequency (MHz)	Lowest	Middle	Highest
3.75	Channel	23181	23230	23279
	Frequency	777.1	782	786.9
15	Channel	23181	23230	23279
	Frequency	777.1	782	786.9

LTE Band 26 Channel and Frequency List				
Sub-carrier Speacing (KHz)	Channel / Frequency (MHz)	Lowest	Middle	Highest
3.75	Channel	26791	26915	27039
	Frequency	824.1	836.5	848.9
15	Channel	26791	26915	27039
	Frequency	824.1	836.5	848.9


3 Conducted Test Items

3.1 Measuring Instruments


See list of measuring instruments of this test report.

3.2 Test Setup


3.2.1 Conducted Output Power



3.2.2 Peak-to-Average Ratio, Occupied Bandwidth ,Conducted Band-Edge and Conducted Spurious Emission



3.2.3 Frequency Stability



3.3 Test Result of Conducted Test

Please refer to Appendix A.

3.4 Conducted Output Power and ERP/EIRP

3.4.1 Description of the Conducted Output Power Measurement and ERP/EIRP Measurement

A system simulator was used to establish communication with the EUT. Its parameters were set to force the EUT transmitting at maximum output power. The measured power in the radio frequency on the transmitter output terminals shall be reported.

The ERP of mobile transmitters must not exceed 7 Watts for LTE Band 5 and Band 26.

The ERP of mobile transmitters must not exceed 3 Watts for LTE Band 12, Band 13.

The EIRP of mobile transmitters must not exceed 2 Watts for LTE Band 2.

The EIRP of mobile transmitters must not exceed 1 Watts for LTE Band 4.

According to KDB 412172 D01 Power Approach,

$EIRP = P_T + G_T - L_C$, $ERP = EIRP - 2.15$, where

P_T = transmitter output power in dBm

G_T = gain of the transmitting antenna in dBi

L_C = signal attenuation in the connecting cable between the transmitter and antenna in dB

3.4.2 Test Procedures

1. The testing follows ANSI C63.26 Section 5.2
2. The transmitter output port was connected to the system simulator.
3. Set EUT at maximum power through the system simulator.
4. Select lowest, middle, and highest channels for each band and different modulation.
5. Measure and record the power level from the system simulator.

3.5 Peak-to-Average Ratio

3.5.1 Description of the PAR Measurement

Power Complementary Cumulative Distribution Function (CCDF) curves provide a means for characterizing the power peaks of a digitally modulated signal on a statistical basis. A CCDF curve depicts the probability of the peak signal amplitude exceeding the average power level. Most contemporary measurement instrumentation include the capability to produce CCDF curves for an input signal provided that the instrument's resolution bandwidth can be set wide enough to accommodate the entire input signal bandwidth. In measuring transmissions in this band using an average power technique, the peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.

3.5.2 Test Procedures

1. The testing follows ANSI C63.26 Section 5.2.3.4 (CCDF).
2. The EUT was connected to spectrum and system simulator via a power divider.
3. Set the CCDF (Complementary Cumulative Distribution Function) option in spectrum analyzer.
4. The highest RF powers were measured and recorded the maximum PAPR level associated with a probability of 0.1 %.
5. Record the deviation as Peak to Average Ratio.

3.6 Occupied Bandwidth

3.6.1 Description of Occupied Bandwidth Measurement

The occupied bandwidth is the width of a frequency band such that, below the lower and above the upper frequency limits, the mean powers emitted are each equal to a specified percentage 0.5% of the total mean transmitted power.

The 26 dB emission bandwidth is defined as the frequency range between two points, one above and one below the carrier frequency, at which the spectral density of the emission is attenuated 26 dB below the maximum in-band spectral density of the modulated signal. Spectral density (power per unit bandwidth) is to be measured with a detector of resolution bandwidth equal to approximately 1.0% of the emission bandwidth.

3.6.2 Test Procedures

1. The testing follows ANSI C63.26 Section 5.4
2. The EUT was connected to spectrum analyzer and system simulator via a power divider.
3. The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The span range for the spectrum analyzer shall be between two and five times the anticipated OBW.
4. The nominal resolution bandwidth (RBW) shall be in the range of 1 to 5 % of the anticipated OBW, and the VBW shall be at least 3 times the RBW.
5. Set the detection mode to peak, and the trace mode to max hold.
6. Determine the reference value: Set the EUT to transmit a modulated signal. Allow the trace to stabilize. Set the spectrum analyzer marker to the highest level of the displayed trace.
(this is the reference value)
7. Determine the “-26 dB down amplitude” as equal to (Reference Value – X).
8. Place two markers, one at the lowest and the other at the highest frequency of the envelope of the spectral display such that each marker is at or slightly below the “-X dB down amplitude” determined in step 6. If a marker is below this “-X dB down amplitude” value it shall be placed as close as possible to this value. The OBW is the positive frequency difference between the two markers.
9. Use the 99 % power bandwidth function of the spectrum analyzer and report the measured bandwidth.

3.7 Conducted Band Edge

3.7.1 Description of Conducted Band Edge Measurement

27.53 (h)

For operations in the 1710 – 1755 MHz band, the FCC limit is $43 + 10\log_{10}(P[\text{Watts}])$ dB below the transmitter power $P(\text{Watts})$ in a 1 MHz bandwidth. However, in the 1MHz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

3.7.2 Test Procedures

1. The testing follows ANSI C63.26 section 5.7
2. The EUT was connected to spectrum analyzer and system simulator via a power divider.
3. The band edges of low and high channels for the highest RF powers were measured.
4. Set spectrum analyzer with RMS detector.
5. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
6. Checked that all the results comply with the emission limit line.

Example:

The limit line is derived from $43 + 10\log(P)\text{dB}$ below the transmitter power $P(\text{Watts})$
 $= P(\text{W}) - [43 + 10\log(P)] (\text{dB})$
 $= [30 + 10\log(P)] (\text{dBm}) - [43 + 10\log(P)] (\text{dB}) = -13\text{dBm}.$

3.8 Conducted Spurious Emission

3.8.1 Description of Conducted Spurious Emission Measurement

The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least $43 + 10 \log (P)$ dB.

It is measured by means of a calibrated spectrum analyzer and scanned from 30 MHz up to a frequency including its 10th harmonic.

3.8.2 Test Procedures

1. The testing follows ANSI C63.26 section 5.7
2. The EUT was connected to spectrum analyzer and system simulator via a power divider.
3. The RF output of EUT was connected to the spectrum analyzer by RF cable and attenuator.
The path loss was compensated to the results for each measurement.
4. The middle channel for the highest RF power within the transmitting frequency was measured.
5. The conducted spurious emission for the whole frequency range was taken.
6. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz.
7. Set spectrum analyzer with RMS detector.
8. Taking the record of maximum spurious emission.
9. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
10. The limit line is derived from $43 + 10\log(P)$ dB below the transmitter power P(Watts)
 $= P(W) - [43 + 10\log(P)]$ (dB)
 $= [30 + 10\log(P)]$ (dBm) - $[43 + 10\log(P)]$ (dB)
 $= -13$ dBm.

3.9 Frequency Stability

3.9.1 Description of Frequency Stability Measurement

The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintained within $\pm 0.00025\%$ ($\pm 2.5\text{ppm}$) of the center frequency.

3.9.2 Test Procedures for Temperature Variation

1. The testing follows ANSI C63.26 section 5.6.4
2. The EUT was set up in the thermal chamber and connected with the system simulator.
3. With power OFF, the temperature was decreased to -30°C and the EUT was stabilized before testing. Power was applied and the maximum change in frequency was recorded within one minute.
4. With power OFF, the temperature was raised in 10°C step up to 50°C . The EUT was stabilized at each step for at least half an hour. Power was applied and the maximum frequency change was recorded within one minute.

3.9.3 Test Procedures for Voltage Variation

1. The testing follows ANSI C63.26 section 5.6.5
2. The EUT was placed in a temperature chamber at $20\pm 5^{\circ}\text{C}$ and connected with the system simulator.
3. The power supply voltage to the EUT was varied from 85% to 115% of the nominal value for other than hand carried battery equipment.
4. For hand carried, battery powered equipment, reduce the primary ac or dc supply voltage to the battery operating end point, which shall be specified by the manufacturer.
5. The variation in frequency was measured for the worst case.


4 Radiated Test Items

4.1 Measuring Instruments


See list of measuring instruments of this test report.

4.2 Test Setup

4.2.1 For radiated test from 30MHz to 1GHz



4.2.2 For radiated test above 1GHz



4.3 Test Result of Radiated Test

Please refer to Appendix B.

4.4 Radiated Spurious Emission

4.4.1 Description of Radiated Spurious Emission

The radiated spurious emission was measured by substitution method according to ANSI C63.26. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least $43 + 10 \log (P)$ dB.

For LTE Band 13

For operations in the 746-758 MHz, 775-788 MHz, and 805-806 MHz bands, emissions in the band 1559-1610 MHz shall be limited to -70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and -80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth.

The spectrum is scanned from 30 MHz up to a frequency including its 10th harmonic.

4.4.2 Test Procedures

1. The testing follows ANSI C63.26 Section 5.5
2. The EUT was placed on a turntable with 0.8 meter height for frequency below 1GHz and 1.5 meter height for frequency above 1GHz respectively above ground.
3. The EUT was set 3 meters from the receiving antenna mounted on the antenna tower.
4. The table was rotated 360 degrees to determine the position of the highest spurious emission.
5. The height of the receiving antenna is varied between 1m to 4m to search the maximum spurious emission for both horizontal and vertical polarizations.
6. During the measurement, the system simulator parameters were set to force the EUT transmitting at maximum output power.
7. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz, taking the record of maximum spurious emission.
8. A horn antenna was substituted in place of the EUT and was driven by a signal generator.
9. Tune the output power of signal generator to the same emission level with EUT maximum spurious emission.
10. $\text{EIRP (dBm)} = \text{S.G. Power} - \text{Tx Cable Loss} + \text{Tx Antenna Gain}$
11. $\text{ERP (dBm)} = \text{EIRP} - 2.15$
12. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.

The limit line is derived from $43 + 10\log(P)$ dB below the transmitter power P(Watts)
 $= P(W) - [43 + 10\log(P)] \text{ (dB)}$
 $= [30 + 10\log(P)] \text{ (dBm)} - [43 + 10\log(P)] \text{ (dB)}$
 $= -13\text{dBm}.$



5 List of Measuring Equipment

Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Spectrum Analyzer	R&S	FSV40	101078	10Hz~40GHz	Apr. 18, 2019	Dec. 18, 2019~ Dec. 31, 2019	Apr. 17, 2020	Conducted (TH01-SZ)
Thermal Chamber	Ten Billion Hongzhangroup	LP-150U	H2014081803	-40~+150°C	Dec. 22, 2018	Dec. 18, 2019	Dec. 21, 2019	Conducted (TH01-SZ)
Thermal Chamber	Ten Billion Hongzhangroup	LP-150U	H2014081803	-40~+150°C	Dec. 26, 2019	Dec. 27, 2019~ Dec. 31, 2019	Dec. 25, 2020	Conducted (TH01-SZ)
EXA Spectrum Analyzer	KEYSIGHT	N9010A	MY55150213	10Hz~44GHz	Apr. 18, 2019	Dec. 10, 2019~ Dec. 31, 2019	Apr. 17, 2020	Radiation (03CH04-SZ)
Bilog Antenna	TeseQ	CBL6111D	41909	30MHz~1GHz	Aug. 27, 2019	Dec. 10, 2019~ Dec. 31, 2019	Aug. 26, 2020	Radiation (03CH04-SZ)
Double Ridge Horn Antenna	SCHWARZBECK	BBHA9120D	9120D-1474	1GHz~18GHz	Apr. 01, 2019	Dec. 10, 2019~ Dec. 31, 2019	Mar. 31, 2020	Radiation (03CH04-SZ)
Horn Antenna	SCHWARZBECK	BBHA9170	9170#679	15GHz~40GHz	Apr. 19, 2019	Dec. 10, 2019~ Dec. 31, 2019	Apr. 18, 2020	Radiation (03CH04-SZ)
Amplifier	Burgeon	BPA-530	102211	0.01Hz ~3000MHz	Oct. 18, 2019	Dec. 10, 2019~ Dec. 31, 2019	Oct. 17, 2020	Radiation (03CH04-SZ)
HF Amplifier	MITEQ	AMF-7D-00 101800-30-1 0P-R	1943528	1GHz~18GHz	Oct. 18, 2019	Dec. 10, 2019~ Dec. 31, 2019	Oct. 17, 2020	Radiation (03CH04-SZ)
HF Amplifier	MITEQ	TTA1840-35 -HG	1871923	18GHz~40GHz	Jul. 22, 2019	Dec. 10, 2019~ Dec. 31, 2019	Jul. 21, 2020	Radiation (03CH04-SZ)
Amplifier	Agilent Technologies	83017A	MY53270156	500MHz~26.5GHz	Aug. 26, 2019	Dec. 10, 2019~ Dec. 31, 2019	Aug. 25, 2020	Radiation (03CH04-SZ)
AC Power Source	Chroma	61601	N/A	N/A	NCR	Dec. 10, 2019~ Dec. 31, 2019	NCR	Radiation (03CH04-SZ)
Turn Table	EM	EM1000	N/A	0~360 degree	NCR	Dec. 10, 2019~ Dec. 31, 2019	NCR	Radiation (03CH04-SZ)
Antenna Mast	EM	EM1000	N/A	1 m~4 m	NCR	Dec. 10, 2019~ Dec. 31, 2019	NCR	Radiation (03CH04-SZ)

NCR: No Calibration Required

6 Uncertainty of Evaluation

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI 63.26-2015. All the measurement uncertainty value were shown with a coverage $K=2$ to indicate 95% level of confidence. The measurement data show herein meets or exceeds the CISPR measurement uncertainty values specified in CISPR 16-4-2 and can be compared directly to specified limit to determine compliance.

Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	2.8dB
---	-------

Uncertainty of Radiated Emission Measurement (1 GHz ~ 18 GHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	3.1dB
---	-------

Uncertainty of Radiated Emission Measurement (18 GHz ~ 40 GHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	3.9dB
---	-------



Appendix A. Test Results of Conducted Test

Conducted Output Power(Average power)

LTE Category M1:

LTE Band 2 Maximum Average Power [dBm]									
BW [MHz]	Mod	RB Size	RB Offset	Index			Lowest	Middle	Highest
				L	M	H			
20	QPSK	1	0	0	0	15	23.72	23.49	23.64
20		1	5	0	0	15	23.70	23.50	23.64
20		6	0	0	0	15	23.52	23.27	23.64
20	16-QAM	1	0	0	0	15	23.93	22.37	22.67
20		1	5	0	0	15	23.80	22.29	22.60
20		6	0	0	0	15	23.86	23.07	23.40
15	QPSK	1	0	0	0	11	23.84	23.49	23.58
15		1	5	0	0	11	23.53	23.63	23.82
15		6	0	0	0	11	23.34	23.10	23.47
15	16-QAM	1	0	0	0	11	23.79	22.29	22.59
15		1	5	0	0	11	23.87	22.44	22.51
15		6	0	0	0	11	23.72	23.24	23.39
10	QPSK	1	0	0	0	7	23.91	23.41	23.66
10		1	5	0	0	7	23.87	23.69	23.53
10		6	0	0	0	7	23.40	23.18	23.66
10	16-QAM	1	0	0	0	7	23.91	22.48	22.87
10		1	5	0	0	7	23.86	22.45	22.48
10		6	0	0	0	7	23.86	23.16	23.21

LTE Band 2 Maximum Average Power [dBm]									
BW [MHz]	Mod	RB Size	RB Offset	Index			Lowest	Middle	Highest
				L	M	H			
5	QPSK	1	0	0	0	3	23.67	23.55	23.81
5		1	5	0	0	3	23.87	23.59	23.61
5		6	0	0	0	3	23.53	23.34	23.49
5	16-QAM	1	0	0	0	3	23.90	22.46	22.56
5		1	5	0	0	3	23.87	22.39	22.77
5		6	0	0	0	3	23.91	23.16	23.46
3	QPSK	1	0	0	0	1	23.64	23.51	23.60
3		1	5	0	0	1	23.85	23.37	23.52
3		6	0	0	0	1	23.72	23.12	23.81
3	16-QAM	1	0	0	0	1	23.89	22.21	22.85
3		1	5	0	0	1	23.92	22.11	22.79
3		6	0	0	0	1	23.78	22.98	23.25
1.4	QPSK	1	0	0	0	0	23.69	23.68	23.75
1.4		1	5	0	0	0	23.73	23.41	23.68
1.4		6	0	0	0	0	23.39	23.47	23.73
1.4	16-QAM	1	0	0	0	0	23.90	22.19	22.87
1.4		1	5	0	0	0	23.89	22.31	22.62
1.4		6	0	0	0	0	23.78	23.07	23.49



LTE Band 4 Maximum Average Power [dBm]									
BW [MHz]	Mod	RB Size	RB Offset	Index			Lowest	Middle	Highest
				L	M	H			
20	QPSK	1	0	0	0	15	22.02	22.29	22.23
20		1	5	0	0	15	22.01	22.28	22.22
20		6	0	0	0	15	22.02	22.17	22.30
20	16-QAM	1	0	0	0	15	22.02	22.17	22.11
20		1	5	0	0	15	21.95	22.13	22.04
20		6	0	0	0	15	21.83	22.10	22.18
15	QPSK	1	0	0	0	11	22.08	22.27	22.16
15		1	5	0	0	11	22.09	22.34	22.16
15		6	0	0	0	11	21.93	22.05	22.19
15	16-QAM	1	0	0	0	11	22.05	22.09	22.05
15		1	5	0	0	11	21.97	22.20	22.07
15		6	0	0	0	11	21.79	22.13	22.13
10	QPSK	1	0	0	0	7	21.84	22.10	22.13
10		1	5	0	0	7	21.81	22.13	22.14
10		6	0	0	0	7	22.00	22.13	22.26
10	16-QAM	1	0	0	0	7	21.84	22.14	21.95
10		1	5	0	0	7	21.87	21.93	21.91
10		6	0	0	0	7	21.78	21.91	22.10



LTE Band 4 Maximum Average Power [dBm]									
BW [MHz]	Mod	RB Size	RB Offset	Index			Lowest	Middle	Highest
				L	M	H			
5	QPSK	1	0	0	0	3	21.91	22.20	22.05
5		1	5	0	0	3	21.97	22.17	22.17
5		6	0	0	0	3	22.00	22.00	22.21
5	16-QAM	1	0	0	0	3	22.01	22.15	21.96
5		1	5	0	0	3	21.83	21.94	21.96
5		6	0	0	0	3	21.73	22.05	21.99
3	QPSK	1	0	0	0	1	21.87	22.09	22.14
3		1	5	0	0	1	21.95	22.24	22.11
3		6	0	0	0	1	21.88	22.11	22.10
3	16-QAM	1	0	0	0	1	21.89	22.09	22.00
3		1	5	0	0	1	21.92	22.11	21.99
3		6	0	0	0	1	21.69	22.02	22.03
1.4	QPSK	1	0	0	0	0	21.88	22.09	22.16
1.4		1	5	0	0	0	21.81	22.22	22.22
1.4		6	0	0	0	0	21.99	22.11	22.28
1.4	16-QAM	1	0	0	0	0	21.93	22.04	21.94
1.4		1	5	0	0	0	21.82	22.04	21.93
1.4		6	0	0	0	0	21.70	21.92	22.13



LTE Band 5 Maximum Average Power [dBm]									
BW [MHz]	Mod	RB Size	RB Offset	Index			Lowest	Middle	Highest
				L	M	H			
10	QPSK	1	0	0	0	7	22.66	22.76	22.63
10		1	5	0	0	7	22.57	22.78	22.63
10		6	0	0	0	7	22.75	22.86	22.71
10	16-QAM	1	0	0	0	7	23.05	22.88	21.65
10		1	5	0	0	7	22.71	22.80	21.65
10		6	0	0	0	7	22.54	22.79	22.51
5	QPSK	1	0	0	0	3	22.59	22.91	22.50
5		1	5	0	0	3	22.62	22.68	22.49
5		6	0	0	0	3	22.69	22.83	22.83
5	16-QAM	1	0	0	0	3	23.04	22.83	21.62
5		1	5	0	0	3	22.68	22.99	21.53
5		6	0	0	0	3	22.54	22.86	22.64
3	QPSK	1	0	0	0	1	22.60	22.67	22.44
3		1	5	0	0	1	22.77	22.95	22.73
3		6	0	0	0	1	22.79	22.80	22.87
3	16-QAM	1	0	0	0	1	22.99	22.88	21.48
3		1	5	0	0	1	22.67	22.78	21.66
3		6	0	0	0	1	22.37	22.96	22.63
1.4	QPSK	1	0	0	0	0	22.77	22.84	22.49
1.4		1	5	0	0	0	22.69	22.87	22.74
1.4		6	0	0	0	0	22.74	22.76	22.62
1.4	16-QAM	1	0	0	0	0	22.97	23.02	21.48
1.4		1	5	0	0	0	22.52	22.87	21.58
1.4		6	0	0	0	0	22.40	22.66	22.39



LTE Band 12 Maximum Average Power [dBm]									
BW [MHz]	Mod	RB Size	RB Offset	Index			Lowest	Middle	Highest
				L	M	H			
10	QPSK	1	0	0	0	7	23.09	23.59	23.31
10		1	5	0	0	7	23.08	23.62	23.32
10		6	0	0	0	7	23.16	23.39	23.26
10	16-QAM	1	0	0	0	7	23.42	22.57	22.31
10		1	5	0	0	7	23.42	22.55	22.32
10		6	0	0	0	7	23.60	23.25	23.07
5	QPSK	1	0	0	0	3	23.09	23.44	23.16
5		1	5	0	0	3	23.04	23.54	23.44
5		6	0	0	0	3	23.05	23.36	23.26
5	16-QAM	1	0	0	0	3	23.23	22.65	22.42
5		1	5	0	0	3	23.51	22.46	22.47
5		6	0	0	0	3	23.57	23.32	22.97
3	QPSK	1	0	0	0	1	23.13	23.53	23.34
3		1	5	0	0	1	23.13	23.49	23.50
3		6	0	0	0	1	23.28	23.20	23.41
3	16-QAM	1	0	0	0	1	23.56	22.69	22.47
3		1	5	0	0	1	23.55	22.71	22.17
3		6	0	0	0	1	23.46	23.38	23.18
1.4	QPSK	1	0	0	0	0	22.94	23.51	23.13
1.4		1	5	0	0	0	23.22	23.58	23.38
1.4		6	0	0	0	0	23.25	23.24	23.22
1.4	16-QAM	1	0	0	0	0	23.26	22.52	22.15
1.4		1	5	0	0	0	23.38	22.63	22.51
1.4		6	0	0	0	0	23.46	23.25	23.13



LTE Band 13 Maximum Average Power [dBm]									
BW [MHz]	Mod	RB Size	RB Offset	Index			Lowest	Middle	Highest
				L	M	H			
10	QPSK	1	0	0	0	7	-	23.65	-
10		1	5	0	0	7		23.66	
10		6	0	0	0	7		23.76	
10	16-QAM	1	0	0	0	7		22.59	
10		1	5	0	0	7		22.62	
10		6	0	0	0	7		23.39	
5	QPSK	1	0	0	0	3	23.11	23.58	23.87
5		1	5	0	0	3	23.15	23.61	23.79
5		6	0	0	0	3	23.06	23.88	23.80
5	16-QAM	1	0	0	0	3	23.36	22.46	22.67
5		1	5	0	0	3	23.53	22.52	22.90
5		6	0	0	0	3	23.42	23.30	23.60



LTE Band 26 Maximum Average Power [dBm]									
BW [MHz]	Mod	RB Size	RB Offset	Index			Lowest	Middle	Highest
				L	M	H			
15	QPSK	1	0	0	0	11	22.42	22.37	22.52
15		1	5	0	0	11	22.36	22.38	22.48
15		6	0	0	0	11	22.69	22.59	22.45
15	16-QAM	1	0	0	0	11	22.47	21.25	21.50
15		1	5	0	0	11	22.36	21.21	21.36
15		6	0	0	0	11	22.66	22.11	22.25
10	QPSK	1	0	0	0	7	22.25	22.29	22.60
10		1	5	0	0	7	22.16	22.42	22.43
10		6	0	0	0	7	22.36	22.28	22.65
10	16-QAM	1	0	0	0	7	22.42	21.10	21.33
10		1	5	0	0	7	22.22	21.27	21.52
10		6	0	0	0	7	22.58	22.19	22.35
5	QPSK	1	0	0	0	3	22.53	22.25	22.61
5		1	5	0	0	3	22.23	22.18	22.56
5		6	0	0	0	3	22.47	22.28	22.42
5	16-QAM	1	0	0	0	3	22.53	21.07	21.65
5		1	5	0	0	3	22.32	21.31	21.54
5		6	0	0	0	3	22.50	21.93	22.19
3	QPSK	1	0	0	0	1	22.23	22.47	22.54
3		1	5	0	0	1	22.22	22.22	22.45
3		6	0	0	0	1	22.51	22.57	22.39
3	16-QAM	1	0	0	0	1	22.27	21.41	21.33
3		1	5	0	0	1	22.36	21.17	21.38
3		6	0	0	0	1	22.49	21.93	22.43
1.4	QPSK	1	0	0	0	0	22.22	22.37	22.58
1.4		1	5	0	0	0	22.46	22.46	22.55
1.4		6	0	0	0	0	22.52	22.51	22.44
1.4	16-QAM	1	0	0	0	0	22.29	21.34	21.35
1.4		1	5	0	0	0	22.31	21.27	21.44
1.4		6	0	0	0	0	22.67	22.15	22.45



NB-IOT Category NB1:

LTE Band 2 Maximum Average Power [dBm]						
Sub-carrier Spacing (KHz)	Mod	Tones	Start	Lowest	Middle	Highest
3.75	BPSK	1	0	21.43	21.01	21.13
3.75		1	47	21.44	21.06	21.21
3.75	QPSK	1	0	21.45	21.11	21.32
3.75		1	47	21.43	21.02	21.23
15	BPSK	1	0	22.87	22.64	22.76
15		1	11	22.85	21.57	22.73
15	QPSK	1	0	22.78	22.60	22.72
15		1	11	22.82	22.58	22.70
15		12	0	22.79	22.42	22.68

LTE Band 4 Maximum Average Power [dBm]						
Sub-carrier Spacing (KHz)	Mod	Tones	Start	Lowest	Middle	Highest
3.75	BPSK	1	0	20.17	20.88	20.39
3.75		1	47	20.20	20.89	20.38
3.75	QPSK	1	0	20.20	20.89	20.39
3.75		1	47	20.19	20.80	20.22
15	BPSK	1	0	21.85	22.14	21.90
15		1	11	21.88	22.28	21.88
15	QPSK	1	0	21.92	22.17	21.91
15		1	11	21.93	22.18	21.90
15		12	0	21.84	22.00	21.84



LTE Band 5 Maximum Average Power [dBm]						
Sub-carrier Spacing (KHz)	Mod	Tones	Start	Lowest	Middle	Highest
3.75	BPSK	1	0	22.12	22.21	21.62
3.75		1	47	22.10	22.20	21.60
3.75	QPSK	1	0	22.09	22.22	21.59
3.75		1	47	22.06	22.19	21.56
15	BPSK	1	0	22.47	22.45	22.27
15		1	11	22.45	22.42	22.25
15	QPSK	1	0	22.49	22.44	22.29
15		1	11	22.46	22.40	22.26
15		12	0	22.53	22.47	22.50

LTE Band 12 Maximum Average Power [dBm]						
Sub-carrier Spacing (KHz)	Mod	Tones	Start	Lowest	Middle	Highest
3.75	BPSK	1	0	22.44	22.55	22.54
3.75		1	47	22.45	22.48	22.47
3.75	QPSK	1	0	22.49	22.58	22.46
3.75		1	47	22.48	22.54	22.48
15	BPSK	1	0	23.16	22.39	23.37
15		1	11	23.13	23.33	23.35
15	QPSK	1	0	23.07	23.22	23.36
15		1	11	23.14	23.28	23.32
15		12	0	23.33	23.53	23.55



LTE Band 13 Maximum Average Power [dBm]						
Sub-carrier Spacing (KHz)	Mod	Tones	Start	Lowest	Middle	Highest
3.75	BPSK	1	0	22.23	22.30	22.24
3.75		1	47	22.16	22.17	22.13
3.75	QPSK	1	0	22.13	22.15	22.14
3.75		1	47	22.15	22.16	22.14
15	BPSK	1	0	22.75	22.76	22.74
15		1	11	22.83	22.83	22.81
15	QPSK	1	0	22.87	22.88	22.86
15		1	11	22.89	22.91	22.89
15		12	0	22.93	22.98	22.96

LTE Band 26 Maximum Average Power [dBm]						
Sub-carrier Spacing (KHz)	Mod	Tones	Start	Lowest	Middle	Highest
3.75	BPSK	1	0	22.54	22.54	22.37
3.75		1	47	22.51	22.57	22.40
3.75	QPSK	1	0	22.46	22.55	22.42
3.75		1	47	22.54	22.61	22.50
15	BPSK	1	0	22.89	23.07	22.76
15		1	11	22.91	23.03	22.78
15	QPSK	1	0	23.06	23.08	22.93
15		1	11	22.94	23.05	22.81
15		12	0	23.09	23.11	22.96

ERP/EIRP

LTE Category M1:

LTE Band 2 (GT - LC = -4.12 dB) QPSK									
Bandwidth	1.4M			3M			5M		
Channel	18607	18900	19193	18615	18900	19185	18625	18900	19175
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1850.7	1880	1909.3	1851.5	1880	1908.5	1852.5	1880	1907.5
(MHz)									
Conducted Power (dBm)	23.69	23.68	23.75	23.85	23.37	23.52	23.87	23.59	23.61
Conducted Power (Watts)	0.2339	0.2333	0.2371	0.2427	0.2173	0.2249	0.2438	0.2286	0.2296
EIRP(dBm)	19.57	19.56	19.63	19.73	19.25	19.40	19.75	19.47	19.49
EIRP(Watts)	0.0906	0.0904	0.0918	0.0940	0.0841	0.0871	0.0944	0.0885	0.0889

LTE Band 2 (GT - LC = -4.12 dB) QPSK									
Bandwidth	10M			15M			20M		
Channel	18650	18900	19150	18675	18900	19125	18650	18900	19100
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1855	1880	1905	1857.5	1880	1902.5	1860	1880	1900
(MHz)									
Conducted Power (dBm)	23.91	23.41	23.66	23.84	23.49	23.58	23.72	23.49	23.64
Conducted Power (Watts)	0.2460	0.2193	0.2323	0.2421	0.2234	0.2280	0.2355	0.2234	0.2312
EIRP(dBm)	19.79	19.29	19.54	19.72	19.37	19.46	19.60	19.37	19.52
EIRP(Watts)	0.0953	0.0849	0.0899	0.0938	0.0865	0.0883	0.0912	0.0865	0.0895



LTE Band 2 (GT - LC = -4.12 dB) 16QAM									
Bandwidth	1.4M			3M			5M		
Channel	18607	18900	19193	18615	18900	19185	18625	18900	19175
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1850.7	1880	1909.3	1851.5	1880	1908.5	1852.5	1880	1907.5
(MHz)									
Conducted Power (dBm)	23.90	22.19	22.87	23.92	22.11	22.79	23.91	23.16	23.46
Conducted Power (Watts)	0.2455	0.1656	0.1936	0.2466	0.1626	0.1901	0.2460	0.2070	0.2218
EIRP(dBm)	19.78	18.07	18.75	19.80	17.99	18.67	19.79	19.04	19.34
EIRP(Watts)	0.0951	0.0641	0.0750	0.0955	0.0630	0.0736	0.0953	0.0802	0.0859

LTE Band 2 (GT - LC = -4.12 dB) 16QAM									
Bandwidth	10M			15M			20M		
Channel	18650	18900	19150	18675	18900	19125	18650	18900	19100
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1855	1880	1905	1857.5	1880	1902.5	1860	1880	1900
(MHz)									
Conducted Power (dBm)	23.91	22.48	22.87	23.87	22.44	22.51	23.93	22.37	22.67
Conducted Power (Watts)	0.2460	0.1770	0.1936	0.2438	0.1754	0.1782	0.2472	0.1726	0.1849
EIRP(dBm)	19.79	18.36	18.75	19.75	18.32	18.39	19.81	18.25	18.55
EIRP(Watts)	0.0953	0.0685	0.0750	0.0944	0.0679	0.0690	0.0957	0.0668	0.0716



LTE Band 4 (GT - LC = -4.11 dB) QPSK									
Bandwidth	1.4M			3M			5M		
Channel	19957	20175	20393	19965	20175	20385	19975	20175	20375
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1710.7	1732.5	1754.3	1711.5	1732.5	1753.5	1712.5	1732.5	1752.5
(MHz)									
Conducted Power (dBm)	21.99	22.11	22.28	21.95	22.24	22.11	22.00	22.00	22.21
Conducted Power (Watts)	0.1580	0.1624	0.1689	0.1566	0.1674	0.1624	0.1584	0.1584	0.1662
EIRP(dBm)	17.88	18.00	18.17	17.84	18.13	18.00	17.89	17.89	18.10
EIRP(Watts)	0.0613	0.0631	0.0656	0.0608	0.0650	0.0631	0.0615	0.0615	0.0645

LTE Band 4 (GT - LC = -4.11 dB) QPSK									
Bandwidth	10M			15M			20M		
Channel	20000	20175	20350	20025	20175	20325	20050	20175	20300
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1715	1732.5	1750	1717.5	1732.5	1747.5	1720	1732.5	1745
(MHz)									
Conducted Power (dBm)	22.00	22.13	22.26	22.09	22.34	22.16	22.02	22.17	22.30
Conducted Power (Watts)	0.1584	0.1632	0.1681	0.1618	0.1714	0.1644	0.1591	0.1647	0.1697
EIRP(dBm)	17.89	18.02	18.15	17.98	18.23	18.05	17.91	18.06	18.19
EIRP(Watts)	0.0615	0.0633	0.0653	0.0628	0.0665	0.0638	0.0618	0.0639	0.0659



LTE Band 4 (GT - LC = -4.11 dB) 16QAM									
Bandwidth	1.4M			3M			5M		
Channel	19957	20175	20393	19965	20175	20385	19975	20175	20375
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1710.7	1732.5	1754.3	1711.5	1732.5	1753.5	1712.5	1732.5	1752.5
(MHz)									
Conducted Power (dBm)	21.70	21.92	22.13	21.92	22.11	21.99	22.01	22.15	21.96
Conducted Power (Watts)	0.1478	0.1555	0.1632	0.1555	0.1624	0.1580	0.1588	0.1639	0.1569
EIRP(dBm)	17.59	17.81	18.02	17.81	18.00	17.88	17.90	18.04	17.85
EIRP(Watts)	0.0574	0.0604	0.0633	0.0604	0.0631	0.0613	0.0616	0.0636	0.0609

LTE Band 4 (GT - LC = -4.11 dB) 16QAM									
Bandwidth	10M			15M			20M		
Channel	20000	20175	20350	20025	20175	20325	20050	20175	20300
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1715	1732.5	1750	1717.5	1732.5	1747.5	1720	1732.5	1745
(MHz)									
Conducted Power (dBm)	21.84	22.14	21.95	21.97	22.20	22.07	21.83	22.10	22.18
Conducted Power (Watts)	0.1527	0.1636	0.1566	0.1574	0.1660	0.1611	0.1523	0.1621	0.1651
EIRP(dBm)	17.73	18.03	17.84	17.86	18.09	17.96	17.72	17.99	18.07
EIRP(Watts)	0.0593	0.0635	0.0608	0.0611	0.0644	0.0625	0.0591	0.0629	0.0641

LTE Band 5 (GT - LC = -5.51 dB) QPSK									
Bandwidth	1.4M			3M			5M		
Channel	20407	20525	20643	20415	20525	20635	20425	20525	20625
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	824.7	836.5	848.3	825.5	836.5	847.5	826.5	836.5	846.5
(MHz)									
Conducted Power (dBm)	22.69	22.87	22.74	22.77	22.95	22.73	22.59	22.91	22.50
Conducted Power (Watts)	0.1858	0.1936	0.1879	0.1892	0.1972	0.1875	0.1816	0.1954	0.1778
ERP(dBm)	15.03	15.21	15.08	15.11	15.29	15.07	14.93	15.25	14.84
ERP(Watts)	0.0318	0.0332	0.0322	0.0324	0.0338	0.0321	0.0311	0.0335	0.0305

LTE Band 5 (GT - LC = -5.51 dB) QPSK			
Bandwidth	10M		
Channel	20450	20525	20600
	(Low)	(Mid)	(High)
Frequency	829	836.5	844
(MHz)			
Conducted Power (dBm)	22.75	22.86	22.71
Conducted Power (Watts)	0.1884	0.1932	0.1866
ERP(dBm)	15.09	15.20	15.05
ERP(Watts)	0.0323	0.0331	0.0320

LTE Band 5 (GT - LC = -5.51 dB) 16QAM									
Bandwidth	1.4M			3M			5M		
Channel	20407	20525	20643	20415	20525	20635	20425	20525	20625
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	824.7	836.5	848.3	825.5	836.5	847.5	826.5	836.5	846.5
(MHz)									
Conducted Power (dBm)	22.97	23.02	21.48	22.99	22.88	21.48	23.04	22.83	21.62
Conducted Power (Watts)	0.1982	0.2004	0.1406	0.1991	0.1941	0.1406	0.2014	0.1919	0.1452
ERP(dBm)	15.31	15.36	13.82	15.33	15.22	13.82	15.38	15.17	13.96
ERP(Watts)	0.0340	0.0344	0.0241	0.0341	0.0333	0.0241	0.0345	0.0329	0.0249

LTE Band 5 (GT - LC = -5.51 dB) 16QAM			
Bandwidth	10M		
Channel	20450	20525	20600
	(Low)	(Mid)	(High)
Frequency	829	836.5	844
(MHz)			
Conducted Power (dBm)	23.05	22.88	21.65
Conducted Power (Watts)	0.2018	0.1941	0.1462
ERP(dBm)	15.39	15.22	13.99
ERP(Watts)	0.0346	0.0333	0.0251



LTE Band 12 (GT - LC = -7.41 dB) QPSK									
Bandwidth	1.4M			3M			5M		
Channel	23017	23095	23173	23025	23095	23165	23035	23095	23155
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	699.7	707.5	715.3	700.5	707.5	714.5	701.5	707.5	713.5
(MHz)									
Conducted Power (dBm)	23.22	23.58	23.38	23.13	23.53	23.34	23.04	23.54	23.44
Conducted Power (Watts)	0.2099	0.2280	0.2178	0.2056	0.2254	0.2158	0.2014	0.2259	0.2208
ERP(dBm)	13.66	14.02	13.82	13.57	13.97	13.78	13.48	13.98	13.88
ERP(Watts)	0.0232	0.0252	0.0241	0.0228	0.0249	0.0239	0.0223	0.0250	0.0244

LTE Band 12 (GT - LC = -7.41 dB) QPSK			
Bandwidth	10M		
Channel	23060	23095	23130
	(Low)	(Mid)	(High)
Frequency	704	707.5	711
(MHz)			
Conducted Power (dBm)	23.08	23.62	23.32
Conducted Power (Watts)	0.2032	0.2301	0.2148
ERP(dBm)	13.52	14.06	13.76
ERP(Watts)	0.0225	0.0255	0.0238

LTE Band 12 (GT - LC = -7.41 dB) 16QAM									
Bandwidth	1.4M			3M			5M		
Channel	23017	23095	23173	23025	23095	23165	23035	23095	23155
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency (MHz)	699.7	707.5	715.3	700.5	707.5	714.5	701.5	707.5	713.5
Conducted Power (dBm)	23.46	23.25	23.13	23.56	22.69	22.47	23.57	23.32	22.97
Conducted Power (Watts)	0.2218	0.2113	0.2056	0.2270	0.1858	0.1766	0.2275	0.2148	0.1982
ERP(dBm)	13.90	13.69	13.57	14.00	13.13	12.91	14.01	13.76	13.41
ERP(Watts)	0.0245	0.0234	0.0228	0.0251	0.0206	0.0195	0.0252	0.0238	0.0219

LTE Band 12 (GT - LC = -7.41 dB) 16QAM			
Bandwidth	10M		
Channel	23060	23095	23130
	(Low)	(Mid)	(High)
Frequency (MHz)	704	707.5	711
Conducted Power (dBm)	23.60	23.25	23.07
Conducted Power (Watts)	0.2291	0.2113	0.2028
ERP(dBm)	14.04	13.69	13.51
ERP(Watts)	0.0254	0.0234	0.0224



LTE Band 13 (GT - LC = -10.34 dB) QPSK						
Bandwidth	5M			10M		
Channel	23205	23230	23255	23230		
	(Low)	(Mid)	(High)	-	(Mid)	-
Frequency	779.5	782	784.5	-	782	-
(MHz)						
Conducted Power (dBm)	23.06	23.88	23.80		23.76	-
Conducted Power (Watts)	0.2023	0.2443	0.2399		0.2377	-
ERP(dBm)	10.57	11.39	11.31		11.27	-
ERP(Watts)	0.0114	0.0138	0.0135		0.0134	-

LTE Band 13 (GT - LC = -10.34 dB) 16QAM						
Bandwidth	5M			10M		
Channel	23205	23230	23255	23230		
	(Low)	(Mid)	(High)	-	(Mid)	-
Frequency	779.5	782	784.5	-	782	-
(MHz)						
Conducted Power (dBm)	23.42	23.30	23.60		23.39	-
Conducted Power (Watts)	0.2198	0.2138	0.2291		0.2183	-
ERP(dBm)	10.93	10.81	11.11		10.90	-
ERP(Watts)	0.0124	0.0121	0.0129		0.0123	-



LTE Band 26 (GT - LC = -5.51 dB) QPSK									
Bandwidth	1.4M			3M			5M		
Channel	26797	26915	27033	26805	26915	27025	26815	26915	27015
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	824.7	836.5	848.3	825.5	836.5	847.5	826.5	836.5	846.5
(MHz)									
Conducted Power (dBm)	22.22	22.37	22.58	22.51	22.57	22.39	22.53	22.25	22.61
Conducted Power (Watts)	0.1667	0.1726	0.1811	0.1782	0.1807	0.1734	0.1791	0.1679	0.1824
ERP(dBm)	14.56	14.71	14.92	14.85	14.91	14.73	14.87	14.59	14.95
ERP(Watts)	0.0286	0.0296	0.0310	0.0305	0.0310	0.0297	0.0307	0.0288	0.0313

LTE Band 26 (GT - LC = -5.51 dB) QPSK							
Bandwidth	10M			15M			15M
Channel	26840	26915	26990	26865	26915	26965	26765
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)
Frequency	829	836.5	844	831.5	836.5	841.5	821.5
(MHz)							
Conducted Power (dBm)	22.36	22.28	22.65	22.69	22.59	22.45	22.72
Conducted Power (Watts)	0.1722	0.1690	0.1841	0.1858	0.1816	0.1758	0.1871
ERP(dBm)	14.70	14.62	14.99	15.03	14.93	14.79	15.06
ERP(Watts)	0.0295	0.0290	0.0316	0.0318	0.0311	0.0301	0.0321



LTE Band 26 (GT - LC = -5.51 dB) 16QAM									
Bandwidth	1.4M			3M			5M		
Channel	26797	26915	27033	26805	26915	27025	26815	26915	27015
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	824.7	836.5	848.3	825.5	836.5	847.5	826.5	836.5	846.5
(MHz)									
Conducted Power (dBm)	22.67	22.15	22.45	22.49	21.93	22.43	22.53	21.07	21.65
Conducted Power (Watts)	0.1849	0.1641	0.1758	0.1774	0.1560	0.1750	0.1791	0.1279	0.1462
ERP(dBm)	15.01	14.49	14.79	14.83	14.27	14.77	14.87	13.41	13.99
ERP(Watts)	0.0317	0.0281	0.0301	0.0304	0.0267	0.0300	0.0307	0.0219	0.0251

LTE Band 26 (GT - LC = -5.51 dB) 16QAM							
Bandwidth	10M			15M			15M
Channel	26840	26915	26990	26865	26915	26965	26765
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)
Frequency	829	836.5	844	831.5	836.5	841.5	821.5
(MHz)							
Conducted Power (dBm)	22.58	22.19	22.35	22.66	22.11	22.25	22.69
Conducted Power (Watts)	0.1811	0.1656	0.1718	0.1845	0.1626	0.1679	0.1858
ERP(dBm)	14.92	14.53	14.69	15.00	14.45	14.59	15.03
ERP(Watts)	0.0310	0.0284	0.0294	0.0316	0.0279	0.0288	0.0318



NB-IOT Category NB1:

LTE Band 2 (GT - LC = -4.12 dB) BPSK						
Sub-carrier Spacing	3.75K			15K		
Channel	18601	18900	19199	18601	18900	19199
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1850.1	1880	1909.9	1850.1	1880	1909.9
(MHz)						
Conducted Power (dBm)	21.44	21.06	21.21	22.87	22.64	22.76
Conducted Power (Watts)	0.1393	0.1276	0.1321	0.1936	0.1837	0.1888
EIRP(dBm)	17.32	16.94	17.09	18.75	18.52	18.64
EIRP(Watts)	0.0540	0.0494	0.0512	0.0750	0.0711	0.0731

LTE Band 2 (GT - LC = -4.12 dB) QPSK						
Sub-carrier Spacing	3.75K			15K		
Channel	18601	18900	19199	18601	18900	19199
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1850.1	1880	1909.9	1850.1	1880	1909.9
(MHz)						
Conducted Power (dBm)	21.45	21.11	21.32	22.82	22.58	22.70
Conducted Power (Watts)	0.1396	0.1291	0.1355	0.1914	0.1811	0.1862
EIRP(dBm)	17.33	16.99	17.20	18.70	18.46	18.58
EIRP(Watts)	0.0541	0.0500	0.0525	0.0741	0.0701	0.0721



LTE Band 4 (GT - LC = -4.11 dB) BPSK						
Sub-carrier Spacing	3.75K			15K		
Channel	19951	20170	20399	19951	20170	20399
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1710.1	1733	1754.9	1710.1	1733	1754.9
(MHz)						
Conducted Power (dBm)	20.20	20.89	20.38	21.88	22.28	21.88
Conducted Power (Watts)	0.1047	0.1227	0.1091	0.1542	0.1690	0.1542
EIRP(dBm)	16.09	16.78	16.27	17.77	18.17	17.77
EIRP(Watts)	0.0406	0.0476	0.0424	0.0598	0.0656	0.0598

LTE Band 4 (GT - LC = -4.11 dB) QPSK						
Sub-carrier Spacing	3.75K			15K		
Channel	19951	20170	20399	19951	20170	20399
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1710.1	1733	1754.9	1710.1	1733	1754.9
(MHz)						
Conducted Power (dBm)	20.20	20.89	20.39	21.93	22.18	21.90
Conducted Power (Watts)	0.1047	0.1227	0.1094	0.1560	0.1652	0.1549
EIRP(dBm)	16.09	16.78	16.28	17.82	18.07	17.79
EIRP(Watts)	0.0406	0.0476	0.0425	0.0605	0.0641	0.0601



LTE Band 5 (GT - LC = -5.51 dB) BPSK						
Sub-carrier Spacing	3.75K			15K		
Channel	20401	20525	20649	20401	20525	20649
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	824.1	836.5	848.9	824.1	836.5	848.9
(MHz)						
Conducted Power (dBm)	22.12	22.21	21.62	22.47	22.45	22.27
Conducted Power (Watts)	0.1629	0.1663	0.1452	0.1766	0.1758	0.1687
ERP(dBm)	14.46	14.55	13.96	14.81	14.79	14.61
ERP(Watts)	0.0279	0.0285	0.0249	0.0303	0.0301	0.0289

LTE Band 5 (GT - LC = -5.51 dB) QPSK						
Sub-carrier Spacing	3.75K			15K		
Channel	20401	20525	20649	20401	20525	20649
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	824.1	836.5	848.9	824.1	836.5	848.9
(MHz)						
Conducted Power (dBm)	22.09	22.22	21.59	22.53	22.47	22.50
Conducted Power (Watts)	0.1618	0.1667	0.1442	0.1791	0.1766	0.1778
ERP(dBm)	14.43	14.56	13.93	14.87	14.81	14.84
ERP(Watts)	0.0277	0.0286	0.0247	0.0307	0.0303	0.0305



LTE Band 12 (GT - LC = -7.41 dB) BPSK						
Sub-carrier Spacing	3.75K			15K		
Channel	23011	23095	23179	23011	23095	23179
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	699.1	707.5	715.9	699.1	707.5	715.9
(MHz)						
Conducted Power (dBm)	22.44	22.55	22.54	23.16	22.39	23.37
Conducted Power (Watts)	0.1754	0.1799	0.1795	0.2070	0.1734	0.2173
ERP(dBm)	12.88	12.99	12.98	13.60	12.83	13.81
ERP(Watts)	0.0194	0.0199	0.0199	0.0229	0.0192	0.0240

LTE Band 12 (GT - LC = -7.41 dB) QPSK						
Sub-carrier Spacing	3.75K			15K		
Channel	23011	23095	23179	23011	23095	23179
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	699.1	707.5	715.9	699.1	707.5	715.9
(MHz)						
Conducted Power (dBm)	22.49	22.58	22.46	23.33	23.53	23.55
Conducted Power (Watts)	0.1774	0.1811	0.1762	0.2153	0.2254	0.2265
ERP(dBm)	12.93	13.02	12.90	13.77	13.97	13.99
ERP(Watts)	0.0196	0.0200	0.0195	0.0238	0.0249	0.0251



LTE Band 13 (GT - LC = -10.34 dB) BPSK						
Sub-carrier Spacing	3.75K			15K		
Channel	23181	23230	23279	23181	23230	23279
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	777.1	782	786.9	777.1	782	786.9
(MHz)						
Conducted Power (dBm)	22.23	22.30	22.24	22.83	22.83	22.81
Conducted Power (Watts)	0.1671	0.1698	0.1675	0.1919	0.1919	0.1910
ERP(dBm)	9.74	9.81	9.75	10.34	10.34	10.32
ERP(Watts)	0.0094	0.0096	0.0094	0.0108	0.0108	0.0108

LTE Band 13 (GT - LC = -10.34 dB) QPSK						
Sub-carrier Spacing	3.75K			15K		
Channel	23181	23230	23279	23181	23230	23279
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	777.1	782	786.9	777.1	782	786.9
(MHz)						
Conducted Power (dBm)	22.15	22.16	22.14	22.93	22.98	22.96
Conducted Power (Watts)	0.1641	0.1644	0.1637	0.1963	0.1986	0.1977
ERP(dBm)	9.66	9.67	9.65	10.44	10.49	10.47
ERP(Watts)	0.0092	0.0093	0.0092	0.0111	0.0112	0.0111



LTE Band 26 (GT - LC = -5.51 dB) BPSK						
Sub-carrier Spacing	3.75K			15K		
Channel	26791	26915	27039	26791	26915	27039
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	824.1	836.5	848.9	824.1	836.5	848.9
(MHz)						
Conducted Power (dBm)	22.51	22.57	22.40	22.89	23.07	22.76
Conducted Power (Watts)	0.1782	0.1807	0.1738	0.1945	0.2028	0.1888
ERP(dBm)	14.85	14.91	14.74	15.23	15.41	15.10
ERP(Watts)	0.0305	0.0310	0.0298	0.0333	0.0348	0.0324


LTE Band 26 (GT - LC = -5.51 dB) QPSK						
Sub-carrier Spacing	3.75K			15K		
Channel	26791	26915	27039	26791	26915	27039
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	824.1	836.5	848.9	824.1	836.5	848.9
(MHz)						
Conducted Power (dBm)	22.54	22.61	22.50	23.09	23.11	22.96
Conducted Power (Watts)	0.1795	0.1824	0.1778	0.2037	0.2046	0.1977
ERP(dBm)	14.88	14.95	14.84	15.43	15.45	15.30
ERP(Watts)	0.0308	0.0313	0.0305	0.0349	0.0351	0.0339




NB-IOT Category NB1: Band 4

Peak-to-Average Ratio


Mode	LTE Band 4 / 3.75KHz			
Mod.	BPSK	QPSK		Limit: 13dB
Tone / Start	1 tone, start 0	1 tone, start 0		Result
Lowest CH	2.26	2.06		PASS
Middle CH	2.20	2.00		
Highest CH	2.17	2.09		
Mode	LTE Band 4 / 15KHz			
Mod.	BPSK	QPSK		Limit: 13dB
Tone / Start	1 tone, start 0	1 tone, start 0	12 tones, start 0	Result
Lowest CH	10.75	10.81	10.38	PASS
Middle CH	10.46	9.25	9.80	
Highest CH	9.07	9.07	10.17	





LTE Band 4 / 15KHz / QPSK

Lowest Channel / 12 tones, start 0



Middle Channel / 12 tones, start 0



Highest Channel / 12 tones, start 0




**26dB Bandwidth**

Mode	LTE Band 4 : 26dB BW(KHz)				
Sub-carrier Speacing	3.75KHz		15KHz		
Mod.	BPSK	QPSK	BPSK	QPSK	
Tone / Start	1 tone, start 0	1 tone, start 0	1 tone, start 0	1 tone, start 0	12 tones, start 0
Lowest CH	6.751	6.838	26.440	26.136	245.150
Middle CH	6.751	6.860	26.440	26.483	243.880
Highest CH	6.751	6.849	26.353	26.440	243.240



LTE Band 4 / 3.75KHz / BPSK


Lowest Channel / 1 tone , start 0



Date: 27.DEC.2019 15:48:41


LTE Band 4 / 3.75KHz / QPSK

Lowest Channel / 1 tone , start 0




Date: 27.DEC.2019 15:47:28

Middle Channel / 1 tone , start 0




Date: 27.DEC.2019 15:44:07

Middle Channel / 1 tone , start 0




Date: 27.DEC.2019 15:44:50

Highest Channel / 1 tone , start 0



Date: 27.DEC.2019 15:30:54

Highest Channel / 1 tone , start 0




Date: 27.DEC.2019 15:32:21



LTE Band 4 / 15KHz / BPSK


Lowest Channel / 1 tone , start 0



Date: 31.DEC.2019 12:07:20


LTE Band 4 / 15KHz / QPSK

Lowest Channel / 1 tone , start 0




Date: 31.DEC.2019 12:09:05

Middle Channel / 1 tone , start 0




Date: 31.DEC.2019 11:58:03

Middle Channel / 1 tone , start 0




Date: 31.DEC.2019 11:57:33

Highest Channel / 1 tone , start 0



Date: 31.DEC.2019 11:31:13

Highest Channel / 1 tone , start 0



Date: 31.DEC.2019 11:29:25



LTE Band 4 / 15KHz / QPSK

Lowest Channel / 12 tones , start 0



Middle Channel / 12 tones , start 0



Highest Channel / 12 tones , start 0




**Occupied Bandwidth**

Mode	LTE Band 4 : 99%OBW(KHz)				
Sub-carrier Spacing	3.5KHz		15KHz		
Mod.	BPSK	QPSK	BPSK	QPSK	
Tone / Start	1 tone, start 0	1 tone, start 0	1 tone, start 0	1 tone, start 0	12 tones, start 0
Lowest CH	5.731	5.742	21.925	21.838	189.754
Middle CH	5.763	5.742	21.664	21.925	188.480
Highest CH	5.720	5.731	21.838	21.881	187.207



LTE Band 4 / 3.75KHz / BPSK


Lowest Channel / 1 tone, start 0



Date: 27.DEC.2019 15:51:51


LTE Band 4 / 3.75KHz / QPSK

Lowest Channel / 1 tone, start 0




Date: 27.DEC.2019 15:52:41

Middle Channel / 1 tone, start 0




Date: 27.DEC.2019 15:37:56

Middle Channel / 1 tone, start 0




Date: 27.DEC.2019 15:37:09

Highest Channel / 1 tone, start 0



Date: 27.DEC.2019 15:27:16

Highest Channel / 1 tone, start 0




Date: 27.DEC.2019 15:33:50



LTE Band 4 / 15KHz / BPSK


Lowest Channel / 1 tone, start 0



Date: 31.DEC.2019 12:13:55


LTE Band 4 / 15KHz / QPSK

Lowest Channel / 1 tone, start 0




Date: 31.DEC.2019 12:12:59

Middle Channel / 1 tone, start 0




Date: 31.DEC.2019 11:49:48

Middle Channel / 1 tone, start 0




Date: 31.DEC.2019 11:48:51

Highest Channel / 1 tone, start 0



Date: 31.DEC.2019 12:19:52

Highest Channel / 1 tone, start 0



Date: 31.DEC.2019 12:21:11



LTE Band 4 / 15KHz / QPSK


Lowest Channel / 12 tones, start 0




Middle Channel / 12 tones, start 0




Highest Channel / 12 tones, start 0




**Conducted Band Edge****LTE Band 4 / 3.75KHz / BPSK****Lowest Band Edge / 1 tone, start 0**


Date: 18.DEC.2019 15:08:37

LTE Band 4 / 3.75KHz / QPSK**Lowest Band Edge / 1 tone, start 0**

Date: 18.DEC.2019 15:05:31

Highest Band Edge / 1 tone, start 0

Date: 18.DEC.2019 13:52:22

Highest Band Edge / 1 tone, start 0

Date: 18.DEC.2019 14:46:07