

JT166RP14 CIRCUIT DIAGRAM


CONTENTS


SCHEMATIC	SHEET
CONTENTS	1
VGA INPUT	2
MVZ	3
MCU	4
OUTPUT CONNECTOR	5
Panel Power	6
Audio	7
AC/DC	8


- (1) SMD capacitor - temperture is 85 degreeC & voltage is 50V, if not indicated.
(2) SMD resistor - power rating is 1/10W , if not indicated.
(3) AL-EL capacitor - temperture is 105 degreeC , if not indicated.

MARK	DATE	CONTENT OF MODIFY	SIGN


DRAWN	CHECK	APPROVRL	ISSUE
Roy		Jeffery	
JEAN CO., LTD.			
Title JT166RP14-300			
Size	Document Number JT166LP14.DSN		Rev A
Date: Tuesday, October 01, 2002 Sheet 1 of 8			










JEAN		
Title		
JT166RP14-300		
Size	Document Number	Rev
MCU		
Date:	Tuesday, October 01, 2002	Sheet 4 of 8



JEAN		
JT166RP14-300		
Size	Document Number	Rev
OUTPUT CONNECTOR		
Date:	Tuesday, October 01, 2002	Sheet 5 of 8







- (1) Resistor - power rating is 1/8W, if not indicated.
 (2) AL-EL capacitor - temperature is 105, if not indicated.

JEAN		
Title		
JT166RP14-300		
Size	Document Number	Rev
AC/DC Power		A
Date: Tuesday, October 01, 2002 Sheet 8 of 8		