

Federal Communications Commission
Authorization and Evaluation Division
7435 Oakland Mills Rd.
Columbia, MD. 21046

Date: June 17, 2002

Attention: Authorization and Evaluation Division

Subject: RFI related modifications incorporated
into unit with - FCC ID: AMPL81B

Dear Sirs:


This letter serves as our declaration that all modifications listed below were implemented in the sample submitted for testing. We further declare that the same modifications will be implemented into all production units to enhance compliance of the units to FCC limits.

The modifications include the following:

- 1) Added 2 ferrite cores on the video cable of the LCD monitor (see photo 17)
- 2) Added 1 piece tinfoil on the cover of the panel (see photo 5)
- 3) Added 1 ferrite core on the cable from main-board to audio-board with one turn
(see photo 5)
- 4) Added 2 ferrite cores on the cable from main-board to power-board with one turn
(see photo 5, 6)
- 5) Added 1 ferrite core on the cable from power-board to inverter with two turn
(see photo 5)
- 6) Added 1 ferrite core on the PFC cable from the main-board to LCD panel (see photo 6)
- 7) Added 1 ferrite core on the cable from main-board to keypad (see photo 6)
- 8) Added five EMI gasket on the inside on metal plate covering the LCD panel.
(see photo 10)

If you have any further questions or comments regarding the above, please don't hesitate to contact Mr. Mike Su of ADT Lab. at fax No.:886-2-2602-2943 or
E-mail: mike@mail.adt.com.tw

Sincerely yours,



Kent Tsai / Safety Manager
Jean Co., Ltd.