



GENERAL TOLERANCE					
	G	H	J	K	L
~ 8	±0.1	±0.1	±0.2	±0.2	±0.4
8up ~ 25	±0.15	±0.15	±0.3	±0.3	±0.6
25up ~ 80	±0.2	±0.25	±0.4	±0.5	±0.8
80up ~ 250	±0.3	±0.4	±0.6	±0.8	±1.2
250over	±0.6	±0.8	±1.0	±1.5	±2.0

DO NOT SCALE DRAWING

CAUTION:
MATERIAL MUST BE MET DIRECTIVE 94/62/EC AS FOLLOWS;
THE FOLLOWING SUBSTANCE TOTAL CONTENTS SHOULD BE LESS THAN 100ppm
(1)Cadmium and Cadmium Compounds
(2)Hexavalent Chromium Compounds
(3)Lead and Lead Compounds
(4)Mercury and Mercury Compounds
MATERIAL MUST BE DIRECTIVE 2002/95/EC(RoHS) AS FOLLOWS
THE FOLLOWING SUBSTANCE EACH CONTENT SHOULD BE LESS THAN 1000ppm
(5)Polybrominated Biphenyls(PBBs)
(6)Polybrominated Diphenyl ethers(PBDEs)
At the time of parts approval request you have to prove and guarantee that the material comply with the above requirement by attaching SAMPLE and 'GREEN PROCUREMENT BASIC INFORMATION SURVEY (CHEMICAL SUBSTANCES) TABLE'
When material is changed after parts approval, it is necessary to do same thing again



DETAIL OF NUMBERING



NOTE

- MATERIAL: POLYESTER TACK FORM(MATT) SILVER t=0.05
- PRINTING COLOR: BACKGROUND/SILVER
LETTERS: BLACK
- ARTWORK: D16204
- LAMINATE: POLYPROPYLENE (MATT) CLEAR t=0.025
- ADHESIVE STRENGTH: MORE THAN 1000g/25mm(180° PEEL OFF TEST)

				CAUTION: Approval sample must be submitted for Uniden(ENG) approval. Using any materials in this drawing before Uniden(ENG) approval is prohibited.				
REV.MARK	CONTENS	REVISED	CHECKED	APPV'D	APPROVED BY	CHECKED BY	DESIGNED BY	DRAWN BY
DRAWING ISSUE STAMP				ENG'G. DIM. REQMT. FOR UNIDEN IQC INSP <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	EBASHI Aug.19'19	KURIH Aug.19'19		KURIH Aug.19'19
ANGLE 		UNITS mm	TOLERANCE 	SCALE 1:1	MODEL UB361A	PARTS NAME LABEL ID		
MOLD CAVITIES pcs		TOOL CODE		BASIC MODEL	BASIC PARTS CODE	PARTS CODE PLD111446ZZ		
ISSUE DATE :								