



GENERAL TOLERANCE					
	G	H	J	K	L
~ 8	±0.1	±0.1	±0.2	±0.2	±0.4
8up ~ 25	±0.15	±0.15	±0.3	±0.3	±0.6
25up ~ 80	±0.2	±0.25	±0.4	±0.5	±0.8
80up ~ 250	±0.3	±0.4	±0.6	±0.8	±1.2
250over	±0.6	±0.8	±1.0	±1.5	±2.0

DO NOT SCALE DRAWING



DETAIL OF NUMBERING



**CAUTION:**  
MATERIAL MUST BE MET DIRECTIVE 94/62/EC AS FOLLOWS,  
THE FOLLOWING SUBSTANCE TOTAL CONTENTS SHOULD BE LESS THAN 100ppm  
(1)Cadmium and Cadmium Compounds  
(2)Hexavalent Chromium Compounds  
(3)Lead and Lead Compounds  
(4)Mercury and Mercury Compounds  
MATERIAL MUST BE DIRECTIVE 2002/95/EC(RoHS) AS FOLLOWS  
THE FOLLOWING SUBSTANCE EACH CONTENT SHOULD BE LESS THAN 1000ppm  
(5)Polybrominated Biphenyls(PBBs)  
(6)Polybrominated Diphenyl ethers(PBDEs)  
At the time of parts approval request you have to prove and guarantee that the material comply with the above requirement by attaching SAMPLE and 'GREEN PROCUREMENT BASIC INFORMATION SURVEY (CHEMICAL SUBSTANCES) TABLE' When material is changed after parts approval, it is necessary to do same thing again

**NOTE**

1. MATERIAL : POLYESTER TACK FORM (MATT) SILVER t=0.05
2. PRINTING COLOR : BLACK
3. ARTWORK : D37254
4. FINISH : POLYPROPYLENE(MATT) or PET(MATT) CLEAR t=0.025mm
5. ADHESIVE STRENGTH : MORE THAN 1000g/25mm (180° PEEL OF TEST)

					<b>CAUTION:</b> Approval sample must be submitted for Uniden(ENG) approval. Using any materials in this drawing before Uniden(ENG) approval is prohibited.			
REV.MARK	CONTENS	REVISED	CHECKED	APPV'D	APPROVED BY	CHECKED BY	DESIGNED BY	DRAWN BY
<b>DRAWING ISSUE STAMP</b>					EBASHI Aug.16'19		KURIH Aug.16'19	KURIH Aug.16'19
ENG'G. DIM. REQMT. FOR UNIDEN IQC INSP								
ANGLE		UNITS	TOLERANCE	SCALE	MODEL	PARTS NAME		
		mm		2:1	UB367E	LABEL ID		
MOLD CAVITIES		TOOL CODE			BASIC MODEL	BASIC PARTS CODE		PARTS CODE
ISSUE DATE :		pcs						PLD111434ZZ