

Uniden

**Beancat**



BC345CRS


**SEARCH** **L/O** **DELAY** **PRI** **SVC**  
**AM** **FM1** **FM2** **MEM** **DIR**



1-50

51-100

101-150



AM/FM Weather Scanner



MODE

151-200

201-250

251-300



301-350

351-400

401-450

Sleep




CLR

451-500

PGM

Light



SNOOZE

Alarm Set Clock Set Clock Off Radio Tone



POWER



TIME



ALARM



SQUELCH



VOLUME



Uniden

Brancat

BC345CRS

SEARCH L/O DELAY PRI SVC  
AM FM1 FM2 MEM DIR

1-50 51-100 101-150  
1 2 3  
151-200 201-250 251-300  
4 5 6  
301-350 351-400 401-450  
7 8 9  
CLR 0 PGM E  
MODE

AM/FM Weather Scanner

Sleep  
HOLD SCAN

Light  
SNOOZE

Alarm Set Clock Set Clock  
TIME  
Off Radio Tone  
ALARM

SQUELCH

VOLUME

Uniden  
AC ADAPTER  
PLUG-IN CLASS 2 TRANSFORMER  
MODEL: AD-1000  
INPUT: AC 120V, 60Hz 15W  
OUTPUT: DC 12V 400mA  
EFFICIENCY LEVEL: 80%  
UL LISTED  
UL1200-040  
MADE IN CHINA  
This power unit is intended to be carried  
oriented in a vertical or floor mount position.



BC345CRS(UB371ZV)  
EPP Sample #4

VER 0  
457-500  
387-400  
207-500  
87-100  
0  
9  
5  
6  
7  
8  
9  
P.M.  
E  
Alarm Set Clock Set Clock  
TIME  
SNOOZE  
Light  
SCAN  
HOLD  
SLEEP  
MODE  
ALARM  
OFF  
Radio Type

Power Adapter  
Cables

WARNING : MODIFICATION OF THIS DEVICE  
TO RECEIVE CELLULAR RADIOTELEPHONE  
SIGNALS IS PROHIBITED UNDER FCC  
RULES AND FEDERAL LAW.

**UNIDEN AMERICA CORPORATION**

MODEL: BC345CRS

FCC ID: AMWUB371

POWER REQUIREMENT: 12V DC

USE ONLY UNIDEN AC ADAPTER AD-1003, OR UNIDEN SPECIFIED POWER SUPPLY.

IC: 513C-UB371

MADE IN VIETNAM

SERIAL  
NO.:

371Z

THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO  
THE FOLLOWING TWO CONDITIONS: (1) THIS DEVICE MAY NOT CAUSE HARMFUL  
INTERFERENCE, AND (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED,  
INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRABLE OPERATION.